

TYPO3.Flow - Bug #26879

Clone of lazy objects in generic persistence does not initialize the cloned object

2011-05-18 17:16 - Christopher Hlubek

Status:	Resolved	Start date:	2011-05-18
Priority:	Should have	Due date:	
Assignee:	Christopher Hlubek	% Done:	100%
Category:	Persistence	Estimated time:	0.00 hour
Target version:		Complexity:	
PHP Version:			
Has patch:			

Description

With the LazyLoadingAspect on the __clone method, the object in thawProperties closure references still the original object after a clone. As a result, the cloned object is not initialized but marked as dirty and the persistence state is inconsistent.

As a workaround, the actual proxy in the aspect should be passed to the closure to fix the wrong reference in the case of a clone.

Associated revisions

Revision f3ab9990 - 2011-05-18 17:25 - Christopher Hlubek

[BUGFIX] Persistence: Fix lazy loading with clone in generic persistence

Change-Id: I2e2cdb2e9ed309d13db0df84b396f313603deb4a

Resolves: #26879

History

#1 - 2011-05-18 17:25 - Mr. Hudson

Patch set 1 of change I2e2cdb2e9ed309d13db0df84b396f313603deb4a has been pushed to the review server.

It is available at <http://review.typo3.org/2193>

#2 - 2011-05-23 14:05 - Christopher Hlubek

- Status changed from Accepted to Resolved

- % Done changed from 0 to 100

Applied in changeset [f3ab9990bff7b66091ad1a118cf97dccb454823a](https://review.typo3.org/2193).