

# PHP Version 5.3.8



<b>System</b>	Linux server.your-server.de 2.6.32-5-amd64 #1 SMP Mon Oct 3 03:59:20 UTC 2011 x86_64
<b>Build Date</b>	Aug 24 2011 16:59:34
<b>Configure Command</b>	'./configure' '--prefix=/usr/local/php53' '--with-config-file-path=/etc/php53/cgi' '--with-gd' '--with-jpeg-dir' '--with-png-dir' '--with-tiff-dir' '--with-ttf' '--enable-force-cgi-redirect' '--enable-safe-mode' '--with-zlib' '--enable-ftp' '--enable-url-includes' '--enable-gd-native-ttf' '--enable-trans-sid' '--enable-dbase' '--with-db4' '--with-ldap' '--enable-bcmath' '--enable-calendar' '--enable-discard-path' '--enable-memory-limit' '--with-imap' '--with-mcal=/usr' '--with-bz2' '--with-mod-dav' '--enable-sockets' '--with-kerberos' '--with-imap-ssl' '--enable-gd-imgstrttf' '--with-freetype-dir' '--with-curl' '--with-mysql=/usr' '--with-mhash' '--with-gdbm' '--with-pgsql' '--with-gettext' '--with-xml' '--with-mcrypt' '--with-openssl' '--with-dom' '--with-pear=/usr/local/lib/php' '--enable-exif' '--enable-zip' '--disable-cli' '--enable-fastcgi' '--enable-soap' '--enable-mbstring' '--with-xsl' '--with-xmlrpc' '--with-mysqli' '--with-pdo-mysql=/usr' '--with-pdo-pgsql' '--enable-sysvshm' '--enable-shmop' '--with-mssql' '--enable-pcntl' '--enable-htscanner' '--with-t1lib=/usr' '--with-tidy' '--enable-intl' '--enable-sysvsem'
<b>Server API</b>	CGI/FastCGI
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/etc/php53/cgi
<b>Loaded Configuration File</b>	/home/httpd/php53-ini/domain/php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>Additional .ini files parsed</b>	(none)
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls

<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk
----------------------------------	---

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2011 Zend Technologies



## PHP Credits

### Configuration

#### bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

#### bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.5, 10-Dec-2007

#### calendar

<b>Calendar support</b>	enabled
-------------------------	---------

#### cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

#### Core

PHP Version	5.3.8
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6135	6135
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/php53/lib/php/extensions/	/usr/local/php53/lib/php/extensions/
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/lib/php/	./usr/local/lib/php/
log_errors	Off	Off
log_errors_max_len	1024	1024

<b>magic_quotes_gpc</b>	On	On
<b>magic_quotes_runtime</b>	Off	Off
<b>magic_quotes_sybase</b>	Off	Off
<b>mail.add_x_header</b>	Off	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>
<b>max_execution_time</b>	240	240
<b>max_file_uploads</b>	20	20
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	-1	-1
<b>memory_limit</b>	400M	400M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	<i>no value</i>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	5M	5M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	16K	16K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	On	On
<b>register_globals</b>	On	On
<b>register_long_arrays</b>	On	On
<b>report_memleaks</b>	On	On
<b>report zend_debug</b>	On	On
<b>request_order</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode</b>	Off	Off
<b>safe_mode_exec_dir</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_gid</b>	Off	Off
<b>safe_mode_include_dir</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/sbin/sendmail -t	/usr/sbin/sendmail -t
<b>serialize_precision</b>	17	17
<b>short_open_tag</b>	On	On
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	5M	5M
<b>upload_tmp_dir</b>	/usr/home/domain/.tmp	/usr/home/domain/.tmp
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	<i>no value</i>	<i>no value</i>
<b>variables_order</b>	EGPCS	EGPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>y2k_compliance</b>	Off	Off

zend.enable_gc	On	On
----------------	----	----

## ctype

ctype functions	enabled
-----------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.21.0
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	Yes
<b>IDN</b>	Yes
<b>IPv6</b>	Yes
<b>Largefile</b>	Yes
<b>NTLM</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>krb4</b>	No
<b>libz</b>	Yes
<b>CharConv</b>	No
<b>Protocols</b>	dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
<b>Host</b>	x86_64-pc-linux-gnu
<b>SSL Version</b>	OpenSSL/0.9.8o
<b>ZLib Version</b>	1.2.3.4
<b>libSSH Version</b>	libssh2/1.2.6

## date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	2011.8
<b>Timezone Database</b>	internal
<b>Default timezone</b>	Europe/Berlin

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	Europe/Berlin	Europe/Berlin

## dba

DBA support	enabled
Supported handlers	gdbm cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.8
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 314376 2011-08-06 14:47:44Z felipe \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
version	1.0.5-dev

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 313665 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.4.2
<b>T1Lib Support</b>	enabled
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPEG Support</b>	enabled
<b>libJPEG Version</b>	6b
<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.2.44
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	0	0

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## htscanner

<b>htscanner support</b>	<b>enabled</b>
<b>extension version</b>	0.9.1-dev
<b>CVS Id</b>	\$Id: htscanner.c,v 1.25 2009/03/04 00:40:16 pajoye Exp \$

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	2.11.2

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imap

<b>IMAP c-Client Version</b>	2007e
<b>SSL Support</b>	enabled
<b>Kerberos Support</b>	enabled

## intl

<b>Internationalization support</b>	<b>enabled</b>
<b>version</b>	1.1.0
<b>ICU version</b>	4.4.1
<b>ICU Data version</b>	4.4.0.1

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>intl.default_locale</b>	<i>no value</i>	<i>no value</i>
<b>intl.error_level</b>	0	0

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## ldap

<b>LDAP Support</b>	enabled
<b>RCS Version</b>	\$Id: ldap.c 313665 2011-07-25 11:42:53Z felipe \$
<b>Total Links</b>	0/unlimited



API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20423

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

## libxml

libXML support	active
libXML Compiled Version	2.7.8
libXML Loaded Version	20708
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217

<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

## mhash

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	Emulated Support

## mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

## mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.49
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock

<b>MYSQL_INCLUDE</b>	-I/usr/include/mysql
<b>MYSQL_LIBS</b>	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysql

Mysql Support	enabled
Client API library version	5.1.49
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.49
<b>MYSQLI_SOCKET</b>	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8o 01 Jun 2010
OpenSSL Header Version	OpenSSL 0.9.8o 01 Jun 2010

## pcntl

<b>pcntl support</b>	<b>enabled</b>
----------------------	----------------

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	<b>enabled</b>
<b>PCRE Library Version</b>	8.12 2011-01-15

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>pcre.backtrack_limit</b>	1000000	1000000
<b>pcre.recursion_limit</b>	100000	100000

## PDO

<b>PDO support</b>	<b>enabled</b>
<b>PDO drivers</b>	mysql, pgsql, sqlite, sqlite2

## pdo\_mysql

<b>PDO Driver for MySQL</b>	<b>enabled</b>
<b>Client API version</b>	5.1.49

## pdo\_pgsql

<b>PDO Driver for PostgreSQL</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.4.7
<b>Module version</b>	1.0.2
<b>Revision</b>	\$Id: pdo_pgsql.c 314376 2011-08-06 14:47:44Z felipe \$

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
<b>SQLite Library</b>	3.7.7.1

## pgsql

<b>PostgreSQL Support</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.4.7
<b>Multibyte character support</b>	enabled
<b>SSL support</b>	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>pgsql.allow_persistent</b>	On	On

<b>pgsql.auto_reset_persistent</b>	Off	Off
<b>pgsql.ignore_notice</b>	Off	Off
<b>pgsql.log_notice</b>	Off	Off
<b>pgsql.max_links</b>	Unlimited	Unlimited
<b>pgsql.max_persistent</b>	Unlimited	Unlimited

## Phar

<b>Phar: PHP Archive support</b>	<b>enabled</b>
<b>Phar EXT version</b>	2.0.1
<b>Phar API version</b>	1.1.1
<b>SVN revision</b>	\$Revision: 314419 \$
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>Native OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
Phar fully realized by Gregory Beaver and Marcus Boerger.  
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## posix

<b>Revision</b>	\$Revision: 313665 \$
-----------------	-----------------------

## Reflection

<b>Reflection</b>	<b>enabled</b>
<b>Version</b>	\$Revision: 313665 \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user sqlite
<b>Registered serializer handlers</b>	php php_binary

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>session.auto_start</b>	Off	Off
<b>session.bug_compat_42</b>	On	On

session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/usr/home/domain/.tmp	/usr/home/domain/.tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	1	1

## shmop

shmop support	enabled
---------------	---------

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 314376 \$
Schema support	enabled

## soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

<b>SPL support</b>	enabled
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

<b>SQLite support</b>	enabled
<b>PECL Module version</b>	2.0-dev \$Id: sqlite.c 306939 2011-01-01 02:19:59Z felipe \$
<b>SQLite Library</b>	2.8.17
<b>SQLite Encoding</b>	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

## sqlite3

<b>SQLite3 support</b>	enabled
<b>SQLite3 module version</b>	0.7-dev
<b>SQLite Library</b>	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

## standard

<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/sbin/sendmail -t

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0

<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0
<b>default_socket_timeout</b>	60	60
<b>from</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_allowed_env_vars</b>	PHP_	PHP_
<b>safe_mode_protected_env_vars</b>	LD_LIBRARY_PATH	LD_LIBRARY_PATH
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

## tidy

<b>Tidy support</b>	<b>enabled</b>
<b>libTidy Release</b>	25 March 2009
<b>Extension Version</b>	2.0 (\$Id: tidy.c 313665 2011-07-25 11:42:53Z felipe \$)

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>tidy.clean_output</b>	0	0
<b>tidy.default_config</b>	<i>no value</i>	<i>no value</i>

## tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

## xml

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.7.8

## xmlreader

<b>XMLReader</b>	enabled
------------------	---------

## xmlrpc

<b>core library version</b>	xmlrpc-epi v. 0.51
<b>php extension version</b>	0.51
<b>author</b>	Dan Libby
<b>homepage</b>	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
<b>open sourced by</b>	Epinions.com



## xmlwriter

XMLWriter	enabled
-----------	---------

## xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.7
EXSLT	enabled
libexslt Version	1.1.26

## zip

Zip	enabled
Extension Version	\$Id: php_zip.c 313665 2011-07-25 11:42:53Z felipe \$
Zip version	1.9.1
Libzip version	0.9.0

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
sysvsem
sysvshm

## Environment

Variable	Value
PHPRC	/home/httpd/php53-ini/domain
PATH	/usr/local/bin:/usr/bin:/bin:/home/httpd/cgi-bin
PWD	/home/httpd/cgi-bin

SHLVL	0
PHP_FCGI_MAX_REQUESTS	100000

## PHP Variables

Variable	Value
PHP_SELF	/temp/info.php
_REQUEST["_pk_id_1_5055"]	d34ee0e63f270e6f.1318232454.86.1325758881.1325750555.
_REQUEST["_pk_id_5_5055"]	85f468d0cd7d1c4b.1318337402.1.1318337402.1318337402.
_REQUEST["typo3-login-cookiecheck"]	true
_REQUEST["be_typo_user"]	292e27b53dbc44ba7bbda5a6fe1b2fcd
_REQUEST["tx_phpmyadmin"]	f53c43c3854dea4794dad32118c9ae5c
_REQUEST["fe_typo_user"]	049f529fa7e889bdebd60d892b407aae
_REQUEST["_pk_ses_1_5055"]	*
_COOKIE["_pk_id_1_5055"]	d34ee0e63f270e6f.1318232454.86.1325758881.1325750555.
_COOKIE["_pk_id_5_5055"]	85f468d0cd7d1c4b.1318337402.1.1318337402.1318337402.
_COOKIE["typo3-login-cookiecheck"]	true
_COOKIE["be_typo_user"]	292e27b53dbc44ba7bbda5a6fe1b2fcd
_COOKIE["tx_phpmyadmin"]	f53c43c3854dea4794dad32118c9ae5c
_COOKIE["fe_typo_user"]	049f529fa7e889bdebd60d892b407aae
_COOKIE["_pk_ses_1_5055"]	*
_SERVER["PHPRC"]	/home/httpd/php53-ini/domain
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["PWD"]	/home/httpd/cgi-bin
_SERVER["SHLVL"]	0
_SERVER["PHP_FCGI_MAX_REQUESTS"]	100000
_SERVER["FCGI_ROLE"]	RESPONDER
_SERVER["REDIRECT_HANDLER"]	application/x-httpd-php53
_SERVER["REDIRECT_STATUS"]	200
_SERVER["HTTP_HOST"]	v2.domain.de
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:8.0) Gecko/20100101 Firefox/8.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_CONNECTION"]	close
_SERVER["HTTP_COOKIE"]	_pk_id.1.5055=d34ee0e63f270e6f.1318232454.86.1325758881.1325750555.; _pk_id.5.5055=85f468d0cd7d1c4b.1318337402.1.1318337402.1318337402.; typo3-login-cookiecheck=true; be_typo_user=292e27b53dbc44ba7bbda5a6fe1b2fcd; tx_phpmyadmin=f53c43c3854dea4794dad32118c9ae5c; fe_typo_user=049f529fa7e889bdebd60d892b407aae; _pk_ses.1.5055=*
_SERVER["SERVER_SIGNATURE"]	<address>Apache Server at v2.domain.de Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	v2.domain.de
_SERVER["SERVER_ADDR"]	78.46.10.12
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	213.23.91.62

_SERVER["DOCUMENT_ROOT"]	/usr/www/users/domain
_SERVER["SERVER_ADMIN"]	webmaster@v2.domain.de
_SERVER["SCRIPT_FILENAME"]	/usr/www/users/domain/temp/info.php
_SERVER["REMOTE_PORT"]	54237
_SERVER["REDIRECT_URL"]	/temp/info.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/temp/info.php
_SERVER["SCRIPT_NAME"]	/temp/info.php
_SERVER["ORIG_SCRIPT_FILENAME"]	/home/httpd/cgi-bin/php53-fcgi-starter.fcgi
_SERVER["ORIG_PATH_INFO"]	/temp/info.php
_SERVER["ORIG_PATH_TRANSLATED"]	/usr/www/users/domain/temp/info.php
_SERVER["ORIG_SCRIPT_NAME"]	/cgi-sys/php53-fcgi-starter.fcgi
_SERVER["PHP_SELF"]	/temp/info.php
_SERVER["REQUEST_TIME"]	1325758887
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0
_ENV["PHPRC"]	/home/httpd/php53-ini/domain
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["PWD"]	/home/httpd/cgi-bin
_ENV["SHLVL"]	0
_ENV["PHP_FCGI_MAX_REQUESTS"]	100000
_ENV["FCGI_ROLE"]	RESPONDER
_ENV["REDIRECT_HANDLER"]	application/x-httpd-php53
_ENV["REDIRECT_STATUS"]	200
_ENV["HTTP_HOST"]	v2.domain.de
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:8.0) Gecko/20100101 Firefox/8.0
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_ENV["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_ENV["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_ENV["HTTP_CONNECTION"]	close
_ENV["HTTP_COOKIE"]	_pk_id.1.5055=d34ee0e63f270e6f.1318232454.86.1325758881.1325750555.; _pk_id.5.5055=85f468d0cd7d1c4b.1318337402.1.1318337402.1318337402.; typo3-login-cookiecheck=true; be_typo_user=292e27b53dbc44ba7bbda5a6fe1b2fcd; tx_phpmyadmin=f53c43c3854dea4794dad32118c9ae5c; fe_typo_user=049f529fa7e889bdebd60d892b407aae; _pk_ses.1.5055=*
_ENV["SERVER_SIGNATURE"]	<address>Apache Server at v2.domain.de Port 80</address>
_ENV["SERVER_SOFTWARE"]	Apache
_ENV["SERVER_NAME"]	v2.domain.de
_ENV["SERVER_ADDR"]	78.46.10.12
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	213.23.91.62
_ENV["DOCUMENT_ROOT"]	/usr/www/users/domain

_ENV["SERVER_ADMIN"]	webmaster@v2.domain.de
_ENV["SCRIPT_FILENAME"]	/usr/www/users/domain/temp/info.php
_ENV["REMOTE_PORT"]	54237
_ENV["REDIRECT_URL"]	/temp/info.php
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	<i>no value</i>
_ENV["REQUEST_URI"]	/temp/info.php
_ENV["SCRIPT_NAME"]	/temp/info.php
_ENV["ORIG_SCRIPT_FILENAME"]	/home/httpd/cgi-bin/php53-fcgi-starter.fcgi
_ENV["ORIG_PATH_INFO"]	/temp/info.php
_ENV["ORIG_PATH_TRANSLATED"]	/usr/www/users/domain/temp/info.php
_ENV["ORIG_SCRIPT_NAME"]	/cgi-sys/php53-fcgi-starter.fcgi

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).