

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('backend_layout','1','icon','','','0','0','0',NULL,NULL,'2754e15695287b3b15b1e77369e2df16')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('backend_layout','3','icon','','','0','0','0',NULL,NULL,'242e1c653222bef975c5b59642518cae')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','1','image','','','0','0','0',NULL,NULL,'5f77cc2eac87cc6de0ab00e700178220')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','2','image','','','0','0','0',NULL,NULL,'0645a634c4dd425575cb47ec6f337863')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','3','image','','','0','0','0',NULL,NULL,'7323dff604a2bb5b6b5b62fa92998dd0')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','4','image','','','0','0','0',NULL,NULL,'4aeca1fe847b3e5d235c323f72625e0a')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex

	(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','5','image','','','0','0','0',NULL,NULL,','c9379aa1458d90a615b0ebdaa143e3f5')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','29','image','','','0','0','0',NULL,NULL,','be3ef494991bce794fb664b2e9092c4b')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','6','image','','','0','0','0',NULL,NULL,','dde99375c4ee32e69e7d24ca77035963')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','10','image','','','0','0','0',NULL,NULL,','80335ec3208aa733ef9560640bae9c73')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','8','image','','','0','0','0',NULL,NULL,','e85e534d9ebcaa9bd826d5b4dc30a051')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','9','image','','','0','0','0',NULL,NULL,','c8d387c847d5e1ec6709fe538fd91e72')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','11','image','','','0','0','0',NULL,NULL,','3a3f18bad534514c271b4aa3360a7513')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //

	TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	---

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'12'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ec0e09f87ecaa213d470bf11bdeddc00'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'13'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'5218595a657da2f6c9edfa9b59948873'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'14'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7e098915be899493a4c4750a2ff60239'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'15'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'9fedf20d217cbd56a888ae6e251e3d62'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'16'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ecffaac66d33557c0f076a98ed7e73d2'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'17'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'d03b3d5aa34291f91f10acc9b56df7f3'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

	TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'18'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'39d2f2b1236d44c4b8cb77f7c3fa1ac'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'19'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'9a3c332b690358465c1713f087f89913'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'20'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'de2ed3e430e014aad3087989c19af748'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'22'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'255ded18abfd822eccdc565e2eb349'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'24'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'42df376da092e4df582e083184d19cb5'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'23'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'659a368f847b743ceddcf7234f1bf47b'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'26'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'9f769a63c8fef914ff8a3416cc861ccf'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'32'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'28ca799f85159a8cf0f89c6951c2b475'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'33'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'4c054e9ef74cec109035ee5976d681d8'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'36'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'f94e73386e86272f0f367b459a2a6c15'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'34'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'6665d6e2daafe764dec4eb106a83e994'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'35'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'97166aa416adf5307c219cb64fcc55d4'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex

	(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','38','image','','','0','0','0',NULL,NULL,','41756dafd2b031cbceef9860aaab5247')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','39','image','','','0','0','0',NULL,NULL,','6190440bfdff2cb7cdc81113f1a45eb1')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','40','image','','','0','0','0',NULL,NULL,','f71c49c08af1b71329e4b61ddb96889c')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','41','image','','','0','0','0',NULL,NULL,','96820348cab0848a3eebf1ccb44c663f')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','42','image','','','0','0','0',NULL,NULL,','d139775d36daaa3b4f95071a525b3b7b')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','43','image','','','0','0','0',NULL,NULL,','5adb6de7881312bfdc05eb5b35584377')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','45','image','','','0','0','0',NULL,NULL,','a25819e0d2170c1de5a3acfa0f51f40b')

debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
-----------------	--

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'49'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'e57361487e35059d07f562359965d4ff'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'46'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7526ac702dc47ef772a58b2f77a5d0c9'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'47'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'692e1ecccc51b72e7173af186bb74022'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'52'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'080314e2ff9dc5991f474e0c5143d24c'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'48'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'a0c97917fab90c83aa3e79318d27052a'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'50'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ad2df8470e4b1e78b7ab9331f4c591f7'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //

	TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	--

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'51'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7ec7232638e193b14f1483cb87693028'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'53'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'84099bc7c16c63adb86784cb45a7e877'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'54'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'9807c0c34668f7ee285efaa76913cb2e'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'55'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'c71d88b1e5237ac84f1c86e800de986f'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'56'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'8d912d6ba18e9ea69e95139f53b290a3'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'57'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ed4e0a0173872b18a47b3f46d871cad8'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','63','image','','','0','0','0',NULL,NULL,,'9e454d256c256dd385590d84b1124c3e')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','60','image','','','0','0','0',NULL,NULL,,'f4029f645c400e467334ceab9c72ca43')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','58','image','','','0','0','0',NULL,NULL,,'d4fee81b7e0bf14aa9fdde4fa791f0e6')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','59','image','','','0','0','0',NULL,NULL,,'ec1e16d7850ce1eff2a4617ced411aba')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','61','image','','','0','0','0',NULL,NULL,,'b1b80a7741d49839c3f9e91f7321ce3b')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','62','image','','','0','0','0',NULL,NULL,,'22ab414e6e55cc4688e1fec1353fa8bd')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null

ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','64','image','','','0','0','0',NULL,NULL,'8670e5ab61b4692756a058a77b543690'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','65','image','','','0','0','0',NULL,NULL,'7ac7839d577988b932e80b3d13641996'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','66','image','','','0','0','0',NULL,NULL,'de8e6101f6f98b5c1e84824b9f081178'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','67','image','','','0','0','0',NULL,NULL,'c3c8fd1e82641889941f49bb24bd8973'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','68','image','','','0','0','0',NULL,NULL,'4d961f66f5ec1d6fea147fa73766b85c'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','70','image','','','0','0','0',NULL,NULL,'0c381ae963d38ff965483389d8f2177e'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)

	VALUES (<code>'tx_news_domain_model_media','69','image','','','','0','0','0',NULL,NULL,'19257a235cdf650212d3cb7e35adb120')</code>)
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','71','image','','','','0','0','0',NULL,NULL,'f52c775c3b08aa0e4a4fbb9bf438d012'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','72','image','','','','0','0','0',NULL,NULL,'558ed329f3060ffa780716ec1eac3f46'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','73','image','','','','0','0','0',NULL,NULL,'1ce0d1fe211ae44deb1e13dd8dcdbc1a'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','75','image','','','','0','0','0',NULL,NULL,'d6af7658fdd52d76968e8f15ca443773'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','76','image','','','','0','0','0',NULL,NULL,'6ad6174fd2c0cde4a8445bb4d33087cf'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202</code>

exec_INSERTquery

caller	<code>TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery</code>
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	<code>INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','78','image','','','','0','0','0',NULL,NULL,'661ea470b1a6f51c25f36fa2e386f3a1'</code>)</code>
debug_backtrace	<code>require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //</code>

	TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	---

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'80'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'773c4304a42be3e13af517b82c2fae19'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'81'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'70493acfee3dc9a070de7c887ff748c'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'82'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'dd1106dcaa86580e4c1cc0a1662d6d46'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'83'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ae8f178caef439c023e40ed68da41582'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'86'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'64f528a0a738083f2592bf254f033615'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'126'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'d517c072859bf47375d9664a2045822d'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

	TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'87'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'cf17f06c0356ff39d9eab16ee7bd56e1'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'88'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'5ccc35427fcc8e42022de6526cca9c50'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'90'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'12b906b40a410600523c5482f16939e9'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'91'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'b0a25af6d0faea988557f4c5ca66208d'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'92'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'b3b999550cb00dfcea13e568424b6322'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'93'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'fc5da974e624079924cb2cea6c1dd253'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'93'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'fc5da974e624079924cb2cea6c1dd253'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'94'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'b9cd81350e33805c7babdc94604cf2a'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'96'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'10975966609b38c4f19106391b06c9b5'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'100'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'1f191b58a06e571116235a1e746c66d6'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'101'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7aad964b1c38d3513b4c3d7596d760b5'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'102'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'67065d84e3fbd91e3e6e2cb9303ba4'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'103'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7a143ae3fe6fde3c4f1cfd0f1723241f'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex

	(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','104','image','','','0','0','0',NULL,NULL,,'8477489f07701a277479b866a183eca')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','107','image','','','0','0','0',NULL,NULL,,'eaf3d622a2e9f1efd938f122d1773d55')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','108','image','','','0','0','0',NULL,NULL,,'db0b85a22b78d986e150491aab65d351')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','110','image','','','0','0','0',NULL,NULL,,'726361d4e87eb095641b8dc2286e251e')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','111','image','','','0','0','0',NULL,NULL,,'d530237e56007a629238c96285ebba0f')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','112','image','','','0','0','0',NULL,NULL,,'8080932ac020e20e001c437f0c5c094c')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','113','image','','','0','0','0',NULL,NULL,,'59ea0469311df7b44c4085e2c5f007bc')

debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
-----------------	--

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','114','image',' ',' ','0','0','0',NULL,NULL,'fa2fe9548301c0cbe401209ee8bc26c2')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','115','image',' ',' ','0','0','0',NULL,NULL,'ca092de34f5077f8e138a92981608170')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','117','image',' ',' ','0','0','0',NULL,NULL,'7180e086fdcab3342fd7ae60fcb74a00')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','122','image',' ',' ','0','0','0',NULL,NULL,'e14d0cf800e2d8cb23b8a824951f3b70')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','118','image',' ',' ','0','0','0',NULL,NULL,'c9d3379938e0cdf5637fd403e467030e')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','119','image',' ',' ','0','0','0',NULL,NULL,'238eecf9c5c65e14bb7bbbb39f1ba839')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //

	TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	--

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'120'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ee31b52aa24c980080a5efe6ed23c683'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'121'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'20e547c0ef819d839f9efda5449fde0b'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'124'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'0a6d54ffc7a37582f1e1c68411ef0b15'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'125'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'a74540170df84b96ac63c60ef5668067'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'123'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'b79bd2fdc0867449b49d68f9af94a68'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'127'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'68962e09b19c5363ffa1b38d01b04d4f'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','129','image','','','0','0','0',NULL,NULL,'b50afacb7ab6b7a9938a2736941bd155')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','130','image','','','0','0','0',NULL,NULL,'05c41a1db256d7fc26457d1168aab35a')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','135','image','','','0','0','0',NULL,NULL,'0594bd0460ecb28f547035488f1f0d53')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','133','image','','','0','0','0',NULL,NULL,'ae2f784c0c56030121808ccbbf108595')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','134','image','','','0','0','0',NULL,NULL,'742b2a3176abe421e6580152e0c46f1b')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','136','image','','','0','0','0',NULL,NULL,'1b384fe9e29b543965664f0a74002914')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
--------	--

ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','138','image','','','0','0','0',NULL,NULL,','6ebabc405c311bd0335a36b4d4112b27')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','139','image','','','0','0','0',NULL,NULL,','feacf224d3234ab6b9d3dabe2aa9515e')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','141','image','','','0','0','0',NULL,NULL,','5347d3cbf80a5d749afb93d2486f5aeb')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','142','image','','','0','0','0',NULL,NULL,','29ce5cf0926a185b076570e47a5de837')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','206','image','','','0','0','0',NULL,NULL,','3aba10e755afe0f9753c07fb9533ca46')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','143','image','','','0','0','0',NULL,NULL,','48ed9545b700b95e91c58c8f6582ec08')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)

	VALUES (<code>'tx_news_domain_model_media','144','image','','','0','0','0',NULL,NULL,'23fbb761f14501b0fc83da3f0dfeb6c2'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','145','image','','','0','0','0',NULL,NULL,'7851a523c6f1728eda7cb38842bc6d4e'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','146','image','','','0','0','0',NULL,NULL,'a8588db4a3402096dd4b33e61e9cc517'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','147','image','','','0','0','0',NULL,NULL,'07884dc2ccca3458f2f832e953654f7e'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','150','image','','','0','0','0',NULL,NULL,'025efd74197fec335e300ecc8daa1c55'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','152','image','','','0','0','0',NULL,NULL,'1d665abfc7d6fb1a611a476dc8a941db'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media','153','image','','','0','0','0',NULL,NULL,'4d1a520aee11e073ca8bd2750fc22e0'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //

	TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	---

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','155','image','','','0','0','0',NULL,NULL,,'835222c740c6356cbb1e85a38f3bbd96')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','154','image','','','0','0','0',NULL,NULL,,'8772ab4c864d3bb937c089c676a29026')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','197','image','','','0','0','0',NULL,NULL,,'0667cd5a85e80ce66bd99a979209dd46')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','156','image','','','0','0','0',NULL,NULL,,'1452bdf18b8445dbbcfdeaf740ebfc2')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','157','image','','','0','0','0',NULL,NULL,,'29637f546d72ef25c874bec2fe3af4ed')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','158','image','','','0','0','0',NULL,NULL,,'b4b60799b464ee517a0a09c76fc0b5c3')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\LowLevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

	TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'159'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'00e44a8de796a18004768d56961003bc'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'160'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'298d131d64167d1cbd0d073df465e206'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'161'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'2f27d5e8d3cb44d7402fd4541f451997'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'162'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'203238d5a1ada81439b3743e2805e347'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'163'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'fd826a3b53768e9b2755ad13896a0a17'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	
caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'165'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'28e1682aa77c8ccf90fdb9895f2147bf'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery	

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'168'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'7ad6947ca119777c982fa9a1762db235'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'169'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'57ab72f2d05cf15ffd055baffaceb9e7'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'170'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'5de08ae72fe89cb6220b581bf922ace7'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'171'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'2903710a4517fee33a4a2b0cc82ffc1c'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'172'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'e28fca2a0f247a841c92c66fd1f38ac4'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'173'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'271c1f6ca684c35c5e85a4ec1f36acc5'</code>)
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null

lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','174','image','','','0','0','0',NULL,NULL,','79db559cd4d564bb894ec7259d13ac62')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','177','image','','','0','0','0',NULL,NULL,','618afcab03cdfd4b5b52873ecaba6e89')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','178','image','','','0','0','0',NULL,NULL,','19890d5100d487ef514ac7be52c4852d')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','179','image','','','0','0','0',NULL,NULL,','3d77332593495da27f5dba37c6a05010')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','180','image','','','0','0','0',NULL,NULL,','08cbf4067ec10f72256c7ef60dad6168')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','181','image','','','0','0','0',NULL,NULL,','67709000e50d271fd1a6dc712b99a246')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','182','image','','','0','0','0',NULL,NULL,','b3c15845ad9b1753d46e34e582dfab3e')

debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
-----------------	--

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'184'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'6db665dc01dd0727c8132a3c6472ee49'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'185'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'ad2dc7d84d884ba67256ad7bb2d15e94'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'186'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'474e35ae6934e357dd9514ecdbe02453'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'187'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'d929201a4ea004f02925a7a367da35e8'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'188'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'b9407d28ca6c66b462d6c5c538f25937'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTQuery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTQuery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTQuery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'189'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'5b5d06fe950b92fdda85cfedc6ac41ba'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //

	TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
--	--

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'190'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'75e0e79604c1ae55851700fd6ebbd600'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'191'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'1f5f1e592a7254edaa565dc6a9fd9cfe'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'192'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'c065a8a3248e0162dd4065a0575a06a7'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'193'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'2bbbd05be56d676ef11ef7da1a4fe5f6'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'194'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'638dfd67aee286c07495ec20928ca05'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<code>'tx_news_domain_model_media'</code> , <code>'195'</code> , <code>'image'</code> , <code>''</code> , <code>''</code> , <code>'0'</code> , <code>'0'</code> , <code>'0'</code> , <code>NULL</code> , <code>NULL</code> , <code>''</code> , <code>'9a15429be088a202225c1be0593b1f1d'</code>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','196','image','','','0','0','0',NULL,NULL,,'cecc5020c7d1dcad92fee8626289649b')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','199','image','','','0','0','0',NULL,NULL,,'99cc04ffacbef18e29607765b5cadc2f')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','198','image','','','0','0','0',NULL,NULL,,'d870d392494ab7220931be481e061667')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','208','image','','','0','0','0',NULL,NULL,,'f96bbb8e72bbf2d51d90263759d1a99a')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','203','image','','','0','0','0',NULL,NULL,,'fcc6eaa6ac5969f164a4a367a1dcb83')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_news_domain_model_media','205','image','','','0','0','0',NULL,NULL,,'4d8134f0e94838da3a276384998f75d6')
debug_backtrace	require(6.2.4/typo3/sysex/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
--------	--

ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_media','204','image','','','','0','0','0',NULL,NULL,'331e5883a2467d181252cb6eb630aa71'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_media','207','image','','','','0','0','0',NULL,NULL,'276dc16ce7552307db61cb0464b0faba'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_file','1','file','','','','0','0','0',NULL,NULL,'d7df82ea49743de415eadb5a6000e284'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_file','3','file','','','','0','0','0',NULL,NULL,'077e451f8e03f5210e4080834e9c7213'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_file','4','file','','','','0','0','0',NULL,NULL,'3563469ee059e522209b578d525226b1'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_file','5','file','','','','0','0','0',NULL,NULL,'5fb302817fb2bab77fd0e5e6c7ee8f'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES (<i>'tx_news_domain_model_file','6','file','','','','0','0','0',NULL,NULL,'ae6574d5b9160221a0ace12e99f1ed06'</i>)
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //

lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','3','icon','','','0','0','0',NULL,NULL,','14a709a4ff6ce0cae9c6199feecd3c47')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','4','icon','','','0','0','0',NULL,NULL,','2a2f43dff08014de5c6349c8e0e67ac4')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','5','icon','','','0','0','0',NULL,NULL,','0b5e8a462f4babf9de6003cc61d2ee5d')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','6','icon','','','0','0','0',NULL,NULL,','1fede1e168646917eefa3a6e1235d382')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','7','icon','','','0','0','0',NULL,NULL,','d20e4e6c09d8236c740daa8f54bbbe56')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES ('tx_gridelements_backend_layout','8','icon','','','0','0','0',NULL,NULL,','ef8354f65988e2c67940d905d277b280')
debug_backtrace	require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 // TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery

caller	TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR	Column 'ref_uid' cannot be null
lastBuiltQuery	INSERT INTO sys_refindex (tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash) VALUES

```

('tx_gridelements_backend_layout','9','icon','','','0','0','0',NULL,NULL,'"9f9ea14ae847e26a34368475a2357bb7')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','10','icon','','','0','0','0',NULL,NULL,'"6b10c336f3e8ac133d020b098195baae')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','11','icon','','','0','0','0',NULL,NULL,'"e741a048efa793dee42316a54c4abb7b')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','12','icon','','','0','0','0',NULL,NULL,'"c00e46f9b3fbc86071a7418ab5a47e7')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','13','icon','','','0','0','0',NULL,NULL,'"3bd8e55d24d76d8abbc1459eeffbf2f')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','14','icon','','','0','0','0',NULL,NULL,'"c5635e3aadc35cdd72758b77e6072e88')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-
>func_refindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202

exec_INSERTquery
caller TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery
ERROR Column 'ref_uid' cannot be null
lastBuiltQuery INSERT INTO sys_refindex
(tablename,recuid,field,flexpointer,softref_key,softref_id,sorting,deleted,workspace,ref_table,ref_uid,ref_string,hash)
VALUES
('tx_gridelements_backend_layout','15','icon','','','0','0','0',NULL,NULL,'"903729cee40d48661c4b5ce1f3e8e82')
debug_backtrace require(6.2.4/typo3/sysext/lowlevel/dbint/index.php),6.2.4/typo3/mod.php#32 //

```

```
TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView->main#26 // TYPO3\CMS\Lowlevel\View\DatabaseIntegrityView-  
>func_reindex#208 // TYPO3\CMS\Core\Database\ReferenceIndex->updateIndex#305 //  
TYPO3\CMS\Core\Database\ReferenceIndex->updateRefIndexTable#945 //  
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#130 //  
TYPO3\CMS\Core\Database\DatabaseConnection->debug#202
```