

Get help in the TYPO3 Wiki

If you need help solving this exception, you can have a look at the TYPO3 Wiki. There you can find solutions provided by the TYPO3 community. Once you have found a solution to the problem, help others by contributing to the wiki page.

[Find a solution for this exception in the TYPO3 wiki.](#)

(1/1) #1384611413 TYPO3Fluid\Fluid\Core\ViewHelper\Exception

No record was found. The "record" or "uid" argument must be specified.

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/vhs/Classes/Utility/ErrorUtility.php line 25

```
        */

        public static function throwViewHelperException($message = null, $code =
null)

        {

            if (version_compare(TYPO3_version, '8.0', '>=')) {

                throw new \TYPO3Fluid\Fluid\Core\ViewHelper\Exception($message,
$code);

            }

            throw new \TYPO3\CMS\Fluid\Core\ViewHelper\Exception($message, $code);

        }

    }

}
```

at FluidTYPO3\Vhs\Utility>ErrorUtility::throwViewHelperException('No record was found. The "record" or "uid" argument must be specified.', 1384611413)

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/vhs/Classes/ViewHelpers/Resource/Record/AbstractRecordResourceViewHelper.php line 211

```

    }
}

if (null === $record) {
    ErrorUtility::throwViewHelperException('No record was found. The
"record" or "uid" argument must be specified.', 1384611413);
}

// attempt to load resources. If any Exceptions happen, transform them
to

// ViewHelperExceptions which render as an inline text error message.

at
FluidTYPO3\Vhs\ViewHelpers\Resource\Record\AbstractRecordResourceViewHelper->render()
at call_user_func(array(object(FluidTYPO3\Vhs\ViewHelpers\Page\Resources\FalViewHelper),
'render'))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/Abstract
ViewHelper.php line 262
*/

protected function callRenderMethod()
{
    if (method_exists($this, 'render')) {
        return call_user_func([$this, 'render']);
    }
}

```

```
        if ((new \ReflectionMethod($this,
'renderStatic'))->getDeclaringClass()->getName() !==
AbstractViewHelper::class) {
```

```
            // Method is safe to call - will not recurse through
ViewHelperInvoker via the default
```

```
            // implementation of renderStatic() on this class.
```

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper->callRenderMethod()
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/Abstract
ViewHelper.php line 250
```

```
{
```

```
    $this->validateArguments();
```

```
    $this->initialize();
```

```
    return $this->callRenderMethod();
```

```
}
```

```
/**
```

```
 * Call the render() method and handle errors.
```

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper->initializeArgumentsAndRender()
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/ViewHel
perInvoker.php line 79
```

```
}
```

```
    $viewHelper->setRenderingContext($renderingContext);
```

```
    $viewHelper->setArguments($evaluatedArguments);
```

```

        $viewHelper->handleAdditionalArguments($undeclaredArguments);

        return $viewHelper->initializeArgumentsAndRender();
    } catch (Exception $error) {

        return
$renderingContext->getErrorHandler()->handleViewHelperError($error);

    }

}

```

at

```

TYPO3Fluid\Fluid\Core\ViewHelper\ViewHelperInvoker->invoke('FluidTYPO3\Vhs\ViewHelper
s\Page\Resources\FalViewHelper', array('table' => 'pages', 'field' => 'nav_thumbnail', 'record'
=> null, 'uid' => 52, 'as' => 'images', 'asObjects' => false, 'limit' => null, 'slide' => 0, 'slideCollect' =>
0, 'slideCollectReverse' => false), object(TYPO3\CMS\Fluid\Core\Rendering\RenderingContext),
object(Closure))

```

in

**/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/Abstract
ViewHelper.php** line 522

```

    */

```

```

    public static function renderStatic(array $arguments, \Closure
$renderChildrenClosure, RenderingContextInterface $renderingContext)

```

```

    {

```

```

        $viewHelperClassName = get_called_class();

```

```

        return

```

```

$renderingContext->getViewHelperInvoker()->invoke($viewHelperClassName,
$arguments, $renderingContext, $renderChildrenClosure);

```

```

    }

```

```

/**

```

* Save the associated ViewHelper node in a static public class variable.

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper::renderStatic(array('table' => 'pages',  
'field' => 'nav_thumbnail', 'record' => null, 'uid' => 52, 'as' => 'images', 'asObjects' => false, 'limit' =>  
null, 'slide' => 0, 'slideCollect' => 0, 'slideCollectReverse' => false), object(Closure),  
object(TYPO3\CMS\Fluid\Core\Rendering\RenderingContext))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/partial_Megamenu_be8  
ecef49ec49269d6ce2b9c466dc6264f7fd983.php line 88
```

```
$array15 = array (
```

```
);$arguments13['uid'] =
```

```
$renderingContext->getVariableProvider()->getPath('item.uid', $array15);
```

```
$arguments13['as'] = 'images';
```

```
$output12 .=
```

```
FluidTYPO3\Vhs\ViewHelpers\Page\Resources\FalViewHelper::renderStatic($argume  
nts13, $renderChildrenClosure14, $renderingContext);
```

```
$output12 .= '
```

```
';
```

```
return $output12;
```

```
at partial_Megamenu_be8ecef49ec49269d6ce2b9c466dc6264f7fd983->{closure}()
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/ViewHelpers/VariableView  
Helper.php line 58
```

```
array $arguments,
```

```
\Closure $renderChildrenClosure,
```

```
RenderingContextInterface $renderingContext
```

```

    ) {
        $value = $renderChildrenClosure();

        $renderingContext->getVariableProvider()->add($arguments['name'],
$value);
    }
}

at TYPO3Fluid\Fluid\ViewHelpers\VariableViewHelper::renderStatic(array('value' => null, 'name'
=> 'alt_thumbnail'), object(Closure),
object(TYPO3\CMS\Fluid\Core\Rendering\RenderingContext))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/partial_Megamenu_be8
ecf49ec49269d6ce2b9c466dc6264f7fd983.php line 99
$arguments10['value'] = NULL;

$arguments10['name'] = NULL;

$arguments10['name'] = 'alt_thumbnail';

$renderChildrenClosure11 = ($arguments10['value'] !== null) ? function() use
($arguments10) { return $arguments10['value']; } : $renderChildrenClosure11;

$output9 .= call_user_func_array( function ($var) { return (is_string($var)
|| (is_object($var) && method_exists($var, '__toString'))) ?
htmlspecialchars((string) $var, ENT_QUOTES) : $var; },
[TYPO3Fluid\Fluid\ViewHelpers\VariableViewHelper::renderStatic($arguments10,
$renderChildrenClosure11, $renderingContext)]);

$output9 .= '

```

```
at partial_Megamenu_be8ecef49ec49269d6ce2b9c466dc6264f7fd983->{closure}()
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/ViewHelpers/ForViewHelper.php line 133
```

```
        $templateVariableContainer->add($arguments['iteration'],
$iterationData);
```

```
        $iterationData['index']++;
```

```
        $iterationData['cycle']++;
```

```
    }
```

```
    $output .= $renderChildrenClosure();
```

```
    $templateVariableContainer->remove($arguments['as']);
```

```
    if (isset($arguments['key'])) {
```

```
        $templateVariableContainer->remove($arguments['key']);
```

```
    }
```

```
at TYPO3Fluid\Fluid\ViewHelpers\ForViewHelper::renderStatic(array('each' => array(array('uid' => 2, 'pid' => 1, 'tstamp' => 1577027951, 'crdate' => 1576966401, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 256, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' =>
'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Il modello di Assicurazione della Qualità', 'slug' => '/il-modello-di-assicurazione-della-qualita', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 6, 'shortcut_mode' => 0, 'subtitle' =>
```

```
", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 1, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Il modello di Assicurazione della Qualità', 'link' => '/il-modello-di-assicurazione-della-qualita/criteri-guida-e-aspetti-organizzativi'), array('uid' => 3, 'pid' => 1, 'tstamp' => 1576968889, 'crdate' => 1576966506, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 512, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' => 'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"Tconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Presidio Qualità', 'slug' => '/presidio-qualita', 'doktype' => 4, 'Tconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 13, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'active' => true, 'current' => true, 'hasSubPages' => true, 'class' => 'active current sub', 'linktext' => 'Presidio Qualità', 'link' => '/presidio-qualita/funzioni'), array('uid' => 4, 'pid' => 1, 'tstamp' => 1576968976, 'crdate' => 1576966532, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 768, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' => 'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode'
```


";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Nucleo di valutazione', 'slug' => '/nucleo-di-valutazione', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 19, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Nucleo di valutazione', 'link' => '/funzioni'), array('uid' => 5, 'pid' => 1, 'tstamp' => 1576969055, 'crdate' => 1576966559, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 1024, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' => ''

'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Risorse per l'assicurazione della qualità', 'slug' => '/risorse-per-lassicurazione-della-qualita', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 25, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0,

```
'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "",
'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null,
'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0,
'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Risorse
per l\'assicurazione della qualità', 'link' => '/norme-e-decreti'), array('uid' => 52, 'pid' => 1, 'tstamp'
=> 1577573163, 'crdate' => 1577010314, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 1, 'starttime'
=> 0, 'endtime' => 0, 'fe_group' => '0', 'sorting' => 1152, 'rowDescription' => null, 'editlock' => 0,
'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' =>
0, 'l10n_diffsource' => 'a:1:{s:6:"hidden";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "",
't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0,
't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31,
'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'test without subpages', 'slug' =>
'/test-without-subpages', 'doktype' => 1, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0,
'url' => "", 'shortcut' => 0, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0,
'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0,
'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 1577573163, 'abstract' => null,
'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide'
=> 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0,
'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes'
=> null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0,
'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "",
'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0,
'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'class' => "", 'linktext' =>
'test without subpages', 'link' => '/test-without-subpages')), 'as' => 'item', 'key' => null, 'reverse' =>
false, 'iteration' => null), object(Closure),
object(TYPO3\CMS\Fuild\Core\Rendering\RenderingContext))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/partial_Megamenu_be8
ecf49ec49269d6ce2b9c466dc6264f7fd983.php line 596
```

```
$array8 = array (
```

```
);$arguments6['each'] =
```

```
$renderingContext->getVariableProvider()->getByPath('menu', $array8);
```

```
$arguments6['as'] = 'item';
```

```
$output5 .=
```

```
TYPO3Fluid\Fuild\ViewHelpers\ForViewHelper::renderStatic($arguments6,
$renderChildrenClosure7, $renderingContext);
```

```
$output5 .= '
```

```
';
```

```
return $output5;
```

```
at partial_Megamenu_be8ecef49ec49269d6ce2b9c466dc6264f7fd983->{closure}()
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/AbstractViewHelper.php line 302
```

```
public function renderChildren()
```

```
{
```

```
    if ($this->renderChildrenClosure !== null) {
```

```
        $closure = $this->renderChildrenClosure;
```

```
        return $closure();
```

```
    }
```

```
    return
```

```
$this->viewHelperNode->evaluateChildNodes($this->renderingContext);
```

```
}
```

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper->renderChildren()
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/vhs/Classes/ViewHelpers/Menu/AbstractMenuViewHelper.php line 272
```

```
);
```

```
$output = $this->renderChildren();
```

```
$this->unsetDeferredVariableStorage();
```

```
} else {
```

```
    $content = $this->renderChildren();
```

```
    if (0 < mb_strlen(trim($content))) {
```

```
        $output = $content;
```

```
    } elseif ((boolean) $this->arguments['hideIfEmpty'] === true) {
```

```
        $output = '';
```

at

```
FluidTYPO3\Vhs\ViewHelpers\Menu\AbstractMenuViewHelper->renderContent(array(array('uid' => 2, 'pid' => 1, 'tstamp' => 1577027951, 'crdate' => 1576966401, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 256, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' => 'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Il modello di Assicurazione della Qualità', 'slug' => '/il-modello-di-assicurazione-della-qualita', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 6, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 1, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Il modello di Assicurazione della Qualità', 'link' =>
```

/il-modello-di-assicurazione-della-qualita/criteri-guida-e-aspetti-organizzativi'), array('uid' => 3, 'pid' => 1, 'tstamp' => 1576968889, 'crdate' => 1576966506, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 512, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' =>

'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Presidio Qualità', 'slug' => '/presidio-qualita', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 13, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'active' => true, 'current' => true, 'hasSubPages' => true, 'class' => 'active current sub', 'linktext' => 'Presidio Qualità', 'link' => '/presidio-qualita/funzioni'), array('uid' => 4, 'pid' => 1, 'tstamp' => 1576968976, 'crdate' => 1576966532, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 768, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' =>

'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Nucleo di valutazione', 'slug' => '/nucleo-di-valutazione', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 19, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' =>

0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Nucleo di valutazione', 'link' => '/funzioni'), array('uid' => 5, 'pid' => 1, 'tstamp' => 1576969055, 'crdate' => 1576966559, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 0, 'starttime' => 0, 'endtime' => 0, 'fe_group' => "", 'sorting' => 1024, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' =>

'a:34:{s:7:"doktype";N;s:5:"title";N;s:4:"slug";N;s:9:"nav_title";N;s:8:"subtitle";N;s:13:"shortcut_mode";N;s:8:"shortcut";N;s:8:"abstract";N;s:6:"author";N;s:12:"author_email";N;s:11:"lastUpdated";N;s:6:"layout";N;s:8:"newUntil";N;s:14:"backend_layout";N;s:25:"backend_layout_next_level";N;s:13:"nav_thumbnail";N;s:6:"target";N;s:11:"is_siteroot";N;s:9:"no_search";N;s:13:"php_tree_stop";N;s:5:"media";N;s:17:"tsconfig_includes";N;s:8:"TSconfig";N;s:8:"l18n_cfg";N;s:6:"hidden";N;s:8:"nav_hide";N;s:9:"starttime";N;s:7:"endtime";N;s:16:"extendToSubpages";N;s:8:"fe_group";N;s:13:"fe_login_mode";N;s:8:"editlock";N;s:10:"categories";N;s:14:"rowDescription";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31, 'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'Risorse per l'assicurazione della qualità', 'slug' => '/risorse-per-lassicurazione-della-qualita', 'doktype' => 4, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0, 'url' => "", 'shortcut' => 25, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0, 'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0, 'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 0, 'abstract' => null, 'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide' => 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0, 'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes' => null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0, 'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "", 'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0, 'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'hasSubPages' => true, 'class' => 'sub', 'linktext' => 'Risorse per l'assicurazione della qualità', 'link' => '/norme-e-decreti'), array('uid' => 52, 'pid' => 1, 'tstamp' => 1577573163, 'crdate' => 1577010314, 'cruser_id' => 1, 'deleted' => 0, 'hidden' => 1, 'starttime' => 0, 'endtime' => 0, 'fe_group' => '0', 'sorting' => 1152, 'rowDescription' => null, 'editlock' => 0, 'sys_language_uid' => 0, 'l10n_parent' => 0, 'l10n_source' => 0, 'l10n_state' => null, 't3_origuid' => 0, 'l10n_diffsource' => 'a:1:{s:6:"hidden";N;}', 't3ver_oid' => 0, 't3ver_id' => 0, 't3ver_label' => "", 't3ver_wsid' => 0, 't3ver_state' => 0, 't3ver_stage' => 0, 't3ver_count' => 0, 't3ver_tstamp' => 0, 't3ver_move_id' => 0, 'perms_userid' => 1, 'perms_groupid' => 2, 'perms_user' => 31,

```
'perms_group' => 27, 'perms_everybody' => 27, 'title' => 'test without subpages', 'slug' =>
'/test-without-subpages', 'doktype' => 1, 'TSconfig' => null, 'is_siteroot' => 0, 'php_tree_stop' => 0,
'url' => "", 'shortcut' => 0, 'shortcut_mode' => 0, 'subtitle' => "", 'layout' => 0, 'target' => "", 'media' => 0,
'lastUpdated' => 0, 'keywords' => null, 'cache_timeout' => 0, 'cache_tags' => "", 'newUntil' => 0,
'description' => null, 'no_search' => 0, 'SYS_LASTCHANGED' => 1577573163, 'abstract' => null,
'module' => "", 'extendToSubpages' => 0, 'author' => "", 'author_email' => "", 'nav_title' => "", 'nav_hide'
=> 0, 'content_from_pid' => 0, 'mount_pid' => 0, 'mount_pid_ol' => 0, 'alias' => "", 'l18n_cfg' => 0,
'fe_login_mode' => 0, 'backend_layout' => "", 'backend_layout_next_level' => "", 'tsconfig_includes'
=> null, 'legacy_overlay_uid' => 0, 'tx_impexp_origuid' => 0, 'seo_title' => "", 'no_index' => 0,
'no_follow' => 0, 'og_title' => "", 'og_description' => null, 'og_image' => 0, 'twitter_title' => "",
'twitter_description' => null, 'twitter_image' => 0, 'canonical_link' => "", 'categories' => 0,
'nav_thumbnail' => 0, 'show_cta' => 0, 'show_title' => 0, 'layer_opacity' => "", 'class' => "", 'linktext' =>
'test without subpages', 'link' => '/test-without-subpages'))))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/vhs/Classes/ViewHelpers/Menu/  
AbstractMenuViewHelper.php line 233
```

```
    $this->backupVariables();
```

```
$this->renderingContext->getVariableProvider()->add($this->arguments['as'],  
$menu);
```

```
$this->renderingContext->getVariableProvider()->add($this->arguments['rootLineAs'], $rootLine);
```

```
    $this->initializeSubmenuVariables();
```

```
    $output = $this->renderContent($menu);
```

```
    $this->cleanupSubmenuVariables();
```

```
$this->renderingContext->getVariableProvider()->remove($this->arguments['as']  
);
```

```
$this->renderingContext->getVariableProvider()->remove($this->arguments['rootLineAs']  
);
```

```
    $this->restoreVariables();
```

```
at FluidTYPO3\Vhs\ViewHelpers\Menu\AbstractMenuViewHelper->render()
at call_user_func(array(object(FluidTYPO3\Vhs\ViewHelpers\MenuViewHelper), 'render'))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/Abstract
ViewHelper.php line 262
```

```
    */

    protected function callRenderMethod()

    {

        if (method_exists($this, 'render')) {

            return call_user_func([$this, 'render']);

        }

        if ((new \ReflectionMethod($this,
'renderStatic'))->getDeclaringClass()->getName() !==
AbstractViewHelper::class) {

            // Method is safe to call - will not recurse through
ViewHelperInvoker via the default

            // implementation of renderStatic() on this class.
```

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper->callRenderMethod()
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/Abstract
ViewHelper.php line 250
```

```
{

    $this->validateArguments();

    $this->initialize();

    return $this->callRenderMethod();
```



```
}
```

```
/**
```

```
 * Call the render() method and handle errors.
```

```
at TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper->initializeArgumentsAndRender()
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/ViewHelperInvoker.php line 79
```

```
    }
```

```
        $viewHelper->setRenderingContext($renderingContext);
```

```
        $viewHelper->setArguments($evaluatedArguments);
```

```
        $viewHelper->handleAdditionalArguments($undeclaredArguments);
```

```
        return $viewHelper->initializeArgumentsAndRender();
```

```
    } catch (Exception $error) {
```

```
        return
```

```
$renderingContext->getErrorHandler()->handleViewHelperError($error);
```

```
    }
```

```
}
```

```
at
```

```
TYPO3Fluid\Fluid\Core\ViewHelper\ViewHelperInvoker->invoke('FluidTYPO3\Vhs\ViewHelpers\MenuViewHelper', array('additionalAttributes' => null, 'data' => null, 'class' => null, 'dir' => null, 'id' => null, 'lang' => null, 'style' => null, 'title' => null, 'accesskey' => null, 'tabindex' => null, 'onclick' => null, 'forceClosingTag' => false, 'hideIfEmpty' => false, 'contentEditable' => null, 'contextMenu' => null, 'draggable' => null, 'dropzone' => null, 'translate' => null, 'spellcheck' => null, 'hidden' => null, 'showAccessProtected' => false, 'classAccessProtected' => 'protected', 'classAccessGranted' => 'access-granted', 'useShortcutUid' => null, 'useShortcutTarget' => null, 'useShortcutData' => false, 'tagName' => 'ul', 'tagNameChildren' => 'li', 'entryLevel' => 0, 'levels' =>
```

```
1, 'expandAll' => true, 'classFirst' => "", 'classLast' => "", 'classActive' => 'active', 'classCurrent' =>
'current', 'classHasSubpages' => 'sub', 'substElementUid' => false, 'showHiddenInMenu' => false,
'showCurrent' => true, 'linkCurrent' => true, 'linkActive' => true, 'titleFields' => 'nav_title,title',
'includeAnchorTitle' => true, 'includeSpacers' => false, 'deferred' => false, 'as' => 'menu',
'rootLineAs' => 'rootLine', 'excludePages' => "", 'forceAbsoluteUrl' => false, 'doktypes' => "", 'divider'
=> null, 'pageUid' => null), object(TYPO3\CMS\Fuild\Core\Rendering\RenderingContext),
object(Closure))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/Core/ViewHelper/AbstractViewHelper.php line 522

```
*/
```

```
public static function renderStatic(array $arguments, \Closure
$renderChildrenClosure, RenderingContextInterface $renderingContext)
```

```
{
```

```
    $viewHelperClassName = get_called_class();
```

```
    return
```

```
$renderingContext->getViewHelperInvoker()->invoke($viewHelperClassName,
$arguments, $renderingContext, $renderChildrenClosure);
```

```
}
```

```
/**
```

```
 * Save the associated ViewHelper node in a static public class variable.
```

at

```
TYPO3Fluid\Fuild\Core\ViewHelper\AbstractViewHelper::renderStatic(array('additionalAttribute
s' => null, 'data' => null, 'class' => null, 'dir' => null, 'id' => null, 'lang' => null, 'style' => null, 'title' =>
null, 'accesskey' => null, 'tabindex' => null, 'onclick' => null, 'forceClosingTag' => false,
'hidelfEmpty' => false, 'contenteditable' => null, 'contextmenu' => null, 'draggable' => null,
'dropzone' => null, 'translate' => null, 'spellcheck' => null, 'hidden' => null, 'showAccessProtected'
=> false, 'classAccessProtected' => 'protected', 'classAccessGranted' => 'access-granted',
'useShortcutUid' => null, 'useShortcutTarget' => null, 'useShortcutData' => false, 'tagName' => 'ul',
'tagNameChildren' => 'li', 'entryLevel' => 0, 'levels' => 1, 'expandAll' => true, 'classFirst' => "",
'classLast' => "", 'classActive' => 'active', 'classCurrent' => 'current', 'classHasSubpages' => 'sub',
```

```
'substElementUid' => false, 'showHiddenInMenu' => false, 'showCurrent' => true, 'linkCurrent' =>
true, 'linkActive' => true, 'titleFields' => 'nav_title,title', 'includeAnchorTitle' => true,
'includeSpacers' => false, 'deferred' => false, 'as' => 'menu', 'rootLineAs' => 'rootLine',
'excludePages' => "", 'forceAbsoluteUrl' => false, 'doktypes' => "", 'divider' => null, 'pageUid' => null),
object(Closure), object(TYPO3\CMS\Fuild\Core\Rendering\RenderingContext))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/partial_Megamenu_be8
ecef49ec49269d6ce2b9c466dc6264f7fd983.php line 670
    ),

    $renderingContext

);
```

```
$output0 .=
FluidTYPO3\Vhs\ViewHelpers\MenuViewHelper::renderStatic($arguments1,
$renderChildrenClosure2, $renderingContext);
```

```
$output0 .= '
```

```
</div>
```

```
at
partial_Megamenu_be8ecef49ec49269d6ce2b9c466dc6264f7fd983->render(object(TYPO3\CMS
S\Fuild\Core\Rendering\RenderingContext))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/View/AbstractTemplateVie
w.php line 329
    $this->startRendering(self::RENDERING_PARTIAL, $parsedPartial,
$renderingContext);

    if ($sectionName !== null) {

        $output = $this->renderSection($sectionName, $variables,
$ignoreUnknown);
```

```

    } else {
        $output = $parsedPartial->render($renderingContext);
    }

    $this->stopRendering();

    return $output;
}

```

at TYPO3Fluid\Fluid\View\AbstractTemplateView->renderPartial('Megamenu', null, array(), false)
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/ViewHelpers/RenderView
Helper.php line 141

```

        $renderingContext = clone $renderingContext;

        $renderingContext->getVariableProvider()->setSource($variables);

        $content = (new $delegate())->render($renderingContext);

    } elseif ($partial !== null) {

        $content = $view->renderPartial($partial, $section, $variables,
$optional);

    } elseif ($section !== null) {

        $content = $view->renderSection($section, $variables, $optional);

    } elseif (!$optional) {

        throw new \InvalidArgumentException('ViewHelper f:render called
without either argument section, partial, renderable or delegate and optional
flag is false');

```

at TYPO3Fluid\Fluid\ViewHelpers\RenderViewHelper::renderStatic(array('section' => null,
'partial' => 'Megamenu', 'delegate' => null, 'renderable' => null, 'arguments' => array(), 'optional' =>

```
false, 'default' => null, 'contentAs' => null, 'debug' => true), object(Closure),
object(TYPO3\CMS\Fuild\Core\Rendering\RenderingContext))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/partial_HeaderHome_a
99a83e8ecb774429d1e836a61822224f6d9c148.php line 128
```

```
$arguments7['contentAs'] = NULL;
```

```
$arguments7['debug'] = true;
```

```
$arguments7['partial'] = 'Megamenu';
```

```
$output0 .=
TYPO3\CMS\Fuild\ViewHelpers\RenderViewHelper::renderStatic($arguments7,
$renderChildrenClosure8, $renderingContext);
```

```
$output0 .= '
```

```
</nav>
```

```
</header>
```

```
at
partial_HeaderHome_a99a83e8ecb774429d1e836a61822224f6d9c148->render(object(TYPO3\
CMS\Fuild\Core\Rendering\RenderingContext))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/View/AbstractTemplateVie
w.php line 329
```

```
    $this->startRendering(self::RENDERING_PARTIAL, $parsedPartial,
    $renderingContext);
```

```
        if ($sectionName !== null) {
```

```
            $output = $this->renderSection($sectionName, $variables,
            $ignoreUnknown);
```

```
        } else {
```

```

        $output = $parsedPartial->render($renderingContext);
    }

    $this->stopRendering();

    return $output;
}

```

at TYPO3Fluid\Fluid\View\AbstractTemplateView->renderPartial('HeaderHome', null, array(), false)

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/ViewHelpers/RenderViewHelper.php line 141

```

        $renderingContext = clone $renderingContext;

        $renderingContext->getVariableProvider()->setSource($variables);

        $content = (new $delegate())->render($renderingContext);

    } elseif ($partial !== null) {

        $content = $view->renderPartial($partial, $section, $variables, $optional);

    } elseif ($section !== null) {

        $content = $view->renderSection($section, $variables, $optional);

    } elseif (!$optional) {

        throw new \InvalidArgumentException('ViewHelper f:render called without either argument section, partial, renderable or delegate and optional flag is false');
    }

```

at TYPO3Fluid\Fluid\ViewHelpers\RenderViewHelper::renderStatic(array('section' => null, 'partial' => 'HeaderHome', 'delegate' => null, 'renderable' => null, 'arguments' => array(), 'optional' => false, 'default' => null, 'contentAs' => null, 'debug' => true), object(Closure), object(TYPO3\CMS\Fluid\Core\Rendering\RenderingContext))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/var/cache/code/fluid_template/layout_Default_html_10c2269023db7b21afe5cb9ac15e365499a966b1.php line 97

```
$arguments6['contentAs'] = NULL;
```

```
$arguments6['debug'] = true;
```

```
$arguments6['partial'] = 'HeaderHome';
```

```
$output0 .=
```

```
TYPO3\CMS\Fluid\ViewHelpers\RenderViewHelper::renderStatic($arguments6,  
$renderChildrenClosure7, $renderingContext);
```

```
$output0 .= '
```

```
';
```

```
// Rendering ViewHelper TYPO3\CMS\Fluid\ViewHelpers\RenderViewHelper
```

at

```
layout_Default_html_10c2269023db7b21afe5cb9ac15e365499a966b1->render(object(TYPO3\CMS\Fluid\Core\Rendering\RenderingContext))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/vendor/typo3fluid/fluid/src/View/AbstractTemplateView.php line 201

```
    } catch (PassthroughSourceException $error) {
```

```
        return $error->getSource();
```

```
    }
```

```
    $this->startRendering(self::RENDERING_LAYOUT, $parsedTemplate,  
$this->baseRenderingContext);
```

```
    $output = $parsedLayout->render($this->baseRenderingContext);
```

```
    $this->stopRendering();
```

```
}
```

```
return $output;
```

at TYPO3Fluid\Fluid\View\AbstractTemplateView->render()

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/ContentObject/FluidTemplateContentObject.php line 358

```
* @return string
```

```
*/
```

```
protected function renderFluidView()
```

```
{
```

```
    return $this->view->render();
```

```
}
```

```
/**
```

```
 * Apply standard wrap to content
```

at TYPO3\CMS\Frontend\ContentObject\FluidTemplateContentObject->renderFluidView()

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/ContentObject/FluidTemplateContentObject.php line 107

```
$this->view->assignMultiple($variables);
```

```
$this->renderFluidTemplateAssetsIntoPageRenderer();
```



```
$content = $this->renderFluidView();
```

```
$content = $this->applyStandardWrapToRenderedContent($content, $conf);
```

```
$this->view = $parentView;
```

```
return $content;
```

at

```
TYPO3\CMS\Frontend\ContentObject\FluidTemplateContentObject->render(array('templateName' => 'TEXT', 'templateName.' => array('stdWrap.' => array('cObject' => 'TEXT', 'cObject.' => array('data' => 'pagelayout', 'required' => '1', 'case' => 'uppercamelcase', 'split.' => array('token' => 'pagets_', 'cObjNum' => '1', '1.' => array('current' => '1'))), 'ifEmpty' => 'Error')), 'layoutRootPaths.' => array('EXT:bhsiteconf/Resources/Private/Layouts/Page/', 'EXT:bhsiteconf/Resources/Private/Layouts/Page/'), 'partialRootPaths.' => array('EXT:bhsiteconf/Resources/Private/Partials/Page/', 'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'templateRootPaths.' => array('EXT:bhsiteconf/Resources/Private/Templates/Page/', 'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'extbase.' => array('controllerExtensionName' => 'bhsiteconf'), 'settings.' => array('pagesInHeaderMenu' => "", 'pagesInFooterMenu' => '31', 'facebook' => 'https://www.facebook.com/unicatt', 'twitter' => 'https://twitter.com/unicatt', 'linkedin' => 'https://www.linkedin.com/company/catholic-university-of-milan', 'instagram' => 'https://www.instagram.com/unicatt/', 'youtube' => 'http://www.youtube.com/user/younicatt', 'ctaLink' => 'https://www.unicatt.it', 'modalcontactsLink' => 'https://www.unicatt.it/contatti', 'modalsearch.' => array('content.' => array('id' => '2')), 'modalcontacts.' => array('content.' => array('id' => '6'))), 'variables.' => array('testThereAreSubpages' => 'TEXT', 'testThereAreSubpages.' => array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'pages', 'select.' => array('pidInList.' => array('data' => 'field:uid'), 'where' => 'nav_hide = 0'))))))), 'testThereIsContent0' => 'TEXT', 'testThereIsContent0.' => array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList' => 'this', 'where' => 'colPos=0'))))))), 'testThereIsContent1' => 'TEXT', 'testThereIsContent1.' => array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList' => 'this', 'where' => 'colPos=1'))))))), 'pageLevel' => 'TEXT', 'pageLevel.' => array('value' => 'level-{level:-1}', 'insertData' => '1')), 'dataProcessing.' => array('TYPO3\CMS\Frontend\DataProcessing\FilesProcessor', '99.' => array('references.' => array('table' => 'pages', 'fieldName' => 'media'), 'as' => 'headerImage'))))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysexst/frontend/Classes/ContentObject/
ContentObjectRenderer.php line 816

```
}
```

```
// Render content
```

```
try {
```

```
    $content .= $contentObject->render($configuration);
```

```
} catch (ContentRenderingException $exception) {
```

```
    // Content rendering Exceptions indicate a critical problem which  
    should not be
```

```
    // caught e.g. when something went wrong with Exception handling  
    itself
```

```
    throw $exception;
```

at

```
TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer->render(object(TYPO3\CMS\Fro  
ntend\ContentObject\FluidTemplateContentObject), array('templateName' => 'TEXT',  
'templateName.' => array('stdWrap.' => array('cObject' => 'TEXT', 'cObject.' => array('data' =>  
'pagelayout', 'required' => '1', 'case' => 'uppercamelcase', 'split.' => array('token' => 'pagets__',  
'cObjNum' => '1', '1.' => array('current' => '1'))), 'ifEmpty' => 'Error')), 'layoutRootPaths.' =>  
array('EXT:bhsiteconf/Resources/Private/Layouts/Page/',  
'EXT:bhsiteconf/Resources/Private/Layouts/Page/'), 'partialRootPaths.' =>  
array('EXT:bhsiteconf/Resources/Private/Partials/Page/',  
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'templateRootPaths.' =>  
array('EXT:bhsiteconf/Resources/Private/Templates/Page/',  
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'extbase.' =>  
array('controllerExtensionName' => 'bhsiteconf'), 'settings.' => array('pagesInHeaderMenu' => "",  
'pagesInFooterMenu' => '31', 'facebook' => 'https://www.facebook.com/unicatt', 'twitter' =>  
'https://twitter.com/unicatt', 'linkedin' =>  
'https://www.linkedin.com/company/catholic-university-of-milan', 'instagram' =>  
'https://www.instagram.com/unicatt/', 'youtube' => 'http://www.youtube.com/user/younicatt',  
'ctaLink' => 'https://www.unicatt.it', 'modalcontactsLink' => 'https://www.unicatt.it/contatti',
```

```
'modalsearch.' => array('content.' => array('id' => '2')), 'modalcontacts.' => array('content.' =>
array('id' => '6')), 'variables.' => array('testThereAreSubpages' => 'TEXT', 'testThereAreSubpages.'
=> array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'pages', 'select.'
=> array('pidInList.' => array('data' => 'field:uid'), 'where' => 'nav_hide = 0'))))),
'testThereIsContent0' => 'TEXT', 'testThereIsContent0.' => array('value' => '1', 'if.' => array('isTrue.'
=> array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList' => 'this', 'where' =>
'colPos=0'))))), 'testThereIsContent1' => 'TEXT', 'testThereIsContent1.' => array('value' => '1', 'if.'
=> array('isTrue.' => array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList'
=> 'this', 'where' => 'colPos=1'))))), 'pageLevel' => 'TEXT', 'pageLevel.' => array('value' =>
'level-{level:-1}', 'insertData' => '1')), 'dataProcessing.' =>
array('TYPO3\CMS\Frontend\DataProcessing\FilesProcessor', '99.' => array('references.' =>
array('table' => 'pages', 'fieldName' => 'media'), 'as' => 'headerImage'))))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/ContentObject/ContentObjectRenderer.php line 732

```
}
```

```
if (!$hooked) {
```

```
    $contentObject = $this->getContentObject($name);
```

```
    if ($contentObject) {
```

```
        $content .= $this->render($contentObject, $conf);
```

```
    } else {
```

```
        // Call hook functions for extra processing
```

```
        if ($name) {
```

```
            foreach
```

```
($GLOBALS['TYPO3_CONF_VARS']['SC_OPTIONS']['tslib/class.tslib_content.php']['cObjTypeAndClassDefault'] ?? [] as $className) {
```

at

```
TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer->cObjGetSingle('FLUIDTEMPLAT
E', array('templateName' => 'TEXT', 'templateName.' => array('stdWrap.' => array('cObject' =>
'TEXT', 'cObject.' => array('data' => 'pagelayout', 'required' => '1', 'case' => 'uppercamelcase', 'split.'
=> array('token' => 'pagets__', 'cObjNum' => '1', '1.' => array('current' => '1'))), 'ifEmpty' => 'Error')),
'layoutRootPaths.' => array('EXT:bhsiteconf/Resources/Private/Layouts/Page/,'
```

```
'EXT:bhsiteconf/Resources/Private/Layouts/Page/'), 'partialRootPaths.' =>
array('EXT:bhsiteconf/Resources/Private/Partials/Page/',
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'templateRootPaths.' =>
array('EXT:bhsiteconf/Resources/Private/Templates/Page/',
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'extbase.' =>
array('controllerExtensionName' => 'bhsiteconf'), 'settings.' => array('pagesInHeaderMenu' => ",
'pagesInFooterMenu' => '31', 'facebook' => 'https://www.facebook.com/unicatt', 'twitter' =>
'https://twitter.com/unicatt', 'linkedin' =>
'https://www.linkedin.com/company/catholic-university-of-milan', 'instagram' =>
'https://www.instagram.com/unicatt/', 'youtube' => 'http://www.youtube.com/user/yunicatt',
'ctaLink' => 'https://www.unicatt.it', 'modalcontactsLink' => 'https://www.unicatt.it/contatti',
'modalsearch.' => array('content.' => array('id' => '2')), 'modalcontacts.' => array('content.' =>
array('id' => '6'))), 'variables.' => array('testThereAreSubpages' => 'TEXT', 'testThereAreSubpages.'
=> array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'pages', 'select.'
=> array('pidInList.' => array('data' => 'field:uid'), 'where' => 'nav_hide = 0'))))),
'testThereIsContent0' => 'TEXT', 'testThereIsContent0.' => array('value' => '1', 'if.' => array('isTrue.'
=> array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList' => 'this', 'where' =>
'colPos=0'))))), 'testThereIsContent1' => 'TEXT', 'testThereIsContent1.' => array('value' => '1', 'if.'
=> array('isTrue.' => array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList'
=> 'this', 'where' => 'colPos=1'))))), 'pageLevel' => 'TEXT', 'pageLevel.' => array('value' =>
'level-{level:-1}', 'insertData' => '1')), 'dataProcessing.' =>
array('TYPO3\CMS\Frontend\DataProcessing\FilesProcessor', '99.' => array('references.' =>
array('table' => 'pages', 'fieldName' => 'media'), 'as' => 'headerImage'))), 'lib.stdContent')
in
```

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/ContentObject/ContentObjectRenderer.php line 714

```
list($name, $conf) = $cF->getVal($key,
$this->getTypoScriptFrontendController()->tmpl->setup);

$conf = array_replace_recursive(is_array($conf) ? $conf : [],
$confOverride);

// Getting the cObject

$timeTracker->incStackPointer();

$content .= $this->cObjGetSingle($name, $conf, $key);

$timeTracker->decStackPointer();

} else {
```

```
$hooked = false;
```

```
// Application defined cObjects
```

```
at
```

```
TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer->cObjGetSingle('FLUIDTEMPLAT  
E', array('templateName' => 'TEXT', 'templateName.' => array('stdWrap.' => array('cObject' =>  
'TEXT', 'cObject.' => array('data' => 'pagelayout', 'required' => '1', 'case' => 'uppercamelcase', 'split.'  
=> array('token' => 'pagets__', 'cObjNum' => '1', '1.' => array('current' => '1'))), 'ifEmpty' => 'Error')),  
'layoutRootPaths.' => array('EXT:bhsiteconf/Resources/Private/Layouts/Page/',  
'EXT:bhsiteconf/Resources/Private/Layouts/Page/'), 'partialRootPaths.' =>  
array('EXT:bhsiteconf/Resources/Private/Partials/Page/',  
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'templateRootPaths.' =>  
array('EXT:bhsiteconf/Resources/Private/Templates/Page/',  
'EXT:bhsiteconf/Resources/Private/Partials/Page/'), 'extbase.' =>  
array('controllerExtensionName' => 'bhsiteconf'), 'settings.' => array('pagesInHeaderMenu' => "  
'pagesInFooterMenu' => '31', 'facebook' => 'https://www.facebook.com/unicatt', 'twitter' =>  
'https://twitter.com/unicatt', 'linkedin' =>  
'https://www.linkedin.com/company/catholic-university-of-milan', 'instagram' =>  
'https://www.instagram.com/unicatt/', 'youtube' => 'http://www.youtube.com/user/younicatt',  
'ctaLink' => 'https://www.unicatt.it', 'modalcontactsLink' => 'https://www.unicatt.it/contatti',  
'modalsearch.' => array('content.' => array('id' => '2')), 'modalcontacts.' => array('content.' =>  
array('id' => '6'))), 'variables.' => array('testThereAreSubpages' => 'TEXT', 'testThereAreSubpages.'  
=> array('value' => '1', 'if.' => array('isTrue.' => array('numRows.' => array('table' => 'pages', 'select.'  
=> array('pidInList.' => array('data' => 'field:uid'), 'where' => 'nav_hide = 0'))))),  
'testThereIsContent0' => 'TEXT', 'testThereIsContent0.' => array('value' => '1', 'if.' => array('isTrue.'  
=> array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList' => 'this', 'where' =>  
'colPos=0'))))), 'testThereIsContent1' => 'TEXT', 'testThereIsContent1.' => array('value' => '1', 'if.'  
=> array('isTrue.' => array('numRows.' => array('table' => 'tt_content', 'select.' => array('pidInList'  
=> 'this', 'where' => 'colPos=1'))))), 'pageLevel' => 'TEXT', 'pageLevel.' => array('value' =>  
'level-{level:-1}', 'insertData' => '1')), 'dataProcessing.' =>  
array('TYPO3\CMS\Frontend\DataProcessing\FilesProcessor', '99.' => array('references.' =>  
array('table' => 'pages', 'fieldName' => 'media'), 'as' => 'headerImage')), '10')
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/ContentObject/  
ContentObjectRenderer.php line 678
```

```
foreach ($sKeyArray as $theKey) {
```

```
    $theValue = $setup[$theKey];
```

```
    if ((int)$theKey && strpos($theKey, '.') === false) {
```

```

        $conf = $setup[$theKey . '.'];

        $content .= $this->cObjGetSingle($theValue, $conf, $addKey .
        $theKey);
    }

}

return $content;

}

```

at

```

TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer->cObjGet(array('includeJSFooter.' => array('cookie-js' => 'EXT:cookieman/Resources/Public/Js/js.cookie-2.2.0.min.js', 'cookieman' => 'EXT:cookieman/Resources/Public/Js/cookieman.min.js', 'cookieman-theme' => 'EXT:cookieman/Resources/Public/Themes/bootstrap4-modal/cookieman-theme.min.js', 'cookieman-init' => 'EXT:cookieman/Resources/Public/Js/cookieman-init.min.js'), 'includeCSS.' => array('cookieman-theme' => 'EXT:cookieman/Resources/Public/Themes/bootstrap4-modal/cookieman-theme.min.css', 'all' => 'EXT:bhsiteconf/Resources/Public/Assets/Css/app.min.css'), 'FLUIDTEMPLATE', '1365499.' => array('templateName' => 'PopUp', 'templateRootPaths.' => array('EXT:cookieman/Resources/Private/Templates/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Templates/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Templates/'), 'partialRootPaths.' => array('EXT:cookieman/Resources/Private/Partials/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Partials/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Partials/'), 'layoutRootPaths.' => array('EXT:cookieman/Resources/Private/Layouts/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Layouts/', 'EXT:cookieman/Resources/Private/Themes/bootstrap4-modal/Layouts/'), 'extbase.' => array('controllerExtensionName' => 'cookieman'), 'dataProcessing.' => array('Dmind\Cookieman\DataProcessing\TypoScriptSettingsProcessor'), '< lib.stdContent', 'includeJSFooterlibs.' => array('jquery' => 'EXT:bhsiteconf/Resources/Public/Assets/Js/Vendor/jquery.min.js', 'jquery.' => array('forceOnTop' => '1'), 'bootstrap' => 'EXT:bhsiteconf/Resources/Public/Assets/Js/Vendor/bootstrap.bundle.min.js'))

```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Http/RequestHandler.php line 246

* @return string

```

    */

    protected function generatePageContent(TypoScriptFrontendController
    $controller): string

    {

        $pageContent = $controller->cObj->cObjGet($controller->pSetup) ?: '';

        if ($controller->pSetup['wrap'] ?? false) {

            $pageContent = $controller->cObj->wrap($pageContent,
            $controller->pSetup['wrap']);

        }

        if ($controller->pSetup['stdWrap.'] ?? false) {

```

```

at
TYPO3\CMS\Frontend\Http\RequestHandler->generatePageContent(object(TYPO3\CMS\Front
end\Controller\TypoScriptFrontendController))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Http/RequestHa
ndler.php line 268
    */

```

```

    protected function
    generatePageContentWithHeader(TypoScriptFrontendController $controller,
    ?SiteLanguage $siteLanguage): string

    {

        // Generate the page content, this has to be first, as some additional
        TSFE-related code could have been written

        $pageContent = $this->generatePageContent($controller);

        $pageRenderer = $this->getPageRenderer();

```

```
        if ($controller->config['config']['moveJsFromHeaderToFooter'] ??
false) {
```

```
            $pageRenderer->enableMoveJsFromHeaderToFooter();
```

```
        }
```

at

```
TYPO3\CMS\Frontend\Http\RequestHandler->generatePageContentWithHeader(object(TYPO3\
CMS\Frontend\Controller\TypoScriptFrontendController),
object(TYPO3\CMS\Core\Site\Entity\SiteLanguage))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Http/RequestHa
ndler.php line 168
```

```
        // If 'disableAllHeaderCode' is set, all the header-code is
discarded
```

```
        if ($controller->config['config']['disableAllHeaderCode'] ??
false) {
```

```
            $controller->content =
$this->generatePageContent($controller);
```

```
        } else {
```

```
            $controller->content =
$this->generatePageContentWithHeader($controller,
$request->getAttribute('language', null));
```

```
        }
```

```
        $this->timeTracker->pull($this->timeTracker->LR ?
$this->content : '');
```

```
        $this->timeTracker->decStackPointer();
```

at

```
TYPO3\CMS\Frontend\Http\RequestHandler->handle(object(TYPO3\CMS\Core\Http\ServerReq
uest))
```


in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/ frontend/Classes/Middleware/OutputCompression.php line 46

```
// Throw away all output that may have happened during bootstrapping  
by weird extensions
```

```
ob_clean();
```

```
// Initialize output compression if configured
```

```
$this->initializeOutputCompression();
```

```
return $handler->handle($request);
```

```
}
```

```
/**
```

```
* Initialize output compression if configured
```

at

TYPO3\CMS\Frontend\Middleware\OutputCompression->process(*object*(TYPO3\CMS\Core\Http\ServerRequest), *object*(TYPO3\CMS\Frontend\Http\RequestHandler))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
if (!$middleware instanceof MiddlewareInterface) {
```

```
    throw new \InvalidArgumentException(get_class($middleware)  
    . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
}
```

```
return $middleware->process($request, $this->next);
```

```
}
```

```

        };
    }
}

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/adminpanel/Classes/Middleware/AdminPanelDataPersister.php line 44
    * @return ResponseInterface

    */

    public function process(ServerRequestInterface $request,
RequestHandlerInterface $handler): ResponseInterface

    {

        $response = $handler->handle($request);

        if (

            !($response instanceof NullResponse)

            && $GLOBALS['TSFE'] instanceof TypoScriptFrontendController

            && $GLOBALS['TSFE']->isOutputting()

at
TYPO3\CMS\Adminpanel\Middleware\AdminPanelDataPersister->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```

```

        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}

}

```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\Request))

in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/adminpanel/Classes/Middleware/AdminPanelRenderer.php line 46

```

    * @return ResponseInterface

```

```

    */

```

```

    public function process(ServerRequestInterface $request,
        RequestHandlerInterface $handler): ResponseInterface

```

```

    {

```

```

        $response = $handler->handle($request);

```

```

        if (

```

```

            !($response instanceof NullResponse)

```

```
&& $GLOBALS['TSFE'] instanceof TypoScriptFrontendController
```

```
&& $GLOBALS['TSFE']->isOutputting()
```

at

```
TYPO3\CMS\Adminpanel\Middleware\AdminPanelRenderer->process(object(TYPO3\CMS\Core\
Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
if (!$middleware instanceof MiddlewareInterface) {
```

```
    throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
}
```

```
return $middleware->process($request, $this->next);
```

```
}
```

```
};
```

```
}
```

```
}
```

at

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\
Http\ServerRequest))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/ContentLengthResponseHeader.php line 45

```
* @return ResponseInterface
```

```

    */

    public function process(ServerRequestInterface $request,
RequestHandlerInterface $handler): ResponseInterface

    {

        $response = $handler->handle($request);

        if (

            !($response instanceof NullResponse)

            && $GLOBALS['TSFE'] instanceof TypoScriptFrontendController

            && $GLOBALS['TSFE']->isOutputting()) {

at
TYPO3\CMS\Frontend\Middleware\ContentLengthResponseHeader->process(object(TYPO3\C
MS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php line 138

            if (!$middleware instanceof MiddlewareInterface) {

                throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);

            }

        return $middleware->process($request, $this->next);

    }

};

```

```
}
```

```
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Middleware/ShortcutAndMountPointRedirect.php line 65

```
return new RedirectResponse($externalUrl, 303);
```

```
}
```

```
}
```

```
return $handler->handle($request);
```

```
}
```

```
protected function getRedirectUri(ServerRequestInterface $request):  
?string
```

```
{
```

at
TYPO3\CMS\Frontend\Middleware\ShortcutAndMountPointRedirect->process(object(TYPO3\CMS\Core\Http\ServerRequest),

object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php line 138

```
if (!$middleware instanceof MiddlewareInterface) {
```

```
        throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);
    }
}
```

```
    return $middleware->process($request, $this->next);
```

```
    }
```

```
};
```

```
}
```

```
}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Middleware/MaintenanceMode.php line 53

```
    ) {
```

```
        return
```

GeneralUtility::makeInstance(ErrorController::class)->unavailableAction(\$request, 'This page is temporarily unavailable.');

```
    }
```

```
    // Continue the regular stack if no maintenance mode is active
```

```
    return $handler->handle($request);
```

```
}
```

```
}
```

at
TYPO3\CMS\Frontend\Middleware\MaintenanceMode->process(object(TYPO3\CMS\Core\Http
\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Clas
sses/Http/MiddlewareDispatcher.php0x1074de056))
in
**/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDis
patcher.php** line 138

```
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
        return $middleware->process($request, $this->next);  
    }  
};  
}  
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/H
ttp/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerReq
uest))
in
**/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/Pre
pareTypoScriptFrontendRendering.php** line 118

```
GeneralUtility::makeInstance($className)->checkDataSubmission($this->controll  
er);  
}  
}
```



```
return $handler->handle($request);
```

```
}
```

```
/**
```

```
 * Small helper function to convert charsets for arrays to UTF-8
```

at

TYPO3\CMS\Frontend\Middleware\PrepareTypoScriptFrontendRendering->process(*object*(TYPO3\CMS\Core\Http\ServerRequest),

object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
if (!$middleware instanceof MiddlewareInterface) {
```

```
    throw new \InvalidArgumentException(get_class($middleware)
    . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
}
```

```
return $middleware->process($request, $this->next);
```

```
}
```

```
};
```

```
}
```

```
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/frontend_editing/Classes/Middleware/FrontendEditingAspect.php line 51

```
        'visibility',  
  
        GeneralUtility::makeInstance(VisibilityAspect::class,  
$showHiddenItems, $showHiddenItems)  
  
    );  
  
    }  
  
    return $handler->handle($request);  
  
    }  
  
}
```

at

TYPO3\CMS\FrontendEditing\Middleware\FrontendEditingAspect->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {  
  
            throw new \InvalidArgumentException(get_class($middleware)  
        . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
  
        }  
  
        return $middleware->process($request, $this->next);
```

```
    }  
};  
}  
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/PageArgumentValidator.php line 99

```
        ['code' =>  
PageAccessFailureReasons::CACHEHASH_COMPARISON_FAILED]
```

```
    );
```

```
    }
```

```
    }
```

```
    return $handler->handle($request);
```

```
    }
```

```
/**
```

```
    * Calculates a hash string based on additional parameters in the url.
```

at

TYPO3\CMS\Frontend\Middleware\PageArgumentValidator->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}

}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3conf/ext/frontend_editing/Classes/Middleware/FrontendEditingInitiator.php line 50

```
        $GLOBALS['TSFE']->displayFieldEditIcons = 1;

        // Disable cHash check when browsing the frontend in frontend
        editing

        $GLOBALS['TYPO3_CONF_VARS']['FE']['pageNotFoundOnCHashError'] =
        false;

    }

    return $handler->handle($request);
```

```
}
```

```
}
```

at

TYPO3\CMS\FrontendEditing\Middleware\FrontendEditingInitiator->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {
```

```
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
        }
```

```
        return $middleware->process($request, $this->next);
```

```
    }
```

```
};
```

```
}
```

```
}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/PageResolver.php line 170

```
    }
```

```
        $this->controller->determineId();
```

```

    }

    return $handler->handle($request);
}

/**
 * Provides ways to bypass the '?id=[xxx]&type=[xx]' format, using either
 PATH_INFO or Server Rewrites

at
TYPO3\CMS\Frontend\Middleware\PageResolver->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}

```

```
}
```

```
at
```

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/workspaces/Classes/Middleware/WorkspacePreview.php line 106
```

```
    // Caching is disabled, because otherwise generated URLs could include the ADMCMD_noBeUser parameter
```

```
        $GLOBALS['TSFE']->set_no_cache('GET Parameter ADMCMD_noBeUser was given', true);
```

```
    }
```

```
    $response = $handler->handle($request);
```

```
    // Add a info box to the frontend content
```

```
        if ($GLOBALS['TSFE']->doWorkspacePreview() && $GLOBALS['TSFE']->isOutputting()) {
```

```
            $previewInfo = $this->renderPreviewInfo($GLOBALS['TSFE'], $request->getAttribute('normalizedParams'));
```

```
at
```

```
TYPO3\CMS\Workspaces\Middleware\WorkspacePreview->process(object(TYPO3\CMS\Core\Http\ServerRequest),
```

```
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php line 138
```

```

        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}
}

```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/redirects/Classes/Http/Middleware/RedirectHandler.php line 70

```

        return $response;

    }

}

return $handler->handle($request);

}

/**

```


* Creates a PSR-7 compatible Response object

at

```
TYPO3\CMS\Redirects\Http\Middleware\RedirectHandler->process(object(TYPO3\CMS\Core\Http\ServerRequest),  
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
  
        return $middleware->process($request, $this->next);  
    }  
};  
}  
}
```

at

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/StaticRouteResolver.php line 66

```
        return new HtmlResponse($content, 200, ['Content-Type' => $contentType]);
```

```
    }  
}  
  
return $handler->handle($request);  
  
}  
  
/**  
 * @param File $file  
  
at  
TYPO3\CMS\Frontend\Middleware\StaticRouteResolver->process(object(TYPO3\CMS\Core\Http\nServerRequest),  
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))  
in  
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138  
  
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
  
        return $middleware->process($request, $this->next);  
  
    }  
  
};  
  
}
```

```
}
```

at

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Middleware/SiteBaseRedirectResolver.php line 86

```
        $uri = $requestedUri->withPath(rtrim($requestedUri->getPath(),  
'/'));
```

```
        return new RedirectResponse($uri, 307);
```

```
    }
```

```
}
```

```
    return $handler->handle($request);
```

```
}
```

```
/**
```

```
 * Checks if the language is allowed in Frontend, if not, check if there  
is valid BE user
```

```
 *
```

at

```
TYPO3\CMS\Frontend\Middleware\SiteBaseRedirectResolver->process(object(TYPO3\CMS\Core\Http\ServerRequest),
```

```
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php line 138

```
    if (!$middleware instanceof MiddlewareInterface) {
```

```
        throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
    }
```

```
        return $middleware->process($request, $this->next);
```

```
    }
```

```
};
```

```
}
```

```
}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/adminpanel/Classes/Middleware/AdminPanelInitiator.php line 58

```
    $beUser = $GLOBALS['BE_USER'];
```

```
        $beUser->adminPanel =
GeneralUtility::makeInstance(AdminPanelView::class);
```

```
        $beUser->extAdmEnabled = true;
```

```
    }
```

```
        return $handler->handle($request);
```

```
    }
```

```
}
```

at

TYPO3\CMS\Adminpanel\Middleware\AdminPanelInitiator->process(object(TYPO3\CMS\Core\Http\ServerRequest),

object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
  
        return $middleware->process($request, $this->next);  
    }  
};  
}  
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(*object(TYPO3\CMS\Core\Http\Request)*)
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/SiteResolver.php line 68

```
        // At this point, we later get further route modifiers  
  
        // for bw-compat we update $GLOBALS[TYPO3_REQUEST] to be used later in  
        TSFE.  
  
        $GLOBALS['TYPO3_REQUEST'] = $request;  
  
        return $handler->handle($request);
```

```
}  
}  
  
at  
TYPO3\CMS\Frontend\Middleware\SiteResolver->process(object(TYPO3\CMS\Core\Http\ServerRequest),  
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))  
in  
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138
```

```
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
  
        return $middleware->process($request, $this->next);  
    }  
};  
}  
}
```

```
at  
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))  
in  
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/adminpanel/Classes/Middleware/SqlLogging.php line 49  
        $connectionPool =  
GeneralUtility::makeInstance(ConnectionPool::class);
```

```

        $connection =
$connectionPool->getConnectionByName(ConnectionPool::DEFAULT_CONNECTION_NAME)
;

$connection->getConfiguration()->setSQLLogger(GeneralUtility::makeInstance(DoctrineSqlLogger::class));

    }

    return $handler->handle($request);

}

}

```

at
 TYPO3\CMS\Adminpanel\Middleware\SqlLogging->process(object(TYPO3\CMS\Core\Http\ServerRequest),
 object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
 in
 /Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```

        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}

```

```
}
```

at

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Middleware/BackendUserAuthenticator.php line 95
```

```
    Bootstrap::loadExtTables();
```

```
$this->setBackendUserAspect(GeneralUtility::makeInstance(Context::class),  
$GLOBALS['BE_USER']);
```

```
    }
```

```
    return $handler->handle($request);
```

```
    }
```

```
/**
```

```
 * Creates the backend user object and returns it.
```

at

```
TYPO3\CMS\Frontend\Middleware\BackendUserAuthenticator->process(object(TYPO3\CMS\Core\Http\ServerRequest),  
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

in

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php line 138
```

```
    if (!$middleware instanceof MiddlewareInterface) {
```



```

        throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);

    }

    return $middleware->process($request, $this->next);

}

};

}

}

```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Middleware/FrontendUserAuthenticator.php line 79

```

// Register the frontend user as aspect

```

```

$this->setFrontendUserAspect(GeneralUtility::makeInstance(Context::class),
$frontendUser);

```

```

return $handler->handle($request);

```

```

}

```

```

/**

```

* It's possible to transfer a frontend user session via a GET/POST parameter 'FE_SESSION_KEY'.

at

TYPO3\CMS\Frontend\Middleware\FrontendUserAuthenticator->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {
```

```
                throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
        }
```

```
        return $middleware->process($request, $this->next);
```

```
    }
```

```
};
```

```
}
```

```
}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/TypoScriptFrontendInitialization.php line 90

```
        GeneralUtility::callUserFunction($_funcRef, $_params,  
        $GLOBALS['TSFE']);
```

```
    }  
}  
  
    return $handler->handle($request);  
}  
}
```

at
TYPO3\CMS\Frontend\Middleware\TypoScriptFrontendInitialization->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {  
            throw new \InvalidArgumentException(get_class($middleware)  
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);  
        }  
  
        return $middleware->process($request, $this->next);  
    }  
};  
}  
}
```

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/EidHandler.php line 50

```
{  
  
    $eID = $request->getParsedBody()['eID'] ??  
$request->getQueryParams()['eID'] ?? null;
```

```
    if ($eID === null) {
```

```
        return $handler->handle($request);
```

```
    }
```

```
    // Remove any output produced until now
```

```
    ob_clean();
```

at
TYPO3\CMS\Frontend\Middleware\EidHandler->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
    if (!$middleware instanceof MiddlewareInterface) {
```

```
        throw new \InvalidArgumentException(get_class($middleware)  
        . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```

    }

    return $middleware->process($request, $this->next);

}

};

}

}

at
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
in
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/frontend/Classes/Middleware/PreprocessRequestHook.php line 57
    $hookParameters = [];

    GeneralUtility::callUserFunction($hookFunction,
$hookParameters, $hookParameters);

}

}

    return $handler->handle($request);

}

}

at
TYPO3\CMS\Frontend\Middleware\PreprocessRequestHook->process(object(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

```

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
        if (!$middleware instanceof MiddlewareInterface) {

            throw new \InvalidArgumentException(get_class($middleware)
                . ' does not implement ' . MiddlewareInterface::class, 1516821342);

        }

        return $middleware->process($request, $this->next);

    }

};

}

}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Middleware/NormalizedParamsAttribute.php line 58

```
    // refactored to have ServerRequest object available where it is
    // needed. This global will be
```

```
    // deprecated then and removed.
```

```
    $GLOBALS['TYPO3_REQUEST'] = $request;
```

```
    return $handler->handle($request);
```

```
}
```

```
}
```

at

```
TYPO3\CMS\Core\Middleware\NormalizedParamsAttribute->process(object(TYPO3\CMS\Core\
Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))
```

in

**/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php line 138**

```
        if (!$middleware instanceof MiddlewareInterface) {
```

```
            throw new \InvalidArgumentException(get_class($middleware)
. ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
        }
```

```
        return $middleware->process($request, $this->next);
```

```
    }
```

```
};
```

```
}
```

```
}
```

at

```
class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(object(TYPO3\CMS\
Core\Http\ServerRequest))
```

in

**/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex
t/frontend/Classes/Middleware/TimeTrackerInitialization.php line 49**

```
);
```

```
    $timeTracker->start();
```

```
$timeTracker->push('');
```

```
return $handler->handle($request);
```

```
}
```

```
}
```

at

TYPO3\CMS\Frontend\Middleware\TimeTrackerInitialization->process(*object*(TYPO3\CMS\Core\Http\ServerRequest),
object(class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 138

```
if (!$middleware instanceof MiddlewareInterface) {
```

```
    throw new \InvalidArgumentException(get_class($middleware)  
    . ' does not implement ' . MiddlewareInterface::class, 1516821342);
```

```
}
```

```
return $middleware->process($request, $this->next);
```

```
}
```

```
};
```

```
}
```

```
}
```

at

class@anonymous/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php0x1074de056->handle(*object*(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/MiddlewareDispatcher.php line 67

```
* @return ResponseInterface
```

```
*/
```

```
public function handle(ServerRequestInterface $request): ResponseInterface
```

```
{
```

```
    return $this->tip->handle($request);
```

```
}
```

```
/**
```

```
 * Seed the middleware stack with the inner request handler
```

at

TYPO3\CMS\Core\Http\MiddlewareDispatcher->handle(object(TYPO3\CMS\Core\Http\ServerRequest))

in

/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysex/core/Classes/Http/AbstractApplication.php line 108

```
{
```

```
    $requestHandler = GeneralUtility::makeInstance($this->requestHandler);
```

```
    $dispatcher = $this->createMiddlewareDispatcher($requestHandler);
```

```
    return $dispatcher->handle($request);
```

```
}
```

```
/**
```

```
* Set up the application and shut it down afterwards
```

```
at
```

```
TYPO3\CMS\Core\Http\AbstractApplication->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/frontend/Classes/Http/Application.php line 69
```

```
    if (!$this->checkIfEssentialConfigurationExists()) {
```

```
        return $this->installToolRedirect();
```

```
    }
```

```
    $this->initializeContext();
```

```
    return parent::handle($request);
```

```
}
```

```
/**
```

```
* Check if LocalConfiguration.php and PackageStates.php exist
```

```
at
```

```
TYPO3\CMS\Frontend\Http\Application->handle(object(TYPO3\CMS\Core\Http\ServerRequest))
```

```
in
```

```
/Users/riccardo/Siti/typo3.9.ucdemo.it/public/typo3/sysext/core/Classes/Http/AbstractApplication.php line 120
```

```
    final public function run(callable $execute = null)
```

```
    {
```

```
        try {
```

```
$response = $this->handle(
```

```
\TYPO3\CMS\Core\Http\ServerRequestFactory::fromGlobals()
```

```
);
```

```
if ($execute !== null) {
```

```
    call_user_func($execute);
```

```
}
```

```
at TYPO3\CMS\Core\Http\AbstractApplication->run()
```

```
in /Users/riccardo/Siti/typo3.9.ucdemo.it/public/index.php line 24
```

```
// Set up the application for the frontend
```

```
call_user_func(function () {
```

```
    $classLoader = require dirname(__DIR__).'/vendor/autoload.php';
```

```
    \TYPO3\CMS\Core\Core\SystemEnvironmentBuilder::run(0,  
\TYPO3\CMS\Core\Core\SystemEnvironmentBuilder::REQUESTTYPE_FE);
```

```
\TYPO3\CMS\Core\Core\Bootstrap::init($classLoader)->get(\TYPO3\CMS\Frontend\Http\Application::class)->run();
```

```
});
```

```
at {closure}()
```

```
in /Users/riccardo/Siti/typo3.9.ucdemo.it/public/index.php line 25
```

```
call_user_func(function () {
```

```
    $classLoader = require dirname(__DIR__).'/vendor/autoload.php';
```

```
    \TYPO3\CMS\Core\Core\SystemEnvironmentBuilder::run(0,  
\TYPO3\CMS\Core\Core\SystemEnvironmentBuilder::REQUESTTYPE_FE);
```

```
\TYPO3\CMS\Core\Core\Bootstrap::init($classLoader)->get(\TYPO3\CMS\Frontend\H  
ttp\Application::class)->run();
```

```
});
```