

## Issues

| #     | Project                      | Tracker | Status         | Priority    | Subject   | Assignee           | Category | Target version       | Has patch |
|-------|------------------------------|---------|----------------|-------------|---|--------------------|----------|----------------------|-----------|
| 64432 | TYPO3.Surf                   | Bug     | Resolved       | Should have | Rollback should not be done if Exception is thrown "after" switch stage                       |                    |          |                      |           |
| 55958 | TYPO3.Flow                   | Task    | New            | Should have | RFC: Use PHP 5.4 closure features for direct ObjectAccess                                     |                    |          |                      | No        |
| 54135 | TYPO3.Fluid                  | Bug     | Resolved       | Should have | Cached templates are not flushed when ViewHelpers are changed                                 | Christopher Hlubek |          |                      | No        |
| 52033 | TYPO3.Surf                   | Bug     | Resolved       | Must have   | An after stage task for any application is executed before a task specific for an application | Christopher Hlubek |          |                      |           |
| 51187 | TYPO3 Flow Base Distribution | Task    | Closed         | Should have | Add generic help switch for all commands  |                    |          |                      |           |
| 50191 | Base Distribution            | Story   | Accepted       | Should have | As an integrator I want an extensible way of including JavaScript and CSS                     | Christopher Hlubek |          | 1.0 beta 1           |           |
| 49982 | TYPO3.Eel                    | Feature | Resolved       | Should have | Implement a protected context for public usage in TypoScript                                  | Christopher Hlubek |          |                      |           |
| 49815 | TYPO3.Flow                   | Bug     | Resolved       | Should have | PersistentObjectConverter does not allow to set arbitrary setters                             |                    |          |                      | No        |
| 49289 | TYPO3.Flow                   | Bug     | Resolved       | Must have   | Serialization error on WebRedirect with PHP 5.3   | Christopher Hlubek |          | 2.0.1                | No        |
| 48241 | Base Distribution            | Task    | New            | Should have | Create sandboxed Jenkins testing environment  | Robert Lemke       |          |                      |           |
| 47500 | TYPO3.Flow                   | Bug     | Resolved       | Should have | createRole: Role is not passed as object to repository  | Christopher Hlubek |          |                      | No        |
| 47220 | TYPO3.Flow                   | Bug     | Resolved       | Must have   | Flow fails with new versions of symfony/console and doctrine/annotations                      | Christopher Hlubek |          |                      | No        |
| 46371 | TYPO3.Flow                   | Feature | New            | Should have | Support compilation of static information in proxy classes                                    | Christopher Hlubek |          |                      | No        |
| 46091 | TYPO3.Fluid                  | Task    | Needs Feedback | Should have | Show source file name and position on exceptions during parsing                               |                    |          |                      | No        |
| 45100 | TYPO3.Flow                   | Feature | Under Review   | Should have | RequestDispatchingAspect should check if entry point can handle current request               | Christopher Hlubek |          |                      |           |
| 45099 | Base Distribution            | Story   | New            | Should have | As a user I want the Ui to handle an expired session correctly                                |                    |          | 1.0 beta 1           |           |
| 44957 | Base Distribution            | Story   | New            | Should have | Reliable clipboard and content element handles  |                    |          | Sprint February 2013 |           |
| 44683 | Base Distribution            | Task    | Resolved       | Should have | Image upload of some filetypes is not working, button "Upload!" is disfunctional              | Christopher Hlubek |          |                      |           |
| 43819 | TYPO3.Flow                   | Feature | Resolved       | Should have | Support lazy dependency injection of properties   | Christopher Hlubek |          |                      | No        |
| 43621 | TYPO3.Flow                   | Bug     | Under Review   | Must have   | Composer installer overwrites Settings.yaml.example   | Karsten Dambekalns |          |                      | No        |

| #     | Project           | Tracker | Status   | Priority    | Subject   | Assignee            | Category | Target version       | Has patch |
|-------|-------------------|---------|----------|-------------|---|---------------------|----------|----------------------|-----------|
| 43575 | TYPO3.Flow        | Feature | Resolved | Should have | AuthenticationManager logout should destroy session explicitly  | Christopher Hlubek  |          |                      | No        |
| 43572 | TYPO3.Flow        | Feature | New      | Should have | Uri should support manipulation of query arguments  |                     |          |                      | No        |
| 43193 | TYPO3.Flow        | Feature | Rejected | Should have | Optimize Classloader  | Christopher Hlubek  |          |                      | No        |
| 42355 | TYPO3.Flow        | Feature | Resolved | Should have | Use public key fingerprint for UUID in RsaWalletService   | Christopher Hlubek  |          |                      | No        |
| 42248 | Base Distribution | Task    | New      | Must have   | Move backend includes (JS and CSS) back to Neos package   |                     |          |                      |           |
| 42246 | Base Distribution | Task    | New      | Must have   | Use same DOM hierarchy for logged in backend user and public and do not render content editing classes in public frontend |                     |          |                      |           |
| 42240 | TYPO3.Eel         | Task    | New      | Should have | Make Eel usable outside of TYPO3 Flow   |                     |          |                      |           |
| 42082 | TYPO3.Flow        | Bug     | Resolved | Must have   | uriFor in subrequest does override explicit empty subpackageKey   | Christopher Hlubek  |          |                      | No        |
| 42053 | Base Distribution | Task    | Resolved | Should have | Disable selection features in preview mode  | Christopher Hlubek  |          |                      |           |
| 42038 | Base Distribution | Task    | New      | Must have   | Automatic save is not always in sync with content, content could be lost  |                     |          |                      |           |
| 42014 | Base Distribution | Task    | Resolved | Must have   | Cut and Paste is not working reliably   |                     |          | Sprint February 2013 |           |
| 41978 | Base Distribution | Task    | Resolved | Should have | Login after Logout does not work on first submit of the password  |                     |          |                      |           |
| 41977 | Base Distribution | Task    | Resolved | Should have | Make name in setup configurable (TYPO3 Setup -> Neos Setup)   | Christopher Hlubek  |          |                      |           |
| 41973 | Base Distribution | Task    | Accepted | Should have | Align button bars for editables on top of the editable border to prevent overlay issues with the content                  | Sebastian Kurfuerst |          |                      |           |
| 41972 | Base Distribution | Task    | Resolved | Must have   | Support user workspace names with underscore  | Christopher Hlubek  |          |                      |           |
| 41706 | TYPO3.Eel         | Feature | Resolved | Should have | Provide standard library with configurable usage  | Christopher Hlubek  |          |                      |           |
| 41499 | TYPO3.Flow        | Bug     | Resolved | Must have   | Class cache is not flushed from class changes   | Christopher Hlubek  |          |                      | No        |
| 40011 | TYPO3.Eel         | Bug     | Resolved | Must have   | Numeric offset access is not supported  | Christopher Hlubek  |          |                      |           |
| 39596 | TYPO3.Eel         | Bug     | Resolved | Must have   | Context unwrap of nested array with Context does not work   | Christopher Hlubek  |          |                      |           |
| 37095 | TYPO3.Fluid       | Feature | New      | Should have | It should be possible to set a different template on a Fluid TemplateView inside an action                                | Christopher Hlubek  |          |                      | No        |
| 36720 | TYPO3.Flow        | Bug     | Resolved | Must have   | Settings from package cannot override default value with empty array  | Christopher Hlubek  |          |                      | No        |

| #     | Project                      | Tracker | Status         | Priority             | Subject  | Assignee             | Category | Target version | Has patch |
|-------|------------------------------|---------|----------------|----------------------|--|----------------------|----------|----------------|-----------|
| 33215 | TYPO3.Fluid                  | Feature | New            | Should have          | RFC: Dynamic values in ObjectAccess paths                                      |                      |          |                | No        |
| 32424 | TYPO3.Flow                   | Bug     | Resolved       | Should have          | The functional test requesthandler should be used for web requests             | Christian Jul Jensen |          |                | No        |
| 32294 | TYPO3.Flow                   | Feature | New            | Should have          | Lazy initialization of loggers   |                      |          |                | No        |
| 30436 | TYPO3.Flow                   | Bug     | Resolved       | Must have            | Access denied exception after session timeout with CSRF                        | Christopher Hlubek   |          |                |           |
| 30317 | TYPO3.Flow                   | Feature | Resolved       | Should have          | Support mapping from integer to string   |                      |          |                |           |
| 30258 | TYPO3.Flow                   | Feature | New            | Should have          | Support optional package dependencies  |                      |          |                |           |
| 28948 | TYPO3 Core                   | Bug     | Closed         | Should have          | Session is always started  |                      |          | 4.5.6          |           |
| 28228 | TYPO3.Flow                   | Feature | Resolved       | Must have            | FLOW3 should be usable without Doctrine  | Christopher Hlubek   |          |                |           |
| 26786 | TYPO3 Flow Base Distribution | Feature | Resolved       | Must have            | Use a safe password hashing mechanism  | Christopher Hlubek   |          | 1.0 beta 1     |           |
| 26565 | TYPO3.Flow                   | Bug     | Resolved       | Must have            | Wrong doc comment in proxy class breaks ReflectionService->getMethodTagsValues | Christopher Hlubek   |          |                |           |
| 26107 | TYPO3.Flow                   | Bug     | Resolved       | Must have            | Proxy class builder rebuild classes without AOP on every change                | Christopher Hlubek   |          |                |           |
| 17351 | TYPO3 Core                   | Bug     | Closed         | Should have          | Backend forms show value "XX" in empty select lists in Firefox 2.0.4           | Oliver Hader         |          |                |           |
| 17215 | TYPO3 Core                   | Bug     | Closed         | Should have          | Port number in lockSSL redirect is not configurable                            | Michael Stucki       |          |                |           |
| 17195 | TYPO3 Core                   | Bug     | Closed         | Should have          | Creation of multiple folders in filelist module results in blank page          | Oliver Hader         |          |                |           |
| 11039 | TYPO3.Flow                   | Bug     | Needs Feedback | Must have            | Static object container injects properties to result of factory object         |                      |          |                | No        |
| 8078  | Caretaker                    | Bug     | Resolved       | Should have          | If a command execution fails the state should be changed to "undefined"        | Tobias Liebig        |          |                |           |
| 5618  | TYPO3.Welcome                | Feature | Resolved       | Should have          | Proposal for new notice design on welcome screen                               | Christopher Hlubek   |          | 1.0.0 alpha 7  |           |
| 4483  | Caretaker                    | Feature | Resolved       | Could have           | Automatically fetch newest TYPO3 versions (4.0.x, 4.1.x, 4.2.x, 4.3.x)         | Tobias Liebig        |          |                |           |
| 1156  | Donations                    | Feature | New            | Should have          | New view for short information about a project (configurable via FF)           |                      |          |                |           |
| 1153  | Donations                    | Feature | New            | Should have          | Pages for donation and detail should be configurable                           |                      |          |                |           |
| 1014  | Doctrine                     | Feature | Resolved       | Must have            | Update Doctrine source and support code to Doctrine 0.11                       | Bastian Waidelich    |          |                |           |
| 663   | Doctrine                     | Feature | New            | Won't have this time | Provide an example extension which uses the doctrine extension                 |                      |          |                |           |
| 662   | Doctrine                     | Feature | Resolved       | Could have           | Provide component class for TYPO3 built-in records (fe_user, etc.)             | Christopher Hlubek   |          |                |           |

| #     | Project           | Tracker | Status   | Priority    | Subject   | Assignee             | Category          | Target version | Has patch |
|-------|-------------------|---------|----------|-------------|---|----------------------|-------------------|----------------|-----------|
| 661   | Doctrine          | Feature | Resolved | Could have  | Support conditional foreign key relations   | Christopher Hlubek   |                   |                |           |
| 575   | Doctrine          | Bug     | Closed   | Should have | Wrong dependency when installing in EM  |                      |                   |                |           |
| 44566 | TYPO3.Flow        | Task    | Closed   | Should have | RFC: Change CGL to remove closing PHP tag   |                      | - Documentation - |                | No        |
| 35007 | TYPO3.Flow        | Bug     | Resolved | Must have   | Functional tests do not work with MySQL database  | Karsten Dambekalns   | - Testing -       | 1.1            | No        |
| 55957 | TYPO3.Flow        | Task    | New      | Should have | RFC: Optimize AOP proxies   |                      | AOP               |                | No        |
| 28477 | TYPO3.Flow        | Bug     | Resolved | Must have   | Method visibility filter does not work  | Christopher Hlubek   | AOP               |                |           |
| 26560 | TYPO3.Flow        | Feature | Resolved | Should have | Use reverse index for AOP matching  |                      | AOP               |                | No        |
| 11392 | TYPO3.Flow        | Bug     | Closed   | Should have | No proxy class code exception after clearing temporary data in development context                      | Karsten Dambekalns   | AOP               |                |           |
| 11017 | TYPO3.Flow        | Bug     | Resolved | Should have | Using a method visibility inside a pointcut throws an exception   | Christopher Hlubek   | AOP               | 1.0 alpha 14   |           |
| 5173  | Caretaker         | Feature | Resolved | Should have | Make panels stateful  | Christopher Hlubek   | Backend           | Alpha 1        |           |
| 42452 | TYPO3.Flow        | Task    | Closed   | Should have | Command handling should support global flags  | Bastian Waidelich    | Cli               |                | No        |
| 4482  | Caretaker         | Feature | Resolved | Should have | Make extension list updatable via CLI   | Christopher Hlubek   | CLI               |                |           |
| 33069 | TYPO3.Flow        | Task    | New      | Should have | Make command output sparse, implement generic verbose switch  |                      | Command           |                | No        |
| 19149 | TYPO3 Core        | Bug     | Closed   | Should have | Inter domain linking with typolinkEnableLinksAcrossDomains does not work for domain record on root page | Tobias Liebig        | Communication     |                |           |
| 33268 | TYPO3.Flow        | Task    | Resolved | Must have   | Document new YAML behaviour for Upgrade to 1.1  | Karsten Dambekalns   | Configuration     | 1.1            | No        |
| 28672 | TYPO3.Flow        | Bug     | Resolved | Must have   | Inconsistent configuration overrides for packages   | Christian Jul Jensen | Configuration     |                | No        |
| 28373 | TYPO3.Flow        | Bug     | Closed   | Must have   | Error after clearing temporary data   | Robert Lemke         | Configuration     | 1.0 beta 2     |           |
| 519   | forge.typo3.org   | Bug     | Closed   | Must have   | "Register a project" Link on TYPO3 V4 page is broken  |                      | Content           |                |           |
| 50192 | Base Distribution | Task    | Resolved | Should have | TypoScript: Create tag-based object   | Christopher Hlubek   | Content Rendering | 1.0 beta 1     |           |
| 47487 | TYPO3.Flow        | Bug     | New      | Should have | Functional test classes in package without classes are not compiled                                     |                      | Core              | 2.0.1          | No        |
| 37460 | TYPO3.Fluid       | Feature | Resolved | Should have | TagBuilder should allow access to attribue collection   | Christopher Hlubek   | Core              | 1.1 beta 2     | No        |
| 32084 | TYPO3.Flow        | Feature | Resolved | Must have   | Configurable base URI   | Christopher Hlubek   | Core              | 1.1 beta 1     | No        |

| #     | Project         | Tracker | Status   | Priority    | Subject   | Assignee            | Category                     | Target version | Has patch |
|-------|-----------------|---------|----------|-------------|---|---------------------|------------------------------|----------------|-----------|
| 20242 | TYPO3 Core      | Feature | Closed   | Must have   | Implement wrapper mysql_fetch_field in t3lib_db                       | Michael Stucki      | Database API (Doctrine DBAL) |                |           |
| 498   | forge.typo3.org | Feature | Closed   | Should have | Issues should be searchable   | Sebastian Kurfuerst | Development                  | 0.2            |           |
| 520   | Doctrine        | Feature | Rejected | Should have | Cleanup bundled Doctrine distribution                                 |                     | Doctrine Library             |                |           |
| 43569 | TYPO3.Flow      | Feature | Closed   | Should have | Exception Handler should respect format                               | Bastian Waidelich   | Error                        |                | No        |
| 499   | TYPO3.Flow      | Bug     | Resolved | Must have   | Replace TYPO3 with FLOW3 in F3_FLOW3_Error_DebugExceptionHandler      | Karsten Dambekalns  | Error                        |                |           |
| 6823  | TYPO3.ExtJS     | Feature | Resolved | Should have | Implement an Ext Direct router for FLOW3                              | Christopher Hlubek  | ExtDirect                    |                |           |
| 664   | Doctrine        | Feature | Resolved | Could have  | Generation of Doctrine component classes and table stubs from the TCA | Bastian Waidelich   | Extension                    |                |           |
| 521   | Doctrine        | Feature | Resolved | Should have | Use Doctrine logo for extension                                       | Bastian Waidelich   | Extension                    |                |           |
| 16615 | TYPO3 Core      | Feature | Closed   | Should have | Add the ability to set a pid for logout                               | Stefan Strasser     | felogin                      |                |           |
| 42241 | TYPO3.Flow      | Bug     | Resolved | Should have | HTTP Request adds colon to Host header with empty port                | Adrian Föder        | Http                         | 2.0 beta 1     | No        |
| 36518 | TYPO3.Flow      | Bug     | Resolved | Should have | HttpRequest::createFromEnvironment does not work on CLI               | Christopher Hlubek  | Http                         | 1.1            | Yes       |
| 33018 | TYPO3.Flow      | Feature | New      | Should have | Translator should support override of labels from other packages      |                     | I18n                         |                | No        |
| 17213 | TYPO3 Core      | Bug     | Closed   | Should have | Storing ENABLE_INSTALL_TOOL in typo3conf is possibly insecure         | Christian Kuhn      | Install Tool                 |                |           |
| 35273 | TYPO3 Core      | Feature | Closed   | Should have | I10n_mode option mergelfNotBlank should handle empty ids correctly    |                     | Localization                 |                |           |
| 49039 | TYPO3.Flow      | Feature | New      | Could have  | RFC: Use PSR-3 logger interface in Flow                               |                     | Log                          |                | No        |
| 31452 | TYPO3.Flow      | Bug     | Resolved | Should have | IgnoreValidation with argumentName does not work for ActionController | Christopher Hlubek  | MVC                          | 1.0.1          | No        |
| 31134 | TYPO3.Flow      | Bug     | Resolved | Should have | Functional tests of controllers don't reset arguments                 |                     | MVC                          |                |           |
| 30428 | TYPO3.Flow      | Feature | New      | Should have | Cloning of request arguments  |                     | MVC                          |                |           |
| 30424 | TYPO3.Flow      | Bug     | New      | Must have   | Forward object arguments with changes                                 |                     | MVC                          |                |           |
| 30423 | TYPO3.Flow      | Feature | New      | Should have | Rendering template of other action without forward                    |                     | MVC                          |                | No        |
| 28231 | TYPO3.Flow      | Feature | New      | Should have | Allow output to STDERR for CLI Response                               |                     | MVC                          |                |           |
| 7113  | TYPO3.Flow      | Feature | Resolved | Should have | Make view resolution in ActionController independent from Fluid       | Robert Lemke        | MVC                          | 1.0 alpha 11   |           |
| 3795  | TYPO3.Flow      | Bug     | Resolved | Must have   | Arguments in ActionController are not cleared after forward           | Karsten Dambekalns  | MVC                          | 1.0 alpha 2    |           |
| 3790  | TYPO3.Flow      | Feature | Resolved | Should have | Generic error action and validation errors for current request        | Christopher Hlubek  | MVC                          | 1.0 alpha 2    |           |
| 3433  | TYPO3.Flow      | Bug     | Resolved | Must have   | Routes in packages are overruled by global configuration              | Robert Lemke        | MVC                          | 1.0 alpha 1    |           |

| #     | Project    | Tracker | Status         | Priority    | Subject   | Assignee           | Category      | Target version | Has patch |
|-------|------------|---------|----------------|-------------|---|--------------------|---------------|----------------|-----------|
| 48887 | TYPO3.Flow | Bug     | Resolved       | Must have   | Support numeric identifiers in IdentityRoutePart                                      | Bastian Waidelich  | MVC - Routing |                | No        |
| 47331 | TYPO3.Flow | Bug     | Accepted       | Must have   | ObjectManager shutdown with Dependency Injection Proxy causes fatal errors            |                    | Object        | 2.0.1          | No        |
| 31262 | TYPO3.Flow | Feature | New            | Should have | Named arguments in Objects.yaml for constructor arguments                             |                    | Object        |                | No        |
| 31261 | TYPO3.Flow | Feature | New            | Should have | Virtual objects - generate proxy classes for interfaces                               |                    | Object        |                | No        |
| 30234 | TYPO3.Flow | Bug     | Closed         | Should have | Compiled proxies override parent instance   | Christopher Hlubek | Object        | 1.0.0          |           |
| 47858 | TYPO3.Flow | Bug     | Needs Feedback | Should have | Remove .htaccess from Composer Installer Essentials                                   | Christopher Hlubek | Package       | 2.0.1          | No        |
| 41497 | TYPO3.Flow | Bug     | Resolved       | Must have   | PackageStates are written on each request   | Christopher Hlubek | Package       |                | No        |
| 37607 | TYPO3.Flow | Bug     | Resolved       | Must have   | PackageStates are overwritten on each request   | Christopher Hlubek | Package       |                | No        |
| 3639  | TYPO3.Flow | Feature | Resolved       | Should have | Active packages should be saved in a configuration file                               | Christopher Hlubek | Package       | 1.0 alpha 2    |           |
| 3633  | TYPO3.Flow | Bug     | Closed         | Must have   | Local packages path is guessed wrong  | Christopher Hlubek | Package       |                |           |
| 3435  | TYPO3.Flow | Feature | Resolved       | Should have | A package should be able to return it's documentations                                | Christopher Hlubek | Package       |                |           |
| 3434  | TYPO3.Flow | Bug     | Resolved       | Should have | getPackageMetaData() will throw an exception  | Christopher Hlubek | Package       |                |           |
| 46010 | TYPO3.Flow | Bug     | New            | Should have | Generating a DiscriminatorMap with base class in different namespace does not work    |                    | Persistence   |                | No        |
| 46009 | TYPO3.Flow | Task    | New            | Should have | Improve error message for missing class in Flow annotation driver                     |                    | Persistence   |                | No        |
| 38785 | TYPO3.Flow | Feature | Resolved       | Should have | The generic persistence should support the tearDown Method for resetting the database | Christopher Hlubek | Persistence   | 1.1            | No        |
| 35035 | TYPO3.Flow | Bug     | Resolved       | Should have | Doctrine repository findAll is inconsistent   | Karsten Dambekalns | Persistence   | 1.1 RC2        | No        |
| 28422 | TYPO3.Flow | Bug     | Resolved       | Must have   | Doctrine persistence does not use correct package key for tables                      | Christopher Hlubek | Persistence   | 1.0 beta 1     |           |
| 27170 | TYPO3.Flow | Bug     | Resolved       | Must have   | countByProperty does not work   |                    | Persistence   |                |           |
| 26879 | TYPO3.Flow | Bug     | Resolved       | Should have | Clone of lazy objects in generic persistence does not initialize the cloned object    | Christopher Hlubek | Persistence   |                |           |
| 26159 | TYPO3.Flow | Bug     | Resolved       | Must have   | PersistenceMagicAspect doesn't set unique identifier for value objects                | Christopher Hlubek | Persistence   | 1.0 beta 1     |           |
| 26128 | TYPO3.Flow | Bug     | Resolved       | Should have | Doctrine persistence manager compilation should be configurable                       | Karsten Dambekalns | Persistence   |                |           |

| #     | Project    | Tracker | Status         | Priority    | Subject  | Assignee            | Category   | Target version | Has patch |
|-------|------------|---------|----------------|-------------|--|---------------------|------------|----------------|-----------|
| 30300 | TYPO3.Flow | Feature | Resolved       | Should have | Support mapping to subclass by argument  | Christopher Hlubek  | Property   | 1.1 beta 1     | No        |
| 46008 | TYPO3.Flow | Bug     | Resolved       | Should have | Reflection should resolve relative namespaces                                  | Sebastian Kurfuerst | Reflection |                | No        |
| 26767 | TYPO3.Flow | Feature | New            | Should have | Reflection method to get a method return type and documentation                |                     | Reflection |                |           |
| 26765 | TYPO3.Flow | Feature | Accepted       | Should have | Support class schema features for every reflected class                        | Karsten Dambekalns  | Reflection |                | No        |
| 46536 | TYPO3.Flow | Bug     | Resolved       | Must have   | Resource file upload does not allow files without extension                    | Christopher Hlubek  | Resource   |                | No        |
| 45103 | TYPO3.Flow | Feature | New            | Should have | Make static resource URI generation available outside of Fluid                 |                     | Resource   |                | No        |
| 47859 | TYPO3.Flow | Task    | Accepted       | Should have | Logging: Do not log all decisions in \TYPO3\Flow\Security\Aspect\LoggingAspect | Robert Lemke        | Security   |                | No        |
| 47725 | TYPO3.Flow | Bug     | Resolved       | Could have  | BCrypt hashing should support migration of older costs                         | Christopher Hlubek  | Security   | 2.0.1          | No        |
| 46063 | TYPO3.Flow | Feature | New            | Should have | Implement username password provider with "remember me" persistent cookie      | Christopher Hlubek  | Security   |                | No        |
| 36517 | TYPO3.Flow | Bug     | Resolved       | Should have | Functional tests with security do not work                                     | Christopher Hlubek  | Security   | 1.1            | Yes       |
| 31679 | TYPO3.Flow | Feature | Resolved       | Should have | Support multiple password hashing strategies                                   | Christopher Hlubek  | Security   | 1.1 beta 1     | No        |
| 31678 | TYPO3.Flow | Feature | Resolved       | Should have | Support BCrypt (Blowfish crypt) password hashing                               | Christopher Hlubek  | Security   | 1.1 beta 1     | No        |
| 30425 | TYPO3.Flow | Bug     | New            | Should have | New methods are not updated in Policies during Development                     |                     | Security   |                |           |
| 29387 | TYPO3.Flow | Feature | Needs Feedback | Should have | A token with wrong credentials should throw an exception                       | Andreas Förthner    | Security   |                |           |
| 28862 | TYPO3.Flow | Bug     | Resolved       | Should have | Inconsistent handling of roles as objects and strings in Account               | Rens Admiraal       | Security   | 2.1            | No        |
| 28319 | TYPO3.Flow | Bug     | Needs Feedback | Should have | Access denied will be logged at the wrong location in nested calls             |                     | Security   |                | No        |
| 538   | Doctrine   | Feature | Resolved       | Should have | Fetch Doctrine source via svn:externals  | Bastian Waidelich   | Subversion |                |           |
| 25538 | TYPO3 Core | Bug     | Closed         | Should have | On Mac Os X the key combination CMD+LEFT will close the editor                 | Administrator Admin | t3editor   |                |           |
| 25535 | TYPO3 Core | Bug     | Closed         | Should have | On Mac OS the save action should be triggered by Cmd+s                         | Administrator Admin | t3editor   |                |           |
| 46011 | TYPO3.Flow | Task    | New            | Should have | Validate annotation with missing type should throw useful error                |                     | Validation |                | No        |
| 28399 | TYPO3.Flow | Feature | Needs Feedback | Should have | Validation message and code should be configurable for bundled validators      |                     | Validation |                | No        |

| #     | Project     | Tracker | Status   | Priority    | Subject   | Assignee           | Category    | Target version | Has patch |
|-------|-------------|---------|----------|-------------|---|--------------------|-------------|----------------|-----------|
| 3801  | TYPO3.Flow  | Bug     | Resolved | Must have   | ValidatorResolver doesn't accept custom validator classes as validator name | Christopher Hlubek | Validation  | 1.0 alpha 2    |           |
| 3401  | TYPO3.Flow  | Feature | Resolved | Must have   | Object validation errors don't have a reasonable structure                  | Christopher Hlubek | Validation  |                |           |
| 37459 | TYPO3.Fluid | Bug     | Closed   | Should have | FormViewHelper with GET method and query parameters in action is not usable | Bastian Waidelich  | ViewHelpers |                | No        |
| 28444 | TYPO3.Fluid | Feature | Closed   | Could have  | Implement comment ViewHelper or language feature                            | Bastian Waidelich  | ViewHelpers | 1.0.3          | Yes       |
| 3802  | TYPO3.Fluid | Feature | Resolved | Should have | View helper for form errors   | Christopher Hlubek | ViewHelpers | 1.0.0 alpha 2  |           |
| 3793  | TYPO3.Fluid | Feature | Resolved | Should have | CSS class for errors in form view helpers                                   | Christopher Hlubek | ViewHelpers |                |           |
| 3792  | TYPO3.Fluid | Bug     | Closed   | Should have | Special tag attributes for form view helpers are missing (e.g. size)        | Christopher Hlubek | ViewHelpers |                |           |
| 3791  | TYPO3.Fluid | Feature | Resolved | Should have | View helper for resource URIs   | Christopher Hlubek | ViewHelpers | 1.0.0 alpha 2  |           |
| 3592  | TYPO3.Fluid | Feature | Resolved | Should have | Alias view helper for setting template variables                            | Bastian Waidelich  | ViewHelpers | 1.0.0 alpha 2  |           |