## Issues

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 20294 | TYPO3 Core | Feature | Closed | Won't have this time | Integrate possibility to validate custom links for RTEhtmlare disposal | Oliver Hader | | |
| 21726 | TYPO3 Core | Bug | Closed | Won't have this time | Updating translations from repository in extension manager fails in Safari | | | |
| 24096 | TYPO3 Core | Bug | Closed | Should have | Call to undefined method SC_mod_tools_em_index::uploadExtensionToTER() | Steffen Kamper | | |
| 21557 | TYPO3 Core | Bug | Closed | Should have | Use flash messages to show SQL debug errors in the backend | Steffen Kamper | | |
| 21428 | TYPO3 Core | Bug | Closed | Should have | Recycler produces some scroll bars | Steffen Kamper | | |
| 21382 | TYPO3 Core | Bug | Closed | Should have | Context menu of page tree does not work anymore | Steffen Kamper | | |
| 21364 | TYPO3 Core | Bug | Closed | Should have | Integrate check to the install tool and reports module concerning eAccelerator | Steffen Kamper | | |
| 24439 | TYPO3 Core | Bug | Closed | Should have | TYPO3 fails to install on Windows due to faulty disposal of MCRYPT_DEV_URANDOM | Steffen Gebert | | |
| 23521 | TYPO3 Core | Bug | Rejected | Should have | Flash Uploader does not work if cookieHttpOnly is enabled | Steffen Gebert | | |
| 22349 | TYPO3 Core | Bug | Closed | Should have | RTE is collapsed when loaded inside a hidden tab in Safari | Stanislas Rolland | | |
| 19264 | TYPO3 Core | Bug | Closed | Should have | External URLs cannot be set in RTEhtmlarea anymore | Stanislas Rolland | | |
| 17828 | TYPO3 Core | Bug | Closed | Should have | RTEhtmlarea doesn't work with IRRE anymore | Stanislas Rolland | | |
| 21427 | TYPO3 Core | Bug | Closed | Should have | Integrate checks concerning Suhosin/Hardened PHP in Install Tool | Rupert Germann | | |
| 21044 | TYPO3 Core | Bug | Closed | Should have | Do not show E_DEPRECATED messages on productive systems | Rupert Germann | | |
| 95954 | TYPO3 Core | Task | Closed | Should have | Reduce inline JavaScript in FormEngine AJAX responses | Oliver Hader | | |
| 95953 | TYPO3 Core | Task | Closed | Should have | Transform JavaScriptHander.js to be hybrid IIFE and AMD | Oliver Hader | | |
| 85941 | TYPO3 Core | Task | Closed | Should have | Reduce amount of executed functional frontend tests | Oliver Hader | | |
| 71698 | TYPO3 Core | Bug | Closed | Should have | Link fields accept inline javascript code | Oliver Hader | | |
| 66023 | TYPO3 Core | Bug | Closed | Should have | Performance issue with caching empty text menus | Oliver Hader | | |
| 45050 | TYPO3 Core | Bug | Closed | Should have | DataHandler::getAutoVersionId() should be public | Oliver Hader | | 4.5.23 |
| 44301 | TYPO3 Core | Bug | Closed | Should have | Invalid call to t3lib_TCEmain::processRemapStack() | Oliver Hader | | 4.5.23 |
| 40451 | TYPO3 Core | Bug | Closed | Should have | Invalid ClearLanguageCacheMenuItem::clearCache() | Oliver Hader | | 6.0.0-beta1 |
| 40450 | TYPO3 Core | Bug | Closed | Should have | Incorrect default extension configuration | Oliver Hader | | 6.0.0-beta1 |
| 40438 | TYPO3 Core | Bug | Closed | Should have | Install process fails on case-insensitive file systems | Oliver Hader | | 6.0.0-beta1 |
| 40437 | TYPO3 Core | Task | Closed | Should have | Define abstract methods in upgrade wizards | Oliver Hader | | 6.0.0-beta1 |
| 40428 | TYPO3 Core | Task | Closed | Should have | Create default TypoScript root template | Oliver Hader | | 6.0.0-beta1 |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 39968 | TYPO3 Core | Bug | Rejected | Should have | Collections use t3lib_BEfunc | Oliver Hader | | 4.7.5 |
| 39951 | TYPO3 Core | Feature | Closed | Should have | Add possibility to flatten array | Oliver Hader | | 6.0.0-pre-beta1 |
| 38608 | TYPO3 Core | Bug | Closed | Should have | Remove t3ver_swapmode code blocks | Oliver Hader | | 4.7.2 |
| 38233 | TYPO3 Core | Feature | Rejected | Should have | Add event handling to bootstrap mechanism | Oliver Hader | | 6.0.0-pre-beta1 |
| 38121 | TYPO3 Core | Task | Closed | Should have | Use singleton objects for bootstrapping | Oliver Hader | | 6.0.0-pre-beta1 |
| 38089 | TYPO3 Core | Task | Closed | Should have | Streamline naming of Typo3_Bootstrap | Oliver Hader | | 6.0.0-pre-beta1 |
| 38087 | TYPO3 Core | Task | Rejected | Should have | Streamline typo3/classes naming | Oliver Hader | | 6.0.0-pre-beta1 |
| 36385 | TYPO3 Core | Bug | Closed | Should have | Path utility resolves incorrect | Oliver Hader | | 4.7.0 |
| 36384 | TYPO3 Core | Feature | Closed | Should have | Integrate TCA helper for FAL aware fields | Oliver Hader | | 6.0.0 |
| 36345 | TYPO3 Core | Task | Closed | Should have | Create CSS Styled Content TypoScript configuration for v4.7 | Oliver Hader | | 6.0.0 |
| 36246 | TYPO3 Core | Feature | Closed | Should have | Enhance File Abstraction Layer API | Oliver Hader | | 6.0.0 |
| 36242 | TYPO3 Core | Bug | Closed | Should have | Wrong or missing XCLASS definitions | Oliver Hader | | 6.0.0 |
| 36177 | TYPO3 Core | Bug | Closed | Should have | Media element cannot handle plain external URL | Oliver Hader | | 4.7.0-RC2 |
| 35899 | TYPO3 Core | Bug | Closed | Should have | Signal-Slot Disposal fails in File Abstraction Layer | Oliver Hader | | |
| 35277 | TYPO3 Core | Bug | Closed | Should have | Unused argument in getItemUidList() | Oliver Hader | | 4.7.0-beta3 |
| 35161 | TYPO3 Core | Task | Closed | Should have | Introduce processDatamap_beforeStart hook | Oliver Hader | | 4.7.0-beta3 |
| 35160 | TYPO3 Core | Task | Closed | Should have | Code clean-up in t3lib_PageRenderer | Oliver Hader | | 4.5.14 |
| 35159 | TYPO3 Core | Bug | Closed | Should have | Instance properties are defined statically in t3lib_PageRenderer | Oliver Hader | | 4.5.14 |
| 35158 | TYPO3 Core | Task | Closed | Should have | Clean-up PHPdoc comments in t3lib_PageRenderer | Oliver Hader | | 4.5.14 |
| 35155 | TYPO3 Core | Task | Closed | Should have | Update submodule pointer for TYPO3_4-7 | Oliver Hader | | 4.7.0-beta3 |
| 33942 | TYPO3 Core | Bug | Closed | Should have | Unknown t3lib_TcaRelationService in StaticRecordCollection | Oliver Hader | | 4.7.0-beta3 |
| 33941 | TYPO3 Core | Feature | Closed | Should have | Add possibility to unset parts in t3lib_div::array_merge_recursive_overrule() | Oliver Hader | | 4.7.0-beta1 |
| 33938 | TYPO3 Core | Bug | Closed | Should have | Unknown record collection type in RecordCollectionRepository | Oliver Hader | | 4.7.0-beta1 |
| 33753 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to resolve relative path walks | Oliver Hader | | 4.7.0-beta1 |
| 32666 | TYPO3 Core | Bug | Closed | Should have | Fatal error during install process | Oliver Hader | | 4.7.0-alpha2 |
| 32658 | TYPO3 Core | Bug | Closed | Should have | Fatal error on clearing all caches in backend | Oliver Hader | | 4.7.0-alpha2 |
| 30095 | TYPO3 Core | Bug | Closed | Should have | Arbitrary TypoScript execution on system extension form | Oliver Hader | | 4.6.0-RC1 |
| 30094 | TYPO3 Core | Task | Closed | Should have | Refactor view component of system extension form | Oliver Hader | | 4.6.0-RC1 |
| 30088 | TYPO3 Core | Bug | Closed | Should have | Wrong content element rendering in system extension form | Oliver Hader | | 4.6.0-beta3 |
| 30086 | TYPO3 Core | Task | Closed | Should have | Strict string value handling in system extension form | Oliver Hader | | 4.6.0-beta3 |
| 30066 | TYPO3 Core | Task | Closed | Should have | Clean-up PHPdoc in t3lib_div | Oliver Hader | | 4.6.0-beta3 |
| 29769 | TYPO3 Core | Bug | Closed | Should have | Parse error in t3lib/class.t3lib_parsehtml.php | Oliver Hader | | 4.3.14 |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 28679 | TYPO3 Core | Task | Closed | Should have | Fix CGL issues on class names in system extension form | Oliver Hader | | |
| 28656 | TYPO3 Core | Task | Closed | Should have | Clean up form system extension | Oliver Hader | | |
| 28655 | TYPO3 Core | Task | Closed | Should have | Streamline structure of form extension | Oliver Hader | | |
| 26738 | TYPO3 Core | Task | Closed | Should have | Use external Core Project DBAL as Git submodule | Oliver Hader | | 4.3.12 |
| 26725 | TYPO3 Core | Task | Closed | Should have | Use external Core Project version as Git submodule | Oliver Hader | | 4.3.12 |
| 26581 | TYPO3 Core | Task | Closed | Should have | Use external Core Projects workspaces and version as Git submodules | Oliver Hader | | 4.5.3 |
| 26515 | TYPO3 Core | Bug | Closed | Should have | TCA definition is not available in upgrade wizards | Oliver Hader | | |
| 25352 | TYPO3 Core | Bug | Closed | Should have | Removing child records in a workspace does not work | Oliver Hader | | |
| 25223 | TYPO3 Core | Feature | Rejected | Should have | Enable TCA property displayCond for IRRE child records | Oliver Hader | | |
| 24777 | TYPO3 Core | Bug | Closed | Should have | SQL error in Update Wizard of workspaces | Oliver Hader | | 4.5.0 |
| 24416 | TYPO3 Core | Bug | Closed | Should have | Sorting order of newly created child elements on workspaces is wrong | Oliver Hader | | |
| 24235 | TYPO3 Core | Bug | Closed | Should have | Changes in workspace are not shown automatically in pagetree | Oliver Hader | | |
| 24041 | TYPO3 Core | Feature | Closed | Should have | Implement Inline Relational Record Editing (IRRE) in Workspaces | Oliver Hader | | |
| 23941 | TYPO3 Core | Bug | Closed | Should have | prototype methods are used to determine the available viewport dimensions in ExtJS plugins | Oliver Hader | | |
| 23938 | TYPO3 Core | Feature | Closed | Should have | Integrate new workspace module based on ExtJS | Oliver Hader | | |
| 23919 | TYPO3 Core | Feature | Closed | Should have | Disable draft workspace and migrate it to a real workspace | Oliver Hader | | |
| 23726 | TYPO3 Core | Feature | Closed | Should have | Refactor TCA definitions of table pages | Oliver Hader | | |
| 23564 | TYPO3 Core | Bug | Closed | Should have | Integrate generic notification methods to show windows and dialogs based on ExtJS | Oliver Hader | | |
| 23330 | TYPO3 Core | Bug | Closed | Should have | Unused variable $warningItems in tx_install | Oliver Hader | | |
| 22778 | TYPO3 Core | Bug | Closed | Should have | Media content element shows HTML markup in additional flexform configuration | Oliver Hader | | |
| 22647 | TYPO3 Core | Bug | Closed | Should have | Integrate hooks to backend.php to perform several customizations | Oliver Hader | | |
| 22302 | TYPO3 Core | Feature | Closed | Should have | Integrate TYPO3 donate notice in the backend | Oliver Hader | | |
| 22205 | TYPO3 Core | Bug | Closed | Should have | Clean up class definition of frontendDoc in template.php | Oliver Hader | | |
| 22048 | TYPO3 Core | Bug | Closed | Should have | saltedpasswords is not used if loginSecurityLevel is empty | Oliver Hader | | |
| 21918 | TYPO3 Core | Feature | Closed | Should have | CLI processes cannot be executed when adminOnly mode is enabled | Oliver Hader | | |
| 21821 | TYPO3 Core | Bug | Closed | Should have | treeLevel in TSconfig conditions should consider the creation of new pages | Oliver Hader | | 4.3.1 |
| 21735 | TYPO3 Core | Bug | Closed | Should have | Caching error when clearing indexed search elements in info module | Oliver Hader | | |
| 21731 | TYPO3 Core | Bug | Closed | Should have | Wrong encoding of JSON data in t3lib_PageRenderer | Oliver Hader | | |
| 21727 | TYPO3 Core | Bug | Closed | Should have | Wrong encoding of labels in t3editor | Oliver Hader | | |
| 21687 | TYPO3 Core | Bug | Closed | Should have | Update to ADOdb 5.10 | Oliver Hader | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 21664 | TYPO3 Core | Bug | Closed | Should have | Upgrade ExtJS skin to match t3skin | Oliver Hader | | |
| 21640 | TYPO3 Core | Bug | Closed | Should have | Upgrade backend login to match t3skin | Oliver Hader | | |
| 21564 | TYPO3 Core | Bug | Closed | Should have | User settings module reports changed password and settings if there was no change at all | Oliver Hader | | |
| 21551 | TYPO3 Core | Bug | Closed | Should have | Page tree does not reload after creating new page | Oliver Hader | | |
| 21478 | TYPO3 Core | Bug | Closed | Should have | Remove redundant code from t3lib_matchCondition in favour of using t3lib_matchCondition_frontend | Oliver Hader | | |
| 21473 | TYPO3 Core | Bug | Closed | Should have | Call to deprecated method t3lib_beUserAuth::trackBeUser() | Oliver Hader | | |
| 21349 | TYPO3 Core | Bug | Closed | Should have | DOM object identifiers use invalid characters | Oliver Hader | | |
| 21309 | TYPO3 Core | Bug | Closed | Should have | Move t3lib_matchCondition::whichDevice() to t3lib_utility_Client::getDeviceType() | Oliver Hader | | |
| 21206 | TYPO3 Core | Bug | Closed | Should have | Add more unit tests for t3lib_matchCondition | Oliver Hader | | |
| 21152 | TYPO3 Core | Feature | Closed | Should have | Integration of saltedpasswords as system extension | Oliver Hader | | |
| 21141 | TYPO3 Core | Bug | Closed | Should have | Warning when edit form is rendered with wizards in backend | Oliver Hader | | |
| 21128 | TYPO3 Core | Bug | Closed | Should have | BE_USER object is cleared with assigning an empty string | Oliver Hader | | |
| 20973 | TYPO3 Core | Bug | Closed | Should have | Add unit tests for t3lib_div::removeDotsFromTS() | Oliver Hader | | |
| 20962 | TYPO3 Core | Bug | Closed | Should have | Field handling API in t3lib_extMgm does not check for duplicates on insertion and runs superflouos insertions | Oliver Hader | | |
| 20959 | TYPO3 Core | Bug | Closed | Should have | Remove reference operators for objects | Oliver Hader | | |
| 20877 | TYPO3 Core | Feature | Closed | Should have | Optimize database queries to session tables | Oliver Hader | | |
| 20876 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to enable/disable the deprecation logging | Oliver Hader | | |
| 20817 | TYPO3 Core | Feature | Closed | Should have | Extend unit tests for t3lib_matchCondition globalVar comparison | Oliver Hader | | |
| 20784 | TYPO3 Core | Bug | Closed | Should have | Faulty usage of t3lib_matchCondition in backend template | Oliver Hader | | |
| 20741 | TYPO3 Core | Feature | Closed | Should have | Move automatic session data garbage collection to separate method | Oliver Hader | | |
| 20606 | TYPO3 Core | Feature | Closed | Should have | Extract functionality to create session ID from t3lib_userAuth::start() | Oliver Hader | | |
| 20572 | TYPO3 Core | Bug | Closed | Should have | Autoloader floads sysLog with XCLASS failures | Oliver Hader | | |
| 20568 | TYPO3 Core | Bug | Closed | Should have | Use PHP5 version of function microtime() | Oliver Hader | | |
| 20567 | TYPO3 Core | Bug | Closed | Should have | Remove initialization of the random number generator | Oliver Hader | | |
| 20554 | TYPO3 Core | Bug | Closed | Should have | Use InnoDB for user/group tables | Oliver Hader | | |
| 20483 | TYPO3 Core | Bug | Closed | Should have | Misbehaviours due to integration of autoloader | Oliver Hader | | |
| 20480 | TYPO3 Core | Feature | Closed | Should have | Integrate t3lib_div::requireFile() for simple require() calls | Oliver Hader | | |
| 20475 | TYPO3 Core | Feature | Closed | Should have | Remove static require_once() to t3lib and tslib and use autoloading instead | Oliver Hader | | |
| 20395 | TYPO3 Core | Feature | Closed | Should have | Optimize loading of frontend user groups | Oliver Hader | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 20322 | TYPO3 Core | Bug | Closed | Should have | Add possibility to use username and get located to OpenID provider on login | Oliver Hader | | |
| 20224 | TYPO3 Core | Feature | Closed | Should have | Provide complete title in element browser if title was cut off | Oliver Hader | | |
| 20165 | TYPO3 Core | Bug | Closed | Should have | File backend of caching framework does not work with Microsoft Windows | Oliver Hader | | |
| 20155 | TYPO3 Core | Bug | Closed | Should have | Upgrade script.aculo.us to latest release 1.8.2 | Oliver Hader | | |
| 20025 | TYPO3 Core | Bug | Closed | Should have | Typing error in simulateStaticDocuments to determine the current mode | Oliver Hader | | |
| 19841 | TYPO3 Core | Bug | Closed | Should have | Backend not usable in Internet Explorer anymore | Oliver Hader | | |
| 19797 | TYPO3 Core | Bug | Closed | Should have | Controll icons in header of newly created child elements are not shown | Oliver Hader | | |
| 19793 | TYPO3 Core | Feature | Closed | Should have | Use TYPO3_DB->exec_SELECTcountRows() to determine the number of rows | Oliver Hader | | |
| 19789 | TYPO3 Core | Bug | Closed | Should have | Use foreach instead of while-list-each constructs in t3lib_TCEmain | Oliver Hader | | |
| 19785 | TYPO3 Core | Bug | Closed | Should have | Hanging record sets in t3lib_TCEmain | Oliver Hader | | |
| 19683 | TYPO3 Core | Bug | Closed | Should have | Extending palettes and fields to be displayed in back-end forms mixes up tabs | Oliver Hader | | |
| 19680 | TYPO3 Core | Bug | Closed | Should have | Syntax error in TCA types definitions of tt_content | Oliver Hader | | |
| 19624 | TYPO3 Core | Bug | Closed | Should have | RTEhtmlarea does not work with IRRE after new child records were created | Oliver Hader | | |
| 19619 | TYPO3 Core | Feature | Closed | Should have | Backport OpenID authentication service | Oliver Hader | | |
| 19601 | TYPO3 Core | Bug | Closed | Should have | t3lib_div::trimExplode limit parameter leads to wrong result with non-empty requirement | Oliver Hader | | |
| 19600 | TYPO3 Core | Feature | Closed | Should have | Improvement of removeXSS | Oliver Hader | | |
| 19579 | TYPO3 Core | Bug | Closed | Should have | Update function names of caching API to be consistent with FLOW3 | Oliver Hader | | |
| 19561 | TYPO3 Core | Bug | Closed | Should have | Editing shortcuts does not work anymore | Oliver Hader | | |
| 19552 | TYPO3 Core | Bug | Closed | Should have | Editing records with OpenDocs enabled does not work | Oliver Hader | | |
| 19518 | TYPO3 Core | Bug | Closed | Should have | t3lib_BEfunc has a lot of hanging SQL record sets | Oliver Hader | | |
| 19512 | TYPO3 Core | Feature | Closed | Should have | Extend t3lib_div::trimExplode to limit the number of elements | Oliver Hader | | |
| 19497 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to extend TCEforms palettes easily | Oliver Hader | | |
| 19366 | TYPO3 Core | Bug | Closed | Should have | Selecting by tag using wildcards does not work with database disposal of t3lib_cache | Oliver Hader | | |
| 19319 | TYPO3 Core | Bug | Closed | Should have | Internal caching in t3lib_pageSelect::getRootLine() has no effect | Oliver Hader | | |
| 19252 | TYPO3 Core | Bug | Closed | Should have | Group field in Flexforms with a single table does not show selected items | Oliver Hader | | |
| 19169 | TYPO3 Core | Feature | Closed | Should have | Integrate hook in page module to render preview of records with own CType | Oliver Hader | | |
| 19167 | TYPO3 Core | Feature | Closed | Should have | Add record row to recStatInfoHooks in tx_cms_layout | Oliver Hader | | |
| 18811 | TYPO3 Core | Bug | Closed | Should have | Localization mode is not fetched correctly | Oliver Hader | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 18711 | TYPO3 Core | Bug | Closed | Should have | Header and fields of a child record do not seem to belong together visually | Oliver Hader | | |
| 18634 | TYPO3 Core | Bug | Closed | Should have | Expanded or collapsed state of new child records is not handled correctly | Oliver Hader | | |
| 18172 | TYPO3 Core | Feature | Closed | Should have | Transfer cookies via SSL only whenever possible | Oliver Hader | | |
| 17981 | TYPO3 Core | Bug | Closed | Should have | Add some more functionality to new AJAX interface in the TYPO3 back-end | Oliver Hader | | |
| 17979 | TYPO3 Core | Feature | Closed | Should have | Implement TYPO3AJAX handler for Inline Relational Record Editing | Oliver Hader | | |
| 17881 | TYPO3 Core | Feature | Closed | Should have | Enable stdWrap for select.where | Oliver Hader | | |
| 17838 | TYPO3 Core | Bug | Closed | Should have | Files with extension xml are ignored as resource of a template | Oliver Hader | | 4.1.4 |
| 17779 | TYPO3 Core | Bug | Closed | Should have | Parts of the TYPO3 back-end do not work correctly with prototype.js 1.6.0 | Oliver Hader | | |
| 17778 | TYPO3 Core | Bug | Closed | Should have | TCEforms do not work correctly with prototype.js 1.6.0 | Oliver Hader | | |
| 17777 | TYPO3 Core | Bug | Closed | Should have | TYPO3 Element Browser import multiple images at once doesn't work wiht prototype 1.6.0 | Oliver Hader | | |
| 17776 | TYPO3 Core | Bug | Closed | Should have | IRRE does not work correctly with prototype.js 1.6.0 | Oliver Hader | | |
| 17735 | TYPO3 Core | Bug | Closed | Should have | IRRE/RTE - Creating a new child record fails if record uses htmlArea RTE | Oliver Hader | | |
| 17617 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility in Element Browser to select all files of a folder | Oliver Hader | | |
| 17507 | TYPO3 Core | Bug | Closed | Should have | IE7: Strange behaviour with hover event of nested Tabs/IRRE-levels with relative positioned HTML elements | Oliver Hader | | |
| 17461 | TYPO3 Core | Bug | Closed | Should have | Parent record is not shown after saving the first time to a table on a TYPO3 system | Oliver Hader | | |
| 17448 | TYPO3 Core | Bug | Closed | Should have | RTEhtmlarea not correctly displayed in IRRE child form-fields and tabs (Part 2) | Oliver Hader | | |
| 17443 | TYPO3 Core | Bug | Closed | Should have | Plugins: Use record specific RTEtsConfigParams | Oliver Hader | | |
| 17436 | TYPO3 Core | Feature | Closed | Should have | Notify user where required elements are nested in IRRE or Tabs | Oliver Hader | | |
| 17345 | TYPO3 Core | Bug | Closed | Should have | Copying a page with related child records leads to duplicates of each children | Oliver Hader | | |
| 17340 | TYPO3 Core | Bug | Closed | Should have | IRRE children on the table pages get the pid of the parent page in pagetree | Oliver Hader | | |
| 17299 | TYPO3 Core | Feature | Closed | Should have | Enable/integrate conditions in Page TSconfig | Oliver Hader | | |
| 17297 | TYPO3 Core | Feature | Closed | Should have | Extend TCEFORM_confObj on Page TSconfig by property keepItems | Oliver Hader | | |
| 17128 | TYPO3 Core | Bug | Closed | Should have | Element browser cannot be used on new child records of a new parent record. | Oliver Hader | | |
| 17058 | TYPO3 Core | Bug | Closed | Should have | foreign_unique without foreign_selector doesn't work | Oliver Hader | | |
| 17040 | TYPO3 Core | Bug | Closed | Should have | TSconfig mod.web_list.allowedNewTables used in t3lib_TCEforms_inline | Oliver Hader | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 17039 | TYPO3 Core | Feature | Closed | Should have | Integrate mod.web_list.deniedNewTables as opposite of allowedNewTables | Oliver Hader | | |
| 2567 | TYPO3 Core | Feature | Closed | Should have | Recycler: Change layout and interface to fit HCI suggestions | Oliver Hader | | |
| 19733 | TYPO3 Core | Bug | Closed | Should have | Frontend preview on time controlled pages does not work | Michael Stucki | | |
| 16642 | TYPO3 Core | Bug | Closed | Should have | TCEmain: Wrong syntax on checking NEW items | Michael Stucki | | |
| 15855 | TYPO3 Core | Bug | Closed | Should have | TCEFORM.tt_content.CType.removeItems not applied to db_new_content_el.php | Martin Kutschker | | |
| 21211 | TYPO3 Core | Bug | Closed | Should have | Several bugfixes and features by Kasper | Kasper Skårhøj | | |
| 16692 | TYPO3 Core | Bug | Closed | Should have | htmlArea RTE conflicts on using prototyped Array objects (e.g. Prototype JavaScript framework) | Karsten Dambekalns | | |
| 20235 | TYPO3 Core | Bug | Closed | Should have | Clearing cache_treelist after inserting page on root level does not work | Ingo Renner | | |
| 18007 | TYPO3 Core | Bug | Closed | Should have | GUI of new backend is mixed up in IE6 | Ingo Renner | | |
| 49133 | TYPO3 Core | Bug | Closed | Should have | Workspace Module Tabs with gap | Felix Kopp | | |
| 20434 | TYPO3 Core | Bug | Closed | Should have | Improve advanced_htaccess and make it more compatible | Ernesto Baschny | | |
| 20577 | TYPO3 Core | Feature | Closed | Should have | Create better session identifiers and add basic validation | Christian Kuhn | | 4.6.0 |
| 20148 | TYPO3 Core | Bug | Closed | Should have | Backend admin cannot perform file operations in filelist | Christian Kuhn | | |
| 22917 | TYPO3 Core | Bug | Closed | Should have | gzipped files cannot be loaded in the backend | Chris topher | | |
| 20146 | TYPO3 Core | Feature | Closed | Should have | Integration of mass file uploader | Benni Mack | | |
| 19604 | TYPO3 Core | Feature | Closed | Should have | Upgrade prototype.js to latest 1.6.0.3 release | Benni Mack | | |
| 18170 | TYPO3 Core | Bug | Closed | Should have | Page tree is not updated after page visibility was changed | Benni Mack | | |
| 16974 | TYPO3 Core | Feature | Closed | Should have | Provide general AJAX call handler for backend functions/modules with mID technique | Benni Mack | | |
| 16919 | TYPO3 Core | Feature | Closed | Should have | AJAX pagtree update could be used when a new page is created | Benni Mack | | |
| 16900 | TYPO3 Core | Feature | Closed | Should have | Use static method to integrate prototype or script.aculo.us framework | Benni Mack | | |
| 103400 | TYPO3 Core | Bug | Under Review | Should have | Avoid mapping route values that are out of scope | | | |
| 102620 | TYPO3 Core | Task | Closed | Should have | Add strict parameter to base64url decode | | | |
| 102610 | TYPO3 Core | Task | Closed | Should have | Revert "[BUGFIX] Set HTTP timeout to 20 seconds" | | | |
| 102017 | TYPO3 Core | Task | Closed | Should have | Show Content Security Policy Mutations Configuration | | | |
| 102011 | TYPO3 Core | Task | Closed | Should have | Streamline providing CSP mutations | | | |
| 101809 | TYPO3 Core | Bug | Resolved | Should have | Ensure minimal dependency order in PackageManager | | | |
| 101753 | TYPO3 Core | Bug | Closed | Should have | DDEV & Traefic substitute semi-colon to ampersand in URLs | | | |
| 101705 | TYPO3 Core | Bug | Resolved | Should have | Update composer.lock for typo3/html-sanitizer:2.1.3 | | | |
| 101460 | TYPO3 Core | Bug | Resolved | Should have | Allow strict-dynamic only for applicable CSP directives | | | |
| 101253 | TYPO3 Core | Bug | Resolved | Should have | Normalize filename of uploaded files | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 100948 | TYPO3 Core | Task | Closed | Should have | Remove jquery & jquery-ui from image manipulation widget | | | Candidate for patchlevel |
| 100740 | TYPO3 Core | Task | Closed | Should have | Update SECURITY.md for TYPO3 v12.4 LTS | | | |
| 100732 | TYPO3 Core | Task | Closed | Should have | Allow f:asset.css and f:asset.script to use CSP nonce | | | 12 LTS |
| 100691 | TYPO3 Core | Task | Closed | Should have | Track CSP nonce consumption | | | 12 LTS |
| 100667 | TYPO3 Core | Task | Closed | Should have | Apply nonce hint (window.litNonce) on demand only | | | 12 LTS |
| 100664 | TYPO3 Core | Task | Closed | Should have | Allow using nonce values explicitly in PageRenderer methods handling inline code | | | 12 LTS |
| 100172 | TYPO3 Core | Task | Closed | Should have | Convert class ApplicationType to enum | | | 12 LTS |
| 100168 | TYPO3 Core | Task | Closed | Should have | Introduce Map data-structure | | | |
| 100056 | TYPO3 Core | Feature | Closed | Should have | Introduce Content Security Policy reporting & inspection | | | |
| 100055 | TYPO3 Core | Feature | Closed | Should have | Introduce Content Security Policy headers | | | |
| 100012 | TYPO3 Core | Bug | Closed | Should have | Skip numeric cookie names in RequestTokenMiddleware | | | |
| 99366 | TYPO3 Core | Task | Closed | Should have | Add backward compatibility handling for frontend login | | | |
| 99358 | TYPO3 Core | Bug | Closed | Should have | Provide signed storage folders for legacy frontend login | | | |
| 99071 | TYPO3 Core | Task | Closed | Should have | Streamline TYPO3\CMS\Core\Utility\ArrayUtility::filterRecursive | | | |
| 97878 | TYPO3 Core | Task | Closed | Should have | Move escapeLikeWildcards to Connection | | | |
| 97724 | TYPO3 Core | Bug | Closed | Should have | Incorrect usage of moment for unix timestamp | | | |
| 97723 | TYPO3 Core | Bug | Closed | Should have | Raise to recent moment & moment-timezone versions | | | |
| 97722 | TYPO3 Core | Bug | Closed | Should have | Raise to recent composer/composer 2.2 version | | | |
| 97553 | TYPO3 Core | Task | Closed | Should have | Introduce string fragment extraction | | | |
| 96133 | TYPO3 Core | Task | Closed | Should have | Update Git commit hook | | | |
| 96022 | TYPO3 Core | Task | Closed | Should have | Set TYPO3 version to 12.0.0-dev | | | |
| 96020 | TYPO3 Core | Task | Closed | Should have | Deprecate \TYPO3\CMS\Backend\Form\Behavior\OnFieldChangeInterface | | | 12.1 |
| 95573 | TYPO3 Core | Bug | Closed | Should have | Ensure string is passed to f:sanitize.html view helper | | | |
| 95289 | TYPO3 Core | Task | Closed | Should have | Upgrade to typo3/html-sanitizer v2.0.11 | | | |
| 95286 | TYPO3 Core | Task | Closed | Should have | Upgrade to typo3/phar-stream-wrapper v3.1.7 | | | |
| 95200 | TYPO3 Core | Task | Closed | Should have | Streamline requireJS usage in FormEngine | | | |
| 95179 | TYPO3 Core | Bug | Closed | Should have | Transform internal URIs in backend user interface | | | 11 LTS |
| 95151 | TYPO3 Core | Task | Closed | Should have | Replace inline JavaScript in AbstractPlugin | | | 11 LTS |
| 95129 | TYPO3 Core | Task | Closed | Should have | Update doctrine dependencies for tarball distributions | | | 11.4 |
| 95126 | TYPO3 Core | Task | Closed | Should have | Update symfony & guzzlehttp dependencies for tarball distributions | | | 11.4 |
| 95054 | TYPO3 Core | Feature | Under Review | Should have | Add possibility to add HTTP headers in frontend | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 95000 | TYPO3 Core | Task | Closed | Should have | Upgrade to typo3/html-sanitizer v2.0.10 | | | |
| 93335 | TYPO3 Core | Bug | Closed | Should have | XSS in access permission module | | | |
| 92509 | TYPO3 Core | Task | Closed | Should have | Add base64url encode/decode functionality | | | |
| 91566 | TYPO3 Core | Task | Closed | Should have | Compare hardcoded legacy password directly | | | |
| 91565 | TYPO3 Core | Task | Closed | Should have | Use hash_equals when comparing cryptographic hash values | | | |
| 91334 | TYPO3 Core | Bug | Closed | Should have | XSS in jQuery <3.5.0 | | | |
| 91242 | TYPO3 Core | Task | Closed | Should have | ... | | | |
| 90358 | TYPO3 Core | Task | Closed | Should have | Remove branch-alias occurrences | | | |
| 90055 | TYPO3 Core | Task | Closed | Should have | Introduce PermutationUtility | | | |
| 89937 | TYPO3 Core | Bug | Closed | Should have | Insecure Deserialization when knowing encryptionKey in Extbase | | | |
| 89299 | TYPO3 Core | Bug | Closed | Should have | Correctly unpack CorrelationId version | | | |
| 89298 | TYPO3 Core | Task | Closed | Should have | Introduce CorrelationId model | | | |
| 88494 | TYPO3 Core | Task | Closed | Should have | Drop DB field t3_origuid / "origUid" functionality | | | |
| 88340 | TYPO3 Core | Bug | Closed | Should have | PharStreamWrapper denies symlinked extension directories | | | |
| 87666 | TYPO3 Core | Task | Closed | Should have | Add language synchronization tests for TCA type inline/CSV | | | |
| 87517 | TYPO3 Core | Task | Closed | Should have | Recompile install.css | | | |
| 87450 | TYPO3 Core | Bug | Closed | Should have | Harden CommandUtility invocations | | | |
| 87123 | TYPO3 Core | Bug | Closed | Should have | Adjust modal window processing and RequireJS loading | | | |
| 86680 | TYPO3 Core | Task | Closed | Should have | Raise version of typo3/phar-stream-wrapper to 3.0.1 | | | |
| 85908 | TYPO3 Core | Bug | Closed | Should have | Fatal error "class TYPO3\CMS\Core\Utility\Environment not found | | | 8.7.19 |
| 85539 | TYPO3 Core | Bug | Closed | Should have | Fix test isolation and pre-requisites | | | |
| 85526 | TYPO3 Core | Bug | Closed | Should have | Avoid using undefined constant PASSWORD_ARGON2I | | | |
| 85051 | TYPO3 Core | Feature | Rejected | Should have | Add possibility to deny setting cookies on client side | | | |
| 84917 | TYPO3 Core | Story | New | Should have | Make use of schema definition & relationship layer | | | |
| 84916 | TYPO3 Core | Story | New | Should have | Provide generic entity relationship model | | | |
| 84915 | TYPO3 Core | Story | New | Should have | Provide generic entity schema definition | | | |
| 84591 | TYPO3 Core | Bug | Closed | Should have | XSS in ToolbarItems icon rendering | | | |
| 82079 | TYPO3 Core | Bug | Closed | Should have | XSS in scheduler | | | |
| 82077 | TYPO3 Core | Bug | Closed | Should have | XSS in page module | | | |
| 79039 | TYPO3 Core | Bug | Closed | Should have | Installation process hangs with PHP 7.1 | | | |
| 72475 | TYPO3 Core | Bug | Closed | Should have | XSS in belog module | | | |
| 71437 | TYPO3 Core | Bug | Closed | Should have | Side effects on processing access permissions in a workspace | | | 7 LTS |
| 63526 | TYPO3 Core | Bug | Closed | Should have | Cannot uninstall packages with dependencies in install tool | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 59549 | TYPO3 Core | Bug | Closed | Should have | Broken tests due to modified PostProcessor constructor | | | |
| 57656 | TYPO3 Core | Task | Closed | Should have | Integrate default README.txt | | | |
| 47181 | TYPO3 Core | Bug | Closed | Should have | Empty clear cache command logged | | | 6.0.5 |
| 41049 | TYPO3 Core | Bug | Closed | Should have | Deactivating extension DBAL fails | | | 6.0.0 |
| 39155 | TYPO3 Core | Bug | Closed | Should have | Warning on fetching undefined category definitions | | | 6.0.0-alpha3 |
| 38293 | TYPO3 Core | Bug | Closed | Should have | Missing class definitions in core autoloader | | | 6.0.0-alpha2 |
| 38110 | TYPO3 Core | Bug | Closed | Should have | Conceptual problem in Web > Access > User Overview | | | 7.4 (Backend) |
| 38088 | TYPO3 Core | Feature | Rejected | Should have | Enhance Bootstrap contexts | | | |
| 38086 | TYPO3 Core | Task | Closed | Should have | Enhance TYPO3 bootstrap mechanism | | | 6.0.0-pre-beta1 |
| 36841 | TYPO3 Core | Bug | Closed | Should have | Wrong query in RecordCollectionRepository | | | 4.7.1 |
| 36779 | TYPO3 Core | Feature | Closed | Should have | Allow t3lib as class prefix | | | 6.0.0 |
| 34284 | TYPO3 Core | Feature | Closed | Should have | Integrate File Abstraction Layer Indexer Task | | | 6.0.0 |
| 34283 | TYPO3 Core | Feature | Closed | Should have | IRRE - Possibility to render custom header controls | | | 4.7.0-beta1 |
| 34282 | TYPO3 Core | Feature | Closed | Should have | IRRE - Possibility to avoid rendering of foreign_selector | | | 4.7.0-beta1 |
| 34281 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to overrule types array in TCEforms | | | 4.7.0-beta1 |
| 33767 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to build URL | | | 4.7.0-beta1 |
| 33755 | TYPO3 Core | Feature | Closed | Should have | Extend collection handling by repository | | | 4.7.0-beta1 |
| 33752 | TYPO3 Core | Feature | Closed | Should have | Make use of File Abstraction Layer in Frontend | | | 6.0.0 |
| 33751 | TYPO3 Core | Feature | Closed | Should have | Make use of File Abstraction Layer in Backend | | | 6.0.0 |
| 33750 | TYPO3 Core | Feature | Closed | Should have | Integrate File Abstraction Layer Handling | | | 6.0.0 |
| 33749 | TYPO3 Core | Feature | Closed | Should have | Integrate File Abstraction Layer API | | | 4.7.0-beta1 |
| 33748 | TYPO3 Core | Feature | Closed | Should have | Integrate Signal Slot Handling | | | 4.7.0-beta1 |
| 33743 | TYPO3 Core | Task | Closed | Should have | Strictly only allow UTF-8 | | | 4.7.0-beta1 |
| 32710 | TYPO3 Core | Task | Closed | Should have | Integrate missing Ext JS 4 examples | | | |
| 32075 | TYPO3 Core | Task | Closed | Should have | Integrate system extension linkvalidator as submodule | | | 4.7.0-alpha1 |
| 30046 | TYPO3 Core | Task | Closed | Should have | Refactor code of new form system extension | | | 4.6.0-beta3 |
| 28589 | TYPO3 Core | Bug | Closed | Should have | Autoloader Cache is not updated | | | |
| 27303 | TYPO3 Core | Bug | Closed | Should have | t3lib_BEfunc::blindUserNames might use wrong group list collection | | | |
| 24449 | TYPO3 Core | Task | Closed | Should have | Use move placeholders as default in workspaces | | | 7 LTS |
| 23942 | TYPO3 Core | Feature | Closed | Should have | Deprecate old function calls of the workspaces library in the version extension | | | |
| 23724 | TYPO3 Core | Feature | Closed | Should have | Optimize query to determine whether a frontend user has access to content elements or pages | | | |
| 22299 | TYPO3 Core | Bug | Closed | Should have | Opening website frontend view from backend does not work properly | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 22002 | TYPO3 Core | Bug | Closed | Should have | Add unit test concerning XML parsing of unwrapped entities | | | |
| 21667 | TYPO3 Core | Bug | Closed | Should have | Integrate links to further help in backend login | | | |
| 21552 | TYPO3 Core | Bug | Closed | Should have | Flash Messages issues in the Extension Manager | | | |
| 21484 | TYPO3 Core | Bug | Closed | Should have | OpenID service modifies PHP include path what has negative impact on autoloader | | | |
| 21257 | TYPO3 Core | Feature | Closed | Should have | Integrate Security section to Install Tool | | | |
| 21069 | TYPO3 Core | Bug | Closed | Should have | felogin does not work on cached pages | | | |
| 20978 | TYPO3 Core | Bug | Closed | Should have | Integrate possiblity to extend static classes like t3lib_div | | | |
| 20521 | TYPO3 Core | Feature | Closed | Should have | Add possibility to validate a string as regular expression | | | |
| 20250 | TYPO3 Core | Feature | Closed | Should have | Integrate id attribute in form tag of TCEforms | | | |
| 20167 | TYPO3 Core | Feature | Closed | Should have | Integrate nice looking message and integrate resend when backend was locked for maintenance | | | |
| 19713 | TYPO3 Core | Feature | Closed | Should have | Cache thumbnails shown in element browser | | | |
| 19559 | TYPO3 Core | Bug | Closed | Should have | AdminPanel shows superfluous "Include file class.tx_whatever_pi1.php" messages | | | |
| 19275 | TYPO3 Core | Bug | Closed | Should have | TypoScript objects CONTENT and RECORDS do not respect localization of table pages | | | |
| 18646 | TYPO3 Core | Bug | Closed | Should have | Combination view not possible with symmetric relations | | | |
| 17638 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to show content elements depending on a given rule | | | |
| 17615 | TYPO3 Core | Feature | Closed | Should have | Integrate possibility to override TCA columns depending on the type by another TCA property | | | |
| 17434 | TYPO3 Core | Feature | Closed | Should have | Allow more than one parent field pointing to the same children table with foreign_field | | | |
| 17002 | TYPO3 Core | Bug | Closed | Should have | cHash is not recreated on disposal in config.linkVars | | | |
| 16741 | TYPO3 Core | Bug | Rejected | Should have | typoLink doesn't use "type" correctly with simulateStaticDocuments | | | |
| 16392 | TYPO3 Core | Bug | Closed | Should have | Page-TSconfig ###PAGE_TSCONFIG_STR### not evaluated correctly in Backend | | | |
| 21168 | TYPO3 Core | Bug | Closed | Must have | Improve the error and exception handling | Rupert Germann | | |
| 23287 | TYPO3 Core | Bug | Closed | Must have | Clearing caches in backend only displays empty frame | Oliver Hader | | |
| 21078 | TYPO3 Core | Bug | Closed | Must have | Optimize disposal of t3lib_PageRenderer | Oliver Hader | | |
| 19496 | TYPO3 Core | Bug | Closed | Must have | Flexform sections are not working anymore since script.aculo.us is not loaded | Oliver Hader | | |
| 17500 | TYPO3 Core | Feature | Closed | Must have | Localization of child records | Oliver Hader | | |
| 16875 | TYPO3 Core | Bug | Closed | Must have | Wrong character encoding in new child records created via AJAX call | Oliver Hader | | |
| 19530 | TYPO3 Core | Bug | Closed | Must have | Store OpenID information in database instead of using the filesystem | Dmitry Dulepov | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 17001 | TYPO3 Core | Bug | Closed | Must have | config.linkVars check doesn't allow negative ranges | | | |
| 99052 | TYPO3 Core | Bug | Closed | Should have | Correctly handle blank string values in admin panel info section | | AdminPanel | |
| 93559 | TYPO3 Core | Bug | Closed | Should have | JavaScript error message in AdminPanel | | AdminPanel | |
| 20605 | TYPO3 Core | Feature | Rejected | Should have | Add more information to logoff() method in user authentication | Oliver Hader | Authentication | |
| 101209 | TYPO3 Core | Bug | Resolved | Should have | Backend refresh login cannot re-authenticate | | Authentication | |
| 95127 | TYPO3 Core | Task | Closed | Should have | Update MFA and QR-code related composer dependencies | | Authentication | 11.4 |
| 91385 | TYPO3 Core | Bug | Closed | Should have | JavaScript error for extensions overriding login form | | Authentication | 9.5.18 & 10.4.3 |
| 90024 | TYPO3 Core | Task | Closed | Should have | Avoid starting superfluous PHP session | | Authentication | |
| 84503 | TYPO3 Core | Bug | Rejected | Should have | Streamline RsaAuth login behavior | | Authentication | |
| 86923 | TYPO3 Core | Bug | Closed | Must have | Symfony expressions/conditions doesn't work in user-tsconfig | | Authentication | |
| 96141 | TYPO3 Core | Task | Closed | Should have | Remove deprecated BackendUtility::viewOnClick | Oliver Hader | Backend API | 12.0 |
| 69171 | TYPO3 Core | Task | Closed | Should have | Streamline tt_content TCA types configuration | Oliver Hader | Backend API | 7.5 |
| 56061 | TYPO3 Core | Task | Closed | Should have | Introduce MM_oppositeUsage property | Oliver Hader | Backend API | |
| 43139 | TYPO3 Core | Bug | Closed | Should have | Activating NULL value field does not work with blank string | Oliver Hader | Backend API | 6.0.0-RC2 |
| 42281 | TYPO3 Core | Bug | Closed | Should have | Translated non-published page in workspace breaks live workspace | Oliver Hader | Backend API | 4.5.21 |
| 25431 | TYPO3 Core | Bug | Closed | Should have | Pagetree uses wrong setting for limiting number of rendered page nodes | Oliver Hader | Backend API | 4.5.3 |
| 33747 | TYPO3 Core | Feature | New | Should have | Implement usort() and moveItemAt() in AbstractRecordCollection | Frans Saris | Backend API | |
| 100897 | TYPO3 Core | Bug | Resolved | Should have | Unknown column 'table_local' in 'where clause' | | Backend API | |
| 98356 | TYPO3 Core | Task | Closed | Should have | Simplify BackendUserGroupRepository::findByUidList | | Backend API | |
| 95278 | TYPO3 Core | Task | Closed | Should have | Deprecate inline JavaScript in ModuleTemplate components | | Backend API | |
| 94634 | TYPO3 Core | Bug | Closed | Should have | Expose raw definition in backend layout model | | Backend API | |
| 91574 | TYPO3 Core | Task | Closed | Should have | Avoid exposing invalid controller actions | | Backend API | |
| 91564 | TYPO3 Core | Task | Closed | Should have | Define callable action controllers | | Backend API | |
| 91039 | TYPO3 Core | Bug | Closed | Should have | Reload filelist after file has been deleted fails | | Backend API | |
| 90781 | TYPO3 Core | Task | Closed | Should have | Remove superfluous UriBuilder references | | Backend API | |
| 87419 | TYPO3 Core | Task | Closed | Should have | Deprecate functionality used to add inline styles & scripts | | Backend API | 12 LTS |
| 85950 | TYPO3 Core | Bug | Rejected | Should have | Preview URL in backend is invalid | | Backend API | 9.4 |
| 83719 | TYPO3 Core | Bug | Closed | Should have | Invalid session token on creating content element in admin panel | | Backend API | |
| 83345 | TYPO3 Core | Bug | Closed | Should have | AdminPanelView tries to count null value | | Backend API | |
| 82669 | TYPO3 Core | Task | Closed | Should have | Resolve backend route path inconsistencies | | Backend API | |
| 80550 | TYPO3 Core | Bug | Closed | Should have | List module does not work in workspaces with PostgreSQL | | Backend API | |
| 71055 | TYPO3 Core | Task | Closed | Should have | Streamline usage of DebugConsole | | Backend API | 7 LTS |
| 70439 | TYPO3 Core | Task | Closed | Should have | Refactor ModuleTemplate path assignments | | Backend API | 7 LTS |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 70438 | TYPO3 Core | Task | Closed | Should have | Add possibility to disable DocHeader in ModuleTemplate | | Backend API | 7 LTS |
| 70422 | TYPO3 Core | Task | Closed | Should have | Integrate DocHeader action buttons | | Backend API | 7 LTS |
| 51918 | TYPO3 Core | Bug | Closed | Should have | Native date and datetime values do not consider timezone | | Backend API | next-patchlevel |
| 16915 | TYPO3 Core | Feature | Closed | Should have | Integrate function to determine extension key from a table name and vice versa | | Backend API | |
| 16482 | TYPO3 Core | Feature | Rejected | Should have | Extending $TCA[$table]['ctrl']['thumbnail'] to use more than one image, separated by comma | | Backend API | |
| 85773 | TYPO3 Core | Bug | Closed | Must have | Flaws in sys_log entry IP anonymization | Markus Klein | Backend API | 9.4 |
| 85875 | TYPO3 Core | Bug | Closed | Must have | Issues in ThumbnailController | | Backend API | 8.7.19 |
| 96019 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in wizard EditController | Oliver Hader | Backend JavaScript | |
| 96003 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in DispatchNotificationHook | Oliver Hader | Backend JavaScript | |
| 96002 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in backend update signals | Oliver Hader | Backend JavaScript | |
| 95989 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in Scheduler | Oliver Hader | Backend JavaScript | |
| 95874 | TYPO3 Core | Task | Closed | Should have | Avoid JavaScript eval function in FormEngine AjaxDispatcher | Oliver Hader | Backend JavaScript | |
| 95873 | TYPO3 Core | Task | Closed | Should have | Use explicit JavaScript module instructions in dashboard | Oliver Hader | Backend JavaScript | |
| 102668 | TYPO3 Core | Bug | Resolved | Should have | Consider empty or invalid password policy reference | | Backend JavaScript | |
| 101744 | TYPO3 Core | Task | Closed | Should have | Streamline applying stylesheets in lit-element components | | Backend JavaScript | |
| 100966 | TYPO3 Core | Task | Closed | Should have | Remove jquery-ui | | Backend JavaScript | 13.0 |
| 100964 | TYPO3 Core | Task | Closed | Should have | Upgrade jquery-ui to version 1.13.2 | | Backend JavaScript | |
| 100862 | TYPO3 Core | Bug | Resolved | Should have | Add CSP nonce value to RequireJS | | Backend JavaScript | next-patchlevel |
| 96662 | TYPO3 Core | Bug | Closed | Should have | Correctly calculate bit-masks in JavaScriptModuleInstruction | | Backend JavaScript | |
| 96661 | TYPO3 Core | Task | Under Review | Should have | Add possibility to manipulate JavaScriptModuleInstruction items | | Backend JavaScript | |
| 96497 | TYPO3 Core | Task | Closed | Should have | Update jquery-ui to v1.13.0 | | Backend JavaScript | |
| 96495 | TYPO3 Core | Bug | Closed | Should have | Update @claviska/jquery-minicolors to v2.3.6 | | Backend JavaScript | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 96187 | TYPO3 Core | Task | Closed | Should have | Avoid CKEditor4 inline JavaScript | | Backend JavaScript | |
| 96185 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in LinkBrowserController | | Backend JavaScript | |
| 96136 | TYPO3 Core | Task | Closed | Should have | Deprecate inline JavaScript in backend update signals | | Backend JavaScript | 12.0 |
| 96014 | TYPO3 Core | Task | Closed | Should have | Streamline FormEngine AJAX TypeScript sources | | Backend JavaScript | |
| 96012 | TYPO3 Core | Task | Closed | Should have | Avoid inline JavaScript in OpendocsToolbarItem::updateNumberOfOpenDocsHook | | Backend JavaScript | |
| 95849 | TYPO3 Core | Task | Closed | Should have | Normalize JavaScript initialization of workspaces preview | | Backend JavaScript | |
| 95847 | TYPO3 Core | Task | Closed | Should have | Expose all properties of JavaScriptModuleInstruction as JSON | | Backend JavaScript | |
| 95846 | TYPO3 Core | Bug | Closed | Should have | Use dedicated JavaScript initialization for form manager | | Backend JavaScript | |
| 95845 | TYPO3 Core | Task | Closed | Should have | Use dedicated JavaScript LoginRefresh.initialize(options) | | Backend JavaScript | |
| 95579 | TYPO3 Core | Bug | Closed | Should have | Properly encode JSON when forwarding to RequireJS | | Backend JavaScript | |
| 95352 | TYPO3 Core | Task | Closed | Should have | Get rid of deprecated TBE_EDITOR.fieldChanged invocation | | Backend JavaScript | 11 LTS |
| 95260 | TYPO3 Core | Task | Closed | Should have | Substitute inline onclick events for ShortcutMenu | | Backend JavaScript | 11 LTS |
| 95214 | TYPO3 Core | Task | Closed | Should have | Purge onFocus occurrences from SelectSingleElement | | Backend JavaScript | |
| 94970 | TYPO3 Core | Task | Closed | Should have | Remove jQuery.proxy invocation | | Backend JavaScript | |
| 94762 | TYPO3 Core | Task | Closed | Should have | Introduce ModuleStateStorage replacing fsMod | | Backend JavaScript | |
| 94164 | TYPO3 Core | Task | Closed | Should have | Clean up JavaScript code smells | | Backend JavaScript | |
| 94058 | TYPO3 Core | Task | Closed | Should have | Remove goToModule() inline JavaScript invocations | | Backend JavaScript | |
| 93879 | TYPO3 Core | Task | Rejected | Should have | Use named export for BroadcastService module | | Backend JavaScript | |
| 93380 | TYPO3 Core | Task | Closed | Should have | Migrate some PageTree components to TypeScript | | Backend JavaScript | |
| 93103 | TYPO3 Core | Task | Rejected | Should have | Migrate backend context menu to lit-html | | Backend JavaScript | Candidate for Major Version |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 93102 | TYPO3 Core | Task | Closed | Should have | Migrate backend notifications to lit-html | | Backend JavaScript | 11.1 |
| 93101 | TYPO3 Core | Task | Closed | Should have | Migrate backend live search to lit-html | | Backend JavaScript | 11.2 |
| 92222 | TYPO3 Core | Task | Closed | Should have | Replace ResponseError with regular AjaxResponse | | Backend JavaScript | |
| 92221 | TYPO3 Core | Bug | Closed | Should have | Ensure BroadcastService listens only once | | Backend JavaScript | |
| 92199 | TYPO3 Core | Task | Under Review | Should have | Streamline AjaxDataHandler | | Backend JavaScript | |
| 91813 | TYPO3 Core | Task | Closed | Should have | Replace window.open JavaScript with WindowManager | | Backend JavaScript | |
| 91811 | TYPO3 Core | Task | Closed | Should have | Replace FormEngine table wizard by custom element | | Backend JavaScript | |
| 91810 | TYPO3 Core | Feature | Accepted | Should have | Introduce client-side templating engine | | Backend JavaScript | |
| 91805 | TYPO3 Core | Task | Closed | Should have | Streamline GlobalEventHandler JavaScript module | | Backend JavaScript | |
| 91229 | TYPO3 Core | Task | Closed | Should have | Use proper TypeScript functions instead of arrow functions | | Backend JavaScript | |
| 91186 | TYPO3 Core | Task | Closed | Should have | Enhance custom event dispatching in modal dialog | | Backend JavaScript | |
| 91122 | TYPO3 Core | Task | Closed | Should have | Introduce DocumentService as JQuery.ready substitute | | Backend JavaScript | |
| 89363 | TYPO3 Core | Bug | Closed | Should have | Changing backend user type does not reload view anymore | | Backend JavaScript | next-patchlevel |
| 88214 | TYPO3 Core | Bug | Closed | Should have | Incorporate changes of jQuery version to 3.4.0 | | Backend JavaScript | |
| 88049 | TYPO3 Core | Task | Closed | Should have | Separate real dependencies from development dependencies in packages.json | | Backend JavaScript | |
| 87418 | TYPO3 Core | Task | In Progress | Should have | Refactor and remove usage of inline scripts in backend | | Backend JavaScript | Candidate for Major Version |
| 55454 | TYPO3 Core | Bug | Closed | Could have | Buttons for explicit translation are not shown | | Backend User Interface | |
| 48451 | TYPO3 Core | Bug | Closed | Could have | Backend Layouts not visualized | | Backend User Interface | |
| 15850 | TYPO3 Core | Bug | Closed | Should have | Symbolic link to tslib in dummy package is missing | Sebastian Kurfuerst | Backend User Interface | |
| 73728 | TYPO3 Core | Feature | Closed | Should have | Integrate Bootstrap Colorpicker | Oliver Hader | Backend User Interface | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 59016 | TYPO3 Core | Task | Closed | Should have | Missing "all workspaces" tab action for regular editors | Oliver Hader | Backend User Interface | |
| 55187 | TYPO3 Core | Task | Closed | Should have | Allow unique evaulation for TCA type 'check' | Oliver Hader | Backend User Interface | |
| 44470 | TYPO3 Core | Bug | Closed | Should have | Content elements in wrong column in page module | Oliver Hader | Backend User Interface | 4.5.23 |
| 43183 | TYPO3 Core | Bug | Closed | Should have | Placeholder JavaScript handling is active for Non-IE browsers | Oliver Hader | Backend User Interface | 6.0.0-RC2 |
| 43175 | TYPO3 Core | Bug | Closed | Should have | Deactivated textarea elements are not visualized | Oliver Hader | Backend User Interface | 6.0.0-RC2 |
| 43132 | TYPO3 Core | Bug | Closed | Should have | File Reference cannot be used to disable specific meta data | Oliver Hader | Backend User Interface | 6.0.0-RC2 |
| 43340 | TYPO3 Core | Bug | Closed | Should have | Page Module title is cut | Jigal van Hemert | Backend User Interface | 6.0.0 |
| 99917 | TYPO3 Core | Bug | Resolved | Should have | Get rid of newly introduced inline JavaScript "javascript:;" | Frank Nägler | Backend User Interface | 12 LTS |
| 75656 | TYPO3 Core | Task | Closed | Should have | Enhance color-picker position in constant editor | Benjamin Kott | Backend User Interface | 8.1 |
| 74359 | TYPO3 Core | Feature | Closed | Should have | Migrate workspace module to Bootstrap an jQuery | Andreas Kienast | Backend User Interface | |
| 100547 | TYPO3 Core | Bug | Resolved | Should have | Some icons not rendered anymore having strict CSP style-src directive | | Backend User Interface | 12 LTS |
| 100140 | TYPO3 Core | Task | Closed | Should have | Properly handle inline stylesheets | | Backend User Interface | 12 LTS |
| 95277 | TYPO3 Core | Task | Closed | Should have | Refactor new content element realm | | Backend User Interface | |
| 94617 | TYPO3 Core | Feature | Under Review | Should have | Introduce generic record preview / listing | | Backend User Interface | |
| 94343 | TYPO3 Core | Bug | Closed | Should have | Internal Server Error in Page Module | | Backend User Interface | |
| 93362 | TYPO3 Core | Bug | Closed | Should have | Context Menu in Page Tree is displaced and inaccessible | | Backend User Interface | |
| 92985 | TYPO3 Core | Bug | Rejected | Should have | Cannot show record history of pages anymore in TYPO3 v10.4.10 | | Backend User Interface | |
| 91384 | TYPO3 Core | Story | Closed | Should have | Backend login and referrer problems after recent TYPO3 9.5.17 and 10.4.2 security fixes | | Backend User Interface | |
| 91101 | TYPO3 Core | Task | Closed | Should have | Avoid using form elements in clipboard and element history module | | Backend User Interface | |
| 91084 | TYPO3 Core | Task | Closed | Should have | Pass targetElement explicitly for RegularEvent.delegateTo | | Backend User Interface | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 91046 | TYPO3 Core | Bug | Closed | Should have | Re-enable clearable behavior of ext:beuser filter field | | Backend User Interface | |
| 90004 | TYPO3 Core | Bug | Closed | Should have | Avoid showing telephone element for route link browser | | Backend User Interface | Candidate for Major Version |
| 89405 | TYPO3 Core | Bug | Closed | Should have | Disable TypoScript object browser "crop lines" per default | | Backend User Interface | |
| 89362 | TYPO3 Core | Task | Closed | Should have | Revert changed backend behavior for onChange/type | | Backend User Interface | |
| 88286 | TYPO3 Core | Bug | Closed | Should have | User password remains visible on Macbook Touch bar under certain circumstances | | Backend User Interface | |
| 88285 | TYPO3 Core | Bug | Closed | Should have | User password remains visible on Macbook Touch bar under certain circumstances | | Backend User Interface | |
| 87423 | TYPO3 Core | Feature | Closed | Should have | Integrate CSP management module | | Backend User Interface | 12 LTS |
| 85043 | TYPO3 Core | Bug | Closed | Should have | File list module only shows one file per page | | Backend User Interface | |
| 85000 | TYPO3 Core | Bug | Rejected | Should have | Cannot add image using element browser | | Backend User Interface | |
| 84928 | TYPO3 Core | Feature | Rejected | Should have | Introduce JavaScript templating engine | | Backend User Interface | |
| 83979 | TYPO3 Core | Bug | Closed | Should have | Avoid registering extension icons in IconRegistry | | Backend User Interface | 9 LTS |
| 83978 | TYPO3 Core | Task | Closed | Should have | Streamline deprecation handling in icon API | | Backend User Interface | 9 LTS |
| 82379 | TYPO3 Core | Bug | Closed | Should have | Separators shown in explicit allow/deny section | | Backend User Interface | |
| 82105 | TYPO3 Core | Bug | Closed | Should have | Bookmarking a file leads to SQL error | | Backend User Interface | |
| 69370 | TYPO3 Core | Bug | Closed | Should have | Implicitly allow access to Web module if access to submodule is granted | | Backend User Interface | |
| 61813 | TYPO3 Core | Bug | Closed | Should have | Hard coded image sizes in backend forms | | Backend User Interface | next-patchlevel |
| 59042 | TYPO3 Core | Task | Closed | Should have | Category fields are not added to TCA interface section | | Backend User Interface | |
| 58444 | TYPO3 Core | Bug | Closed | Should have | Enhance view of localization pointer of content elements | | Backend User Interface | |
| 53594 | TYPO3 Core | Bug | Closed | Should have | No placeholder attribute in backend forms | | Backend User Interface | next-patchlevel |
| 41773 | TYPO3 Core | Feature | Closed | Should have | Add possibility to store NULL values | | Backend User Interface | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 41659 | TYPO3 Core | Bug | Closed | Should have | Duplicate ids in form view on record translation | | Backend User Interface | 6.0.0-RC1 |
| 55246 | TYPO3 Core | Bug | Closed | Must have | Class 'TYPO3\CMS\Recordlist\Browser\GeneralUtility' not found | Oliver Hader | Backend User Interface | next-patchlevel |
| 21017 | TYPO3 Core | Bug | Closed | Should have | Use separate tables for tags in the caching framework | Oliver Hader | Caching | |
| 90234 | TYPO3 Core | Feature | Closed | Should have | Introduce CacheHashConfiguration and matching indicators | | Caching | |
| 88512 | TYPO3 Core | Bug | Closed | Should have | Flaws in accessing deprecated caches starting with "cache_" | | Caching | Candidate for Major Version |
| 75609 | TYPO3 Core | Task | Closed | Should have | Remove persistent cache in GeneralUtility::xml2array | | Caching | 8.1 |
| 55037 | TYPO3 Core | Task | Closed | Should have | Class Loader optimisation | | Caching | |
| 43382 | TYPO3 Core | Task | Closed | Should have | Optimize clearing file backend caches | | Caching | 6.0.1 |
| 31245 | TYPO3 Core | Task | Rejected | Should have | Integrate possibility to modify caching configurations | | Caching | 4.6.0 |
| 31241 | TYPO3 Core | Bug | Closed | Should have | Fatal error on using non-existing code cache file | | Caching | |
| 28955 | TYPO3 Core | Bug | Rejected | Should have | Flushing database caches truncates table before dropping it | | Caching | 4.6.0-beta2 |
| 20859 | TYPO3 Core | Bug | Closed | Should have | Cache tables allow to store the same identifier more than once | | Caching | |
| 31249 | TYPO3 Core | Bug | Closed | Must have | Caching tables of new extensions are not created | Oliver Hader | Caching | 4.6.0 |
| 46205 | TYPO3 Core | Bug | Closed | Must have | Cache file could not be written on concurrent actions | | Caching | 6.0.5 |
| 56122 | TYPO3 Core | Task | Closed | Should have | Use MM_oppositeUsage for category relations | Oliver Hader | Categorization API | |
| 69261 | TYPO3 Core | Task | Closed | Should have | Reduce PageLayoutController and PageLayoutView dependencies | Oliver Hader | Code Cleanup | 7.5 |
| 52824 | TYPO3 Core | Bug | Closed | Should have | Superfluous usage of ObjectManagerException | Oliver Hader | Code Cleanup | |
| 102821 | TYPO3 Core | Task | Under Review | Should have | Drop \TYPO3\CMS\Core\Utility\ExtensionManagementUtility::addPItoST43 | | Code Cleanup | |
| 102681 | TYPO3 Core | Task | Closed | Should have | Rearrange position of always active feature | | Code Cleanup | |
| 100727 | TYPO3 Core | Task | Closed | Should have | Streamline CSP aspects | | Code Cleanup | 12 LTS |
| 100615 | TYPO3 Core | Task | Closed | Should have | Return early in ContentObjectRenderer::cObjGet() | | Code Cleanup | 12 LTS |
| 100614 | TYPO3 Core | Task | Closed | Should have | Deprecate PageRenderer::$inlineJavascriptWrap and $inlineCssWrap | | Code Cleanup | 12 LTS |
| 98411 | TYPO3 Core | Task | Closed | Should have | Prevent undefined array key warnings in ext:filelist | | Code Cleanup | |
| 98410 | TYPO3 Core | Task | Rejected | Should have | Prevent undefined array key warnings in ext:felogin | | Code Cleanup | |
| 98409 | TYPO3 Core | Task | Rejected | Should have | Prevent undefined array key warnings in ext:form | | Code Cleanup | |
| 98408 | TYPO3 Core | Task | Rejected | Should have | Prevent undefined array key warnings in ext:extensionmanager | | Code Cleanup | |
| 98407 | TYPO3 Core | Task | Rejected | Should have | Prevent undefined array key warnings in ext:extbase | | Code Cleanup | |
| 98347 | TYPO3 Core | Task | Closed | Should have | Prevent undefined array key warnings in ext:beuser | | Code Cleanup | |
| 98331 | TYPO3 Core | Task | Closed | Should have | Use same version of friendsofphp/php-cs-fixer as in v12 | | Code Cleanup | |
| 98329 | TYPO3 Core | Task | Closed | Should have | Prevent undefined array key warnings in ext:dashboard | | Code Cleanup | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version |
|---|---|---|---|---|---|---|---|---|
| 98325 | TYPO3 Core | Task | Closed | Should have | Address "undefined array key" issues in ext:belog | | Code Cleanup | |
| 98324 | TYPO3 Core | Task | Closed | Should have | Address "undefined array key" issues in ext:adminpanel | | Code Cleanup | |
| 98321 | TYPO3 Core | Task | Closed | Should have | Address "undefined array key" issues for PHP 8 | | Code Cleanup | |
| 96521 | TYPO3 Core | Epic | Closed | Should have | Enhance PhpStan coverage | | Code Cleanup | |
| 95851 | TYPO3 Core | Task | Closed | Should have | Avoid using public property TYPO3\CMS\Backend\Module\ModuleLoader::$modules | | Code Cleanup | |
| 95498 | TYPO3 Core | Bug | Closed | Should have | Address undefined array index warnings in PHP8 | | Code Cleanup | |
| 95276 | TYPO3 Core | Task | Closed | Should have | Clean up code & add deprecation comments | | Code Cleanup | |
| 95039 | TYPO3 Core | Task | Rejected | Should have | Use @template phpDoc annotation | | Code Cleanup | |
| 94283 | TYPO3 Core | Task | Closed | Should have | Avoid assigning unexpected node types in GeneratorClassesResolver | | Code Cleanup | |
| 94148 | TYPO3 Core | Task | Closed | Should have | Streamline routing related phpDoc comments & annotations | | Code Cleanup | |
| 91819 | TYPO3 Core | Task | Closed | Should have | Adjust ActionDispatcher comments in BackendUtility | | Code Cleanup | |
| 91319 | TYPO3 Core | Task | Closed | Should have | Avoid superfluous reference operator on objects | | Code Cleanup | |

...