

Issues

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|----------------|-------------|---|---------------|------------------------------------|-----------------------------|-----------|
| 91408 | TYPO3 Core | Bug | New | Should have | Improvements for slug handling of records in global storage | | | | |
| 87370 | TYPO3 Core | Bug | New | Should have | If Install tool session expires, all ajax requests fail | | Install Tool | | |
| 87162 | TYPO3 Core | Bug | New | Should have | Width and Height in translated meta data records not updated, when original file is replaced | | File Abstraction Layer (FAL) | | |
| 87013 | TYPO3 Core | Feature | New | Should have | Add editMetaData a permission for users, storages, filemounts | Helmut Hummel | File Abstraction Layer (FAL) | | |
| 86107 | TYPO3 Core | Feature | New | Should have | Introduce flexible configuration handling | | System/Bootstrap/Configurati on | | |
| 85523 | TYPO3 Core | Bug | New | Should have | Deprecate BackendTemplateView | | Backend API | | |
| 85522 | TYPO3 Core | Bug | New | Should have | Provide documentation for creating backend modules using the view helpers for ModuleTemplate | Helmut Hummel | Documentation | | |
| 85520 | TYPO3 Core | Story | New | Should have | Convert Extbase modules to use view helpers to configure ModuleTemplate | | Backend API | | |
| 75987 | TYPO3 Core | Feature | New | Should have | Implement request throttling/ rate limiting functionality and API | | Security | | |
| 63643 | TYPO3 Core | Task | New | Should have | Use Request Response model in JsonView | | Extbase | | |
| 55508 | TYPO3 Core | Feature | New | Could have | Implement CSRF Protection in Extbase URI builder and request handler | | Extbase | Candidate for Major Version | |
| 84618 | TYPO3 Core | Bug | Accepted | Should have | Not possible to translate a record when allowLanguageSynchronization is set for relation field like 'image' in tt_content | | DataHandler aka TCEmain | | |
| 71739 | TYPO3 Core | Feature | Accepted | Should have | Security Improvement: (salted) hash session id before storing in the database | | Security | Candidate for Major Version | |
| 63642 | TYPO3 Core | Story | Accepted | Should have | Introduce Request/Response model for frontend rendering | Benni Mack | Frontend | Candidate for Major Version | |
| 48568 | TYPO3 Core | Bug | Needs Feedback | Must have | Relation table match fields not respected for relation tables | | Extbase | | |
| 44203 | TYPO3.Flow | Bug | Needs Feedback | Should have | Session implementation is still racy | Robert Lemke | Session | 2.0.1 | No |
| 93257 | TYPO3 Core | Bug | Under Review | Should have | Use Composer runtime platform check instead of our own | | composer | | |
| 92706 | TYPO3 Core | Bug | Under Review | Should have | ScriptViewHelper and CssViewHelper access view helper arguments via TagBuilder | | | | |
| 92643 | TYPO3 Core | Bug | Under Review | Should have | Fix FAL meta data extraction priorities | | | | |
| 91681 | TYPO3 Core | Bug | Under Review | Should have | Fatal error when using IMAGE TypoScript content object with file references that have crop areas defined and processing fails | | Image Generation / GIFBUILDER | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|---------------------------------------|---------|--------------|-------------|---|-------------------|------------------|----------------|-----------|
| 91212 | TYPO3 Core | Bug | Under Review | Should have | System Email Template causes generation of FAL storage 0 records | | | | |
| 85613 | TYPO3 Core | Bug | Under Review | Should have | Deprecate entire CategoryRegistry API | | | | |
| 10234 | Imagemap Wizard | Bug | Resolved | Should have | PHP Warning when adding a image to the content element | Tolleiv Nietsch | | | |
| 81998 | Server Team | Bug | Resolved | Should have | Remove piwik tracking from review.typo3.org | Michael Stucki | | | |
| 41989 | TYPO3 Flow Base Distribution | Feature | Resolved | Should have | Assume integer values to be timestamps in DateTime converter | | | | |
| 44202 | TYPO3.Flow | Bug | Resolved | Must have | \$session->start() initializes a new session and does not resume a current one | Robert Lemke | Session | 2.0 | No |
| 48121 | TYPO3.Fluid | Bug | Resolved | Should have | TextAreaViewHelper is missing valid html5 argument placeholder ... | | ViewHelpers | 2.0 | Yes |
| 11281 | Webservices for TYPO3 | Bug | Resolved | Must have | Unable to authenticate with TYPO3 4.2 | Helmut Hummel | typo3_webservice | | |
| 5302 | Webservices for TYPO3 | Bug | Resolved | Must have | PHP warning is issued, when the document root is a link | Helmut Hummel | typo3_webservice | | |
| 33482 | Server Team | Bug | Closed | Should have | Certificate for securityteam.typo3.org | | | | |
| 64404 | Sphinx Python Documentation Generator | Bug | Closed | Must have | Please remove user "typo3" as maintainer of causal/sphinx package on packagist | Xavier Perseguers | | | |
| 24815 | TYPO3 Core | Bug | Closed | Should have | Saving extension configuration fails | | | 4.5.0 | |
| 24809 | TYPO3 Core | Bug | Closed | Should have | Rename the t3lib_formprotection_Factory class to t3lib_formprotection | Helmut Hummel | | 4.5.0 | |
| 24805 | TYPO3 Core | Bug | Closed | Must have | Login/ Logout was not possible after introducing the locking in #24790 | Ernesto Baschny | | 4.5.0 | |
| 24790 | TYPO3 Core | Bug | Closed | Should have | Form protection tokens get lost because of a race condition when persisting tokens | Ernesto Baschny | | 4.5.0 | |
| 24786 | TYPO3 Core | Bug | Closed | Should have | Formprotection persistToken method is called too often, causing unnecessary DB-load | Ernesto Baschny | | 4.5.0 | |
| 24713 | TYPO3 Core | Bug | Closed | Should have | The unit test for t3lib_formprotection_BackendFormProtection is broken | Ernesto Baschny | | 4.5.0 | |
| 24972 | TYPO3 Core | Bug | Closed | Should have | Improve error handling in ExtDirect router | Steffen Kamper | | 4.5.1 | |
| 24970 | TYPO3 Core | Bug | Closed | Should have | The refresh login dialogue is shown even if the session already timed out | Jigal van Hemert | | 4.5.1 | |
| 24962 | TYPO3 Core | Bug | Closed | Must have | After introducing the locking in #24790 no CSRF token will ever be deleted | Helmut Hummel | | 4.5.1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|-------------------|------------------------------|----------------|-----------|
| 25359 | TYPO3 Core | Bug | Closed | Should have | Essential form protection tokens are dropped when being logged in for a "long" time | Helmut Hummel | | 4.5.3 | |
| 27935 | TYPO3 Core | Bug | Closed | Should have | Exclude E_DEPRECATED form exceptional errors | Helmut Hummel | Miscellaneous | 4.5.4 | |
| 27809 | TYPO3 Core | Bug | Closed | Must have | API method persistTokens has been removed after refactoring | Helmut Hummel | Backend API | 4.5.4 | |
| 24456 | TYPO3 Core | Bug | Closed | Must have | Information disclosure during backend login | | | 4.5.4 | |
| 28760 | TYPO3 Core | Bug | Closed | Should have | Colors not selectable in table properties with IE 7 or 8 | Stanislas Rolland | RTE (rtehtmlarea + ckeditor) | 4.5.5 | |
| 28805 | TYPO3 Core | Task | Closed | Should have | Refactor query cache to make use of the new caching framework features | Helmut Hummel | Database API (Doctrine DBAL) | 4.6.0-beta2 | |
| 28797 | TYPO3 Core | Bug | Closed | Should have | Make use of PHP file caching front end | Helmut Hummel | Database API (Doctrine DBAL) | 4.6.0-beta2 | |
| 28796 | TYPO3 Core | Bug | Closed | Must have | Caching tables are not parsed | Helmut Hummel | Database API (Doctrine DBAL) | 4.6.0-beta2 | |
| 28903 | TYPO3 Core | Bug | Closed | Should have | Indent/ outdent does not work if "formatblock" button is disabled | Stanislas Rolland | RTE (rtehtmlarea + ckeditor) | 4.5.6 | |
| 25767 | TYPO3 Core | Bug | Closed | Should have | Unable to switch workspace as an editor | Tolleiv Nietsch | Workspaces | 4.5.6 | |
| 29143 | TYPO3 Core | Task | Closed | Must have | Encrypt password transmission in user setup | Helmut Hummel | | 4.6.0-beta3 | |
| 30369 | TYPO3 Core | Bug | Closed | Must have | new EM: Available extension list misses icons in FF7 | Steffen Gebert | Extension Manager | 4.6.0-RC1 | |
| 28275 | TYPO3 Core | Bug | Closed | Must have | Implement availability checks for saltedpasswords and rsaauth | Helmut Hummel | Authentication | 4.6.0-RC1 | |
| 30272 | TYPO3 Core | Bug | Closed | Should have | Form protection: Do not save flash messages in session during an Ajax request | Helmut Hummel | Backend API | 4.5.7 | |
| 31188 | TYPO3 Core | Bug | Closed | Must have | rsaauth only checks if key generation works on Windows | Helmut Hummel | Authentication | 4.6.0 | |
| 30695 | TYPO3 Core | Task | Closed | Must have | Implement availability check for saltedpasswords in reports module | | Authentication | 4.6.0 | |
| 30274 | TYPO3 Core | Bug | Closed | Should have | Change resizable textarea default settings of backend users | Helmut Hummel | | 4.6.0 | |
| 30269 | TYPO3 Core | Bug | Closed | Must have | Configurable cookie name feature relies on a started PHP session in the frontend | | | 4.6.0 | |
| 18652 | TYPO3 Core | Feature | Closed | Should have | When working in a workspace in web_layout module "new version of page" button cannot be removed | | Workspaces | 4.6.0 | |
| 30257 | TYPO3 Core | Bug | Closed | Must have | new EM: Not possible to switch between extension configuration categories | | Extension Manager | 4.5.8 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|-------------------|------------------------------|----------------|-----------|
| 29899 | TYPO3 Core | Bug | Closed | Must have | RTE not loading in IE when configured content css file does not exist | Stanislas Rolland | RTE (rtehtmlarea + ckeditor) | 4.5.8 | |
| 32874 | TYPO3 Core | Bug | Closed | Must have | Not possible to add a link in table fields or unnumbered lists when using IE8 | | RTE (rtehtmlarea + ckeditor) | 4.5.11 | |
| 30271 | TYPO3 Core | Feature | Closed | Could have | Refactor login services to separate password transmission and password compare | Helmut Hummel | Backend API | 4.7.0-beta1 | |
| 28604 | TYPO3 Core | Bug | Closed | Should have | Switching from workspace module to another module does not work | | Backend User Interface | 4.7.0-beta2 | |
| 36860 | TYPO3 Core | Bug | Closed | Must have | Fix tests that fails on 32bit sytems | Helmut Hummel | Tests | 4.6.9 | |
| 38357 | TYPO3 Core | Bug | Closed | Should have | Add travis configuration file to master branch | Helmut Hummel | Tests | 6.0.0-alpha2 | |
| 38349 | TYPO3 Core | Bug | Closed | Must have | Use the TestFinder to determine fixture path | Helmut Hummel | | 6.0.0-alpha2 | |
| 38240 | TYPO3 Core | Bug | Closed | Should have | Update description about changed php error reporting defaults | Helmut Hummel | | 6.0.0-alpha2 | |
| 38737 | TYPO3 Core | Task | Closed | Must have | Enable default jQuery noConflict mode in page renderer | Helmut Hummel | Backend API | 6.0.0-alpha3 | |
| 38709 | TYPO3 Core | Bug | Closed | Should have | Include jQuery API in the page renderer | | Backend API | 6.0.0-alpha3 | |
| 38515 | TYPO3 Core | Bug | Closed | Must have | Build more PHP modules in travis environment | Helmut Hummel | Tests | 6.0.0-alpha3 | |
| 38507 | TYPO3 Core | Bug | Closed | Should have | Add prefix to code cache identifier | Helmut Hummel | | 6.0.0-alpha3 | |
| 40956 | TYPO3 Core | Bug | Closed | Should have | Re-enable previously skipped unit tests | | | 6.0.0-beta2 | |
| 40951 | TYPO3 Core | Bug | Closed | Should have | Rename autoloader class | Thomas Maroschik | | 6.0.0-beta2 | |
| 40950 | TYPO3 Core | Bug | Closed | Should have | Move code from system extension integrity to extension lowlevel | | | 6.0.0-beta2 | |
| 42279 | TYPO3 Core | Bug | Closed | Should have | RECORDS content object does not fetch translations for pages | | | 4.5.21 | |
| 42134 | TYPO3 Core | Bug | Closed | Must have | Compatibility class loader: Respect newlines in method declarations | | | 6.0.0-RC1 | |
| 42039 | TYPO3 Core | Bug | Closed | Should have | Add permission checks against Filemounts in Repository | | File Abstraction Layer (FAL) | 6.0.0-RC1 | |
| 41367 | TYPO3 Core | Bug | Closed | Must have | Fix wrong replacements of the namespace refactoring | | Workspaces | 6.0.0-RC1 | |
| 41235 | TYPO3 Core | Bug | Closed | Should have | Make all classes non final | | | 6.0.0-RC1 | |
| 41171 | TYPO3 Core | Task | Closed | Should have | Add a base class for all core unit tests | | Tests | 6.0.0-RC1 | |
| 41161 | TYPO3 Core | Bug | Closed | Should have | Fix class naming and alias map after namespace change | | | 6.0.0-RC1 | |
| 41131 | TYPO3 Core | Bug | Closed | Should have | Fix syntax errors in legacy classes file for IDEs | | | 6.0.0-RC1 | |
| 41128 | TYPO3 Core | Bug | Closed | Should have | Provide a file for IDEs to recognize old class names | | | 6.0.0-RC1 | |
| 41122 | TYPO3 Core | Bug | Closed | Should have | Do a class_alias call early in the bootstrap for base classes | | | 6.0.0-RC1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|----------------------|------------------------------|----------------|-----------|
| 40949 | TYPO3 Core | Bug | Closed | Must have | Move code from the system extension cli to core/Classes | | | 6.0.0-RC1 | |
| 41210 | TYPO3 Core | Bug | Closed | Should have | Fix Exception Class Name | | | 6.0.0 | |
| 39350 | TYPO3 Core | Bug | Closed | Should have | Create a admin user with hashed password in Install Tool | Helmut Hummel | Authentication | 6.0.0 | |
| 39349 | TYPO3 Core | Bug | Closed | Must have | Fail during install, when openssl is not properly configured | Helmut Hummel | Authentication | 6.0.0 | |
| 43668 | TYPO3 Core | Bug | Closed | Must have | Rootline in TSFE->tmpl is broken when translation is used | | | 6.0.1 | |
| 38733 | TYPO3 Core | Bug | Closed | Must have | Make edit icons in reference tooltip clickable | Steffen Ritter | Backend User Interface | 6.0.1 | |
| 46361 | TYPO3 Core | Bug | Closed | Should have | BackendUtility::lockRecords throws warnings with PHP 5.4 | | | 6.0.5 | |
| 57261 | TYPO3 Core | Bug | Closed | Should have | Fix warning during extension installation | | Extension Manager | 6.2.0 | |
| 57260 | TYPO3 Core | Bug | Closed | Should have | Make extension update work again | | | 6.2.0 | |
| 57196 | TYPO3 Core | Task | Closed | Should have | Protect Ajax calls of core extensions | | | 6.2.0 | |
| 57183 | TYPO3 Core | Bug | Closed | Should have | Class loader should exit early for invalid class names | | | 6.2.0 | |
| 57136 | TYPO3 Core | Bug | Closed | Must have | Mitigate race condition when clearing file caches | | | 6.2.0 | |
| 56631 | TYPO3 Core | Task | Closed | Should have | Remove Compat layer for info and function submodules | | | 6.2.0 | |
| 56052 | TYPO3 Core | Story | Closed | Should have | Implement CSRF Protection for ajax.php | | | 6.2.0 | |
| 55970 | TYPO3 Core | Bug | Closed | Should have | Rename update wizard to upgrade wizard | | | 6.2.0 | |
| 55969 | TYPO3 Core | Bug | Closed | Should have | Upgrade Wizard fails with exception | | | 6.2.0 | |
| 55559 | TYPO3 Core | Bug | Closed | Should have | Cleanup and simplify class alias handling | | | 6.2.0 | |
| 55546 | TYPO3 Core | Bug | Closed | Should have | Remove legacy script alt_shortcut.php | | | 6.2.0 | |
| 55515 | TYPO3 Core | Task | Closed | Must have | Add CSRF Protection for tce_file.php | Alexander Schnitzler | | 6.2.0 | |
| 55509 | TYPO3 Core | Story | Closed | Should have | Add CSRF Protection to mod.php | Helmut Hummel | | 6.2.0 | |
| 55471 | TYPO3 Core | Bug | Closed | Should have | Fatal Error when processing folder does not exist | | File Abstraction Layer (FAL) | 6.2.0 | |
| 55418 | TYPO3 Core | Bug | Closed | Should have | Class Loader requires "wrong" class files if class string matches naming convention | | | 6.2.0 | |
| 55029 | TYPO3 Core | Bug | Closed | Must have | Class Loader fails if entry in class cache is discarded | | | 6.2.0 | |
| 55024 | TYPO3 Core | Bug | Closed | Should have | Bring back final class name cache | | | 6.2.0 | |
| 54951 | TYPO3 Core | Bug | Closed | Should have | Extension Manager clears caches too early when installing extensions | Mathias Schreiber | Extension Manager | 6.2.0 | |
| 54201 | TYPO3 Core | Bug | Closed | Could have | Implement Clickjacking Protection | | | 6.2.0 | |
| 39895 | TYPO3 Core | Task | Closed | Should have | Remove possibility to install extensions in sysext folder | | Extension Manager | 6.2.0 | |
| 24647 | TYPO3 Core | Feature | Closed | Should have | Enable cookieHttpOnly by default | Christian Kuhn | Install Tool | 6.2.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|----------------|------------------------------|----------------|-----------|
| 64917 | TYPO3 Core | Bug | Closed | Must have | Foreign selector (sys_file) must not be shown in sys_file_reference IRRE elements | | | 7.1 (Cleanup) | |
| 61477 | TYPO3 Core | Bug | Closed | Must have | Create upgrade wizard for "old" shortcut links of file_edit.php | Wouter Wolters | Backend API | 7.1 (Cleanup) | |
| 51670 | TYPO3 Core | Bug | Closed | Must have | It is possible to copy a folder into itself | | File Abstraction Layer (FAL) | 7.1 (Cleanup) | |
| 65972 | TYPO3 Core | Bug | Closed | Must have | Pagetree is not accessible for editors. | Nicole Cordes | Backend User Interface | 7.2 (Frontend) | |
| 67439 | TYPO3 Core | Bug | Closed | Should have | Write ClassInformation for every installed extension | | Backend API | 7.3 (Packages) | |
| 67418 | TYPO3 Core | Bug | Closed | Should have | Fix padding for backend flash messages | | Backend User Interface | 7.3 (Packages) | |
| 67212 | TYPO3 Core | Bug | Closed | Should have | Discard TYPO3 class loader in favor of composer class loader | | | 7.3 (Packages) | |
| 67207 | TYPO3 Core | Bug | Closed | Should have | Add t3skin to class loading info in composer.json | | | 7.3 (Packages) | |
| 63453 | TYPO3 Core | Feature | Closed | Should have | Remove renderMode from flash message view helper and introduce "deferred" rendering in template | | Fluid | 7.3 (Packages) | |
| 68319 | TYPO3 Core | Bug | Closed | Should have | The salted password hash of the install tool should be different from the created backend user | | Install Tool | 7.4 (Backend) | |
| 70085 | TYPO3 Core | Bug | Closed | Should have | Make fluid_styled_content a framework extension | | | 7.5 | |
| 70078 | TYPO3 Core | Bug | Closed | Should have | Allow to register a class map for TYPO3 extensions in non composer mode | Helmut Hummel | composer | 7.5 | |
| 70077 | TYPO3 Core | Bug | Closed | Should have | Allow overriding system extensions | | composer | 7.5 | |
| 41070 | TYPO3 Core | Bug | Closed | Must have | absRefPrefix is not respected for some MEDIA element assets | | | 7.5 | |
| 38729 | TYPO3 Core | Bug | Closed | Must have | Make use of jQuery also for the action icons | Steffen Ritter | Backend User Interface | 7.5 | |
| 71442 | TYPO3 Core | Bug | Closed | Should have | Harden database queries in LocalizationController | | | 7 LTS | |
| 71406 | TYPO3 Core | Bug | Closed | Should have | Cleanup and secure InfoBoxViewHelper | | | 7 LTS | |
| 71294 | TYPO3 Core | Bug | Closed | Should have | Use correct casing in openid alias map | | | 7 LTS | |
| 71288 | TYPO3 Core | Bug | Closed | Should have | Auto-generate LegacyClassesForIde from alias map file | | | 7 LTS | |
| 71282 | TYPO3 Core | Bug | Closed | Should have | Fix flash messages in TS object browser | | | 7 LTS | |
| 71280 | TYPO3 Core | Bug | Closed | Should have | Heal TS ObjectBrowser search button | | | 7 LTS | |
| 71273 | TYPO3 Core | Bug | Closed | Should have | Change PHP namespace of EXT:openid to FoT3 | | | 7 LTS | |
| 71270 | TYPO3 Core | Bug | Closed | Should have | Move openid compatibility config to extension | | | 7 LTS | |
| 71269 | TYPO3 Core | Bug | Closed | Should have | Fix path to openid stylesheet | | | 7 LTS | |
| 70778 | TYPO3 Core | Bug | Closed | Should have | Simplify PackageManagerTest | Helmut Hummel | Tests | 7 LTS | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|-------------------|--------------------------------|----------------|-----------|
| 70689 | TYPO3 Core | Bug | Closed | Should have | Ignore transient class loading info in composer mode | Helmut Hummel | composer | 7 LTS | |
| 70632 | TYPO3 Core | Bug | Closed | Should have | Properly encode database input in Typo3DbQueryParser | | Database API (Doctrine DBAL) | 7 LTS | |
| 70606 | TYPO3 Core | Bug | Closed | Should have | Performing extension setup should be decoupled from activation/ cache clearing | Nicole Cordes | composer | 7 LTS | |
| 70605 | TYPO3 Core | Bug | Closed | Should have | Functionality that can break the installation should be disabled in composer mode | Nicole Cordes | composer | 7 LTS | |
| 70569 | TYPO3 Core | Bug | Closed | Should have | Error message when calling cli on empty caches | Benni Mack | System/Bootstrap/Configuration | 7 LTS | |
| 70557 | TYPO3 Core | Bug | Closed | Should have | autoload-dev information in composer.json can lead to exception when executing test | Helmut Hummel | composer | 7 LTS | |
| 70519 | TYPO3 Core | Bug | Closed | Must have | LocalConfiguration.php file format does not comply to PSR-2 | Nicole Cordes | | 7 LTS | |
| 70516 | TYPO3 Core | Bug | Closed | Should have | Username and password fields in install tool steps should have autocomplete turned off | Nicole Cordes | Install Tool | 7 LTS | |
| 70493 | TYPO3 Core | Bug | Closed | Should have | Revert "[BUGFIX] Admin users should ignore user mounts" | | Backend API | 7 LTS | |
| 70492 | TYPO3 Core | Bug | Closed | Must have | Fix http_request2 and add test to verify that. | Helmut Hummel | composer | 7 LTS | |
| 70482 | TYPO3 Core | Bug | Closed | Should have | Fix regeneration of autoload files in testing context | Helmut Hummel | composer | 7 LTS | |
| 70472 | TYPO3 Core | Bug | Closed | Should have | Load test classes in non composer mode | Helmut Hummel | composer | 7 LTS | |
| 70437 | TYPO3 Core | Bug | Closed | Should have | Read manifest for class alias files | Helmut Hummel | composer | 7 LTS | |
| 70432 | TYPO3 Core | Bug | Closed | Should have | Remove helhum/class-alias-loader in favor of typo3/class-alias-loader | Helmut Hummel | composer | 7 LTS | |
| 70262 | TYPO3 Core | Bug | Closed | Should have | Composer installer does not correctly create copied files/ directories on Windows | Helmut Hummel | composer | 7 LTS | |
| 63641 | TYPO3 Core | Epic | Closed | Should have | Introduce Request/Response model | | | 7 LTS | |
| 38734 | TYPO3 Core | Bug | Closed | Must have | The refrence table header label is not localizable | Mathias Schreiber | Backend User Interface | 7 LTS | |
| 71057 | TYPO3 Core | Bug | Closed | Should have | Fatal error for clear cache button in install tool | Helmut Hummel | | 6.2.16 | |
| 70465 | TYPO3 Core | Task | Closed | Should have | Update static composer class loading | | composer | 6.2.16 | |
| 70436 | TYPO3 Core | Bug | Closed | Should have | Enforce optimized composer autoloader | Helmut Hummel | composer | 6.2.16 | |
| 72822 | TYPO3 Core | Bug | Closed | Must have | Move all typo3temp files below typo3temp/var or typo3temp/assets | | | 8.0 | |
| 72525 | TYPO3 Core | Bug | Closed | Should have | Remove hard coded extension paths | | | 8.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|--------------|--------------|----------------|-----------|
| 75961 | TYPO3 Core | Bug | Closed | Should have | Installation fails when an empty database is selected | | | 8.1 | |
| 38496 | TYPO3 Core | Bug | Closed | Must have | Redirect of a shortcut does not take all URL parameters into account | Susanne Moog | | 8.4 | |
| 78636 | TYPO3 Core | Bug | Closed | Should have | It is not possible to rename table name during db compare if table name is too long | | | 8.6 | |
| 80634 | TYPO3 Core | Bug | Closed | Should have | Path calculations are wrong when document root is symlinked | | | 8 LTS | |
| 79999 | TYPO3 Core | Bug | Closed | Should have | IRRE parent config in Ajax calls is broken | | | 8 LTS | |
| 79998 | TYPO3 Core | Bug | Closed | Should have | Fix CSS layout of cropper UI for Firefox | | | 8 LTS | |
| 79997 | TYPO3 Core | Bug | Closed | Should have | Fix dynamic variable name parts in Fluid | | | 8 LTS | |
| 79980 | TYPO3 Core | Bug | Closed | Must have | Update jquery match height plugin | | | 8 LTS | |
| 79714 | TYPO3 Core | Bug | Closed | Must have | Saving a backend user record without touching the password field, sets the password to "*****" | | | 8 LTS | |
| 71917 | TYPO3 Core | Bug | Closed | Should have | Deprecate second argument in getLL/ sL which HTML encodes the label | | Code Cleanup | 8 LTS | |
| 71916 | TYPO3 Core | Bug | Closed | Should have | Deprecate LanguageService->makeEntities | | | 8 LTS | |
| 64045 | TYPO3 Core | Task | Closed | Should have | Consistently use new HTTP classes for fetching URLs | | Code Cleanup | 8 LTS | |
| 81981 | TYPO3 Core | Bug | Closed | Should have | Add code to generate entry scripts | | | 9.0 | |
| 83671 | TYPO3 Core | Bug | Closed | Should have | Not possible to install subtree split packages in dev version 8.7.*@dev | | composer | 8.7.10 | |
| 84191 | TYPO3 Core | Bug | Closed | Should have | \$GLOBALS['TYPO3_CONF_VARS']['SYS']['sitename'] is not properly encoded in page module | | | 8.7.11 | |
| 84601 | TYPO3 Core | Bug | Closed | Should have | Installation fails with "extbase" not found exception | | | 8.7.13 | |
| 84909 | TYPO3 Core | Bug | Closed | Should have | Move TSFE rendering preparations into PSR-15 middleware | | | 9.3 | |
| 93174 | TYPO3 Core | Feature | Closed | Should have | Command list unavailable, when command creation with container fails | | CLI | | |
| 93127 | TYPO3 Core | Bug | Closed | Should have | Backend session not initialized but accessed on CLI | | | | |
| 92753 | TYPO3 Core | Bug | Closed | Should have | Enforce Composer 2 usage for TYPO3 development | | | | |
| 92511 | TYPO3 Core | Bug | Closed | Should have | Explicitly require PHPUnit 8 | | | | |
| 92360 | TYPO3 Core | Bug | Closed | Should have | with mod.web_layout.defLangBinding set to true, no content output is generated | | | | |
| 92201 | TYPO3 Core | Bug | Closed | Should have | \TYPO3\CMS\Core\Resource\ResourceFactory::getStorageObject is called twice for each created storage | | | | |
| 92188 | TYPO3 Core | Bug | Closed | Should have | Deferred image processing in the backend is only partly implemented | | | | |
| 92183 | TYPO3 Core | Bug | Closed | Should have | URLs with exceeding nested query arguments appear deflated in the final URI | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|----------|-------------------------|----------------|-----------|
| 92067 | TYPO3 Core | Bug | Closed | Should have | Delete drop zone is created multiple times when just clicking on a page in page tree | | Pagetree | | |
| 92024 | TYPO3 Core | Bug | Closed | Should have | Online media preview processing duplicates a lot of image processing code | | | | |
| 92014 | TYPO3 Core | Bug | Closed | Should have | Move SVG image processing into an own file processor | | | | |
| 91988 | TYPO3 Core | Bug | Closed | Should have | language:update command does not output anything when not called in verbose mode | | | | |
| 91978 | TYPO3 Core | Bug | Closed | Should have | Header thumbnail isn't rendered according to configuration | | | | |
| 91976 | TYPO3 Core | Bug | Closed | Should have | ThumbNailController is slow for remote storages | | | | |
| 91967 | TYPO3 Core | Bug | Closed | Should have | Properties width and height are not extracted to meta data for PDF files | | | | |
| 91864 | TYPO3 Core | Bug | Closed | Should have | Allow Composer 2 with typo3/cms package | | | | |
| 91675 | TYPO3 Core | Bug | Closed | Should have | Processed files are not properly re-processed when a crop is defined and the file does not exist | | | | |
| 91636 | TYPO3 Core | Bug | Closed | Should have | Hidden fields are not rendered any more, when no other field is present in a tab | | FormEngine aka TCEforms | | |
| 91445 | TYPO3 Core | Bug | Closed | Should have | mod.web_ts.menu.function does not work because TSConfig is not fetched properly | | | | |
| 91438 | TYPO3 Core | Bug | Closed | Should have | SiteAccessorTrait is too strict, when resolved record is not part of a site | | | | |
| 91368 | TYPO3 Core | Bug | Closed | Should have | Bookmarks for editing documents are not shown any more | | | | |
| 91260 | TYPO3 Core | Bug | Closed | Should have | \TYPO3\CMS\Core\Configuration\SiteConfiguration cannot be overridden with XCLASS | | | | |
| 91232 | TYPO3 Core | Bug | Closed | Should have | Not possible to set a baseUrl in local driver with a UI although the configuration value is evaluated | | | | |
| 91215 | TYPO3 Core | Bug | Closed | Should have | Remove dead and outdated check for TYPO3_PATH_WEB constant | | | | |
| 91214 | TYPO3 Core | Bug | Closed | Should have | Allow setting siteUrl during installation | | | | |
| 91213 | TYPO3 Core | Bug | Closed | Should have | \TYPO3\CMS\Install\Updates\RowUpdater\WorkspaceVersionRecordsMigration causes DB errors for tables without soft delete | | | | |
| 91211 | TYPO3 Core | Bug | Closed | Should have | Repeatable upgrade wizards are marked executed during install | | | | |
| 90877 | TYPO3 Core | Bug | Closed | Should have | Allow installation of typo3/cms-composer-installers 3.0 | | composer | | |
| 90450 | TYPO3 Core | Bug | Closed | Should have | Defining an alias for a command overwrites its original command name | | | | |
| 90418 | TYPO3 Core | Task | Closed | Should have | Improve dependency injection container caching | | | | |
| 89895 | TYPO3 Core | Bug | Closed | Should have | Streamline usage of caching API | | Caching | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|---------------|--|----------------|-----------|
| 89264 | TYPO3 Core | Bug | Closed | Should have | Mailto links in RTE cannot use ampersand to add further arguments like subject=foo&body=bar | | RTE (rtehtmlarea + ckeditor) | | |
| 89120 | TYPO3 Core | Bug | Closed | Should have | Loggers miss the requestId | | | | |
| 89035 | TYPO3 Core | Bug | Closed | Should have | URLs with invalid language path segment are redirected to default language | | | | |
| 89006 | TYPO3 Core | Bug | Closed | Should have | Page unavailable exception is thrown when the root page if fe group protected | | | | |
| 88961 | TYPO3 Core | Bug | Closed | Must have | Configuring a different cache directory for SimpleFileBackend leads to invalid path | | | | |
| 88250 | TYPO3 Core | Bug | Closed | Should have | Remove temporary page cache entry (aka page is being generated message) | | | | |
| 88179 | TYPO3 Core | Bug | Closed | Should have | Meta tags and page title are unnecessarily cached in separate cache entries | | | | |
| 88178 | TYPO3 Core | Bug | Closed | Should have | Page cache is deleted, when an uncached (Extbase) Plugin performs a redirect | | Frontend | | |
| 88089 | TYPO3 Core | Bug | Closed | Should have | Path to LocalConfiguration.php is hard coded in installer | | | | |
| 88088 | TYPO3 Core | Bug | Closed | Should have | cli binary is stored in wrong path | | | | |
| 87969 | TYPO3 Core | Bug | Closed | Should have | Page route for translated page is not generated correctly when page has frontend group access restrictions | | Link Handling, Site Handling & Routing | | |
| 87846 | TYPO3 Core | Bug | Closed | Should have | ErrorController overwrites response status code from handlers | | | | |
| 87697 | TYPO3 Core | Bug | Closed | Should have | Copying a page copies the slug without making it unique | | | | |
| 87687 | TYPO3 Core | Bug | Closed | Should have | Content elements cannot be added when page editing is disabled | | Backend JavaScript | | |
| 87614 | TYPO3 Core | Bug | Closed | Should have | Hidden fields are not rendered for IRRE elements | | | | |
| 87612 | TYPO3 Core | Bug | Closed | Must have | Content element sorting wrong when one element has sorting value of zero | Markus Klein | DataHandler aka TCEmain | | |
| 87367 | TYPO3 Core | Bug | Closed | Should have | \TYPO3\CMS\Core\Utility\GeneralUtility::flushDirectory fails if the directory specified is a symlink | | | | |
| 87192 | TYPO3 Core | Bug | Closed | Should have | PHP Warning emitted when creating online media (videos) | | | | |
| 87121 | TYPO3 Core | Bug | Closed | Should have | Content fallback does not work, when page translation does not exist yet | | | | |
| 87120 | TYPO3 Core | Bug | Closed | Should have | More flexible way to exclude arguments from cHash calculation | | | | |
| 86954 | TYPO3 Core | Bug | Closed | Should have | Categories are lost, when saving before category tree is loaded completely | | | | |
| 86941 | TYPO3 Core | Bug | Closed | Should have | Logger instances in scheduler tasks are deserialized with outdated paths | | | | |
| 86862 | TYPO3 Core | Bug | Closed | Should have | Using <f:spaceless> in layout for rendering any fluid_styled_content element causes valid RTE content to be destroyed. | Benjamin Kott | Fluid Styled Content | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|---------------|----------|----------------|-----------|
| 86793 | TYPO3 Core | Bug | Closed | Must have | Renamed columns are not correctly detected by database schema diff | | | | |
| 86729 | TYPO3 Core | Bug | Closed | Should have | CObjectVlewHelper does not render top level object path | | | | |
| 86166 | TYPO3 Core | Bug | Closed | Should have | API of UpgradeWizardsService is inconsistent and exposes implementation details | | | | |
| 86165 | TYPO3 Core | Bug | Closed | Should have | New upgrade wizards cannot be marked as undone | | | | |
| 86154 | TYPO3 Core | Bug | Closed | Must have | DatabaseConnection does not reset internal state on close() | | | | |
| 85944 | TYPO3 Core | Bug | Closed | Should have | Triggering deprecation errors in early bootstrap makes third party code fail | | | | |
| 85842 | TYPO3 Core | Bug | Closed | Should have | Functional frontend tests cannot be executed on some systems | | | | |
| 85757 | TYPO3 Core | Bug | Closed | Should have | Cli mode now depends on globally set application context | | | | |
| 85711 | TYPO3 Core | Bug | Closed | Should have | File language field is rendered twice and sys_language_uid is never rendered in sys_file_metadata | | | | |
| 85705 | TYPO3 Core | Bug | Closed | Should have | RichTextElement in resets requirejs modules added by wizards | | | | |
| 85532 | TYPO3 Core | Bug | Closed | Should have | Convert backend user module to use view helpers for configuring module layout | Helmut Hummel | | | |
| 85521 | TYPO3 Core | Bug | Closed | Should have | Convert log module to use view helpers for configuring module layout | Helmut Hummel | | | |
| 85517 | TYPO3 Core | Bug | Closed | Should have | Simplify and clean up error log system information | | | | |
| 85250 | TYPO3 Core | Bug | Closed | Should have | Replace sections in composer.json are inconsistent | | | | |
| 85128 | TYPO3 Core | Bug | Closed | Should have | typolinkEnableLinksAcrossDomains builds insecure http:// links even when SSL is enabled for current domain | | | | |
| 84946 | TYPO3 Core | Bug | Closed | Should have | Move shortcut and mountpoint redirects to psr-15 middleware | | | | |
| 84945 | TYPO3 Core | Bug | Closed | Should have | Frontend page generation code contains unnecessary conditions | | | | |
| 84938 | TYPO3 Core | Bug | Closed | Should have | Simplify fetching section labels in global settings | | | | |
| 84105 | TYPO3 Core | Bug | Closed | Should have | Log writers configured in DefaultConfiguration.php cannot be easily removed/disabled | | Logging | | |
| 83618 | TYPO3 Core | Bug | Closed | Should have | Using individual (subtree split) packages does not work for TYPO3 8 | | | | |
| 83421 | TYPO3 Core | Bug | Closed | Should have | Fix preview processing API | | | | |
| 83420 | TYPO3 Core | Bug | Closed | Should have | Extension Configuration not written to LocalConfiguration.php during install | | | | |
| 83309 | TYPO3 Core | Bug | Closed | Should have | Not possible to install dev-master of subtree split packages | | | | |
| 83223 | TYPO3 Core | Bug | Closed | Should have | Consistently use version 2.8 of all dependent Symfony packages | | | | |
| 83039 | TYPO3 Core | Bug | Closed | Must have | JavaScript error when filtering pagetree | | | | |
| 82877 | TYPO3 Core | Bug | Closed | Should have | Pages in page tree are not properly selected | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|----------|------------------------------|----------------|-----------|
| 82834 | TYPO3 Core | Bug | Closed | Should have | Update Symfony packages to latest versions | | | | |
| 82408 | TYPO3 Core | Bug | Closed | Should have | Improve TCA cache | | | | |
| 82349 | TYPO3 Core | Bug | Closed | Should have | Install Tool "Configure Global Settings" bugs | | Install Tool | | |
| 82329 | TYPO3 Core | Bug | Closed | Should have | Update typo3/cms-cli to latest version | | | | |
| 82295 | TYPO3 Core | Bug | Closed | Should have | Composer dependencies are missing in core packages | | | | |
| 82090 | TYPO3 Core | Bug | Closed | Must have | Upgrading from older TYPO3 versions removes TYPO3 sources from vendor dir | | | | |
| 82021 | TYPO3 Core | Bug | Closed | Should have | Fix Path to TYPO3 logo in install tool | | | | |
| 82015 | TYPO3 Core | Task | Closed | Should have | Update typo3/cms-cli and typo3/cms-composer-installers | | | | |
| 82003 | TYPO3 Core | Bug | Closed | Should have | Sync ext_emconf.php and composer.json | | | | |
| 81982 | TYPO3 Core | Bug | Closed | Should have | Deny installation of typo3/cms along with subtree splitted TYPO3 packages | | | | |
| 81980 | TYPO3 Core | Task | Closed | Should have | Extract typo3 cli binary into individual composer package | | | | |
| 81979 | TYPO3 Core | Bug | Closed | Should have | Add branch alias to system extensions | | | | |
| 81978 | TYPO3 Core | Bug | Closed | Should have | Improve Composer integration | | composer | | |
| 81951 | TYPO3 Core | Bug | Closed | Should have | Move Install Tool entry point to typo3/install.php | | | | |
| 81503 | TYPO3 Core | Bug | Closed | Should have | Add background to cropper modal again | | | | |
| 81320 | TYPO3 Core | Bug | Closed | Must have | Inserting in sys_refindex leads to SQL error message | | | | |
| 81244 | TYPO3 Core | Bug | Closed | Should have | Errors during DataHandler operations get lost | | | | |
| 80740 | TYPO3 Core | Bug | Closed | Should have | File links with scheme are prefixed with absRefPrefix | | | | |
| 80685 | TYPO3 Core | Bug | Closed | Should have | Initial page and TS not working after TYPO3 installation | | | | |
| 80651 | TYPO3 Core | Bug | Closed | Should have | Clean up some missing ends from testing framework extraction | | | | |
| 80626 | TYPO3 Core | Bug | Closed | Should have | Replace .env parsing with reading from environment | | | | |
| 80493 | TYPO3 Core | Bug | Closed | Should have | TCA migration to overrideChildTca does not respect columnsOverrides | | | | |
| 80359 | TYPO3 Core | Bug | Closed | Should have | If a processed file is updated, the database row is not written within the same request | | File Abstraction Layer (FAL) | | |
| 80218 | TYPO3 Core | Bug | Closed | Must have | Example for cover areas broken in image manipulation rst | | Documentation | | |
| 80157 | TYPO3 Core | Bug | Closed | Should have | Image Manipulation uses full size image | | Backend User Interface | | |
| 80150 | TYPO3 Core | Bug | Closed | Should have | TypoScript after include line with not matching condition is discarded | | TypoScript | | |
| 80000 | TYPO3 Core | Bug | Closed | Should have | Unify configuration for overriding child TCA | | | | |
| 79764 | TYPO3 Core | Bug | Closed | Should have | Image manipulation re-uses state from previous image | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|-----------------|-------------------|----------------|-----------|
| 79094 | TYPO3 Core | Bug | Closed | Should have | Extension Manager API potentially makes destructive database schema changes | Nicole Cordes | Extension Manager | | |
| 78778 | TYPO3 Core | Bug | Closed | Should have | Update composer dependencies for 7.6 | | | | |
| 78739 | TYPO3 Core | Bug | Closed | Must have | Internal user data is not updated when session id is regenerated | | | | |
| 78631 | TYPO3 Core | Bug | Closed | Must have | Extension Manager API to set up an extension does not create folder. | | | | |
| 78526 | TYPO3 Core | Bug | Closed | Must have | Wrong cHash calculation when url aliases are used with \$GLOBALS['TYPO3_CONF_VARS']['FE']['cHashIncludePageId'] | | | | |
| 78495 | TYPO3 Core | Bug | Closed | Should have | ArrayUtility::setValueByPath(['foo' => []], 'foo/0', 'value') throws exception | | | | |
| 78256 | TYPO3 Core | Bug | Closed | Should have | All " are replaced with "/" when offline storage is present in the system and absRefPrefix is configured | | | | |
| 78223 | TYPO3 Core | Bug | Closed | Should have | Do not provide non selectable columns in colPos selector | | | | |
| 78222 | TYPO3 Core | Feature | Closed | Should have | Add UI for re-generating class loading information | | | | |
| 77885 | TYPO3 Core | Bug | Closed | Should have | Login refresh status is polled too often | | | | |
| 77365 | TYPO3 Core | Bug | Closed | Should have | psr-4 section with multiple paths produces wrong class loading information | | | | |
| 77192 | TYPO3 Core | Bug | Closed | Should have | Title is encoded twice in Version Module | | | | |
| 77152 | TYPO3 Core | Bug | Closed | Should have | Update guzzle to 6.2.1 | | | | |
| 77123 | TYPO3 Core | Bug | Closed | Should have | Branch alias for TYPO3_7-6 branch is wrong | | | | |
| 76889 | TYPO3 Core | Bug | Closed | Should have | Drop composer API token from travis build | | | | |
| 76815 | TYPO3 Core | Bug | Closed | Should have | Strip trailing slash from parsed doc comment | | Documentation | | |
| 76788 | TYPO3 Core | Bug | Closed | Should have | Make URI Builder call readable in View Helpers | | | | |
| 76617 | TYPO3 Core | Bug | Closed | Should have | Require typo3/cms-composer-installers to fix wrong dependencies | | | | |
| 76450 | TYPO3 Core | Task | Closed | Should have | Clarify that ApplicationContext "Testing" is only internally for executing TYPO3 CMS tests | | Documentation | | |
| 76449 | TYPO3 Core | Bug | Closed | Should have | Coding Style violations | | | | |
| 76425 | TYPO3 Core | Bug | Closed | Should have | Make base test classes always available and move in other folder | | | | |
| 76350 | TYPO3 Core | Bug | Closed | Should have | Introduce password policies for backend users | | Security | | |
| 76347 | TYPO3 Core | Bug | Closed | Should have | Clarify description of [*][cookieSecure] and [BE][fileDenyPattern] | Daniel Siepmann | Security | | |
| 76306 | TYPO3 Core | Task | Closed | Should have | Secure Backend Controllers with access check in __construct | | Security | | |
| 76304 | TYPO3 Core | Bug | Closed | Should have | Do not use Fluid variables in JavaScript | | | | |
| 76301 | TYPO3 Core | Bug | Closed | Should have | Output of DebuggerUtility contains HTML even if not requested | | | | |
| 76167 | TYPO3 Core | Task | Closed | Should have | Re-write doctrine query restrictons | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|---------------|-------------------|----------------|-----------|
| 76150 | TYPO3 Core | Task | Closed | Should have | Add a few additional tests for PageRepository | | | | |
| 76103 | TYPO3 Core | Bug | Closed | Should have | Cleanup translate view helper calls in install tool module | | | | |
| 76102 | TYPO3 Core | Bug | Closed | Should have | Make driver registry TCA change cachable | | | | |
| 76052 | TYPO3 Core | Bug | Closed | Must have | Fluid Styled Content must set table name when rendering plugins | | | | |
| 75996 | TYPO3 Core | Bug | Closed | Should have | Improve performance of dynamic additions of class loading info in non composer mode | | Extension Manager | | |
| 75964 | TYPO3 Core | Bug | Closed | Should have | Fatal error when selected empty database is deleted before submitting the form | | | | |
| 75762 | TYPO3 Core | Bug | Closed | Should have | Fix type hints for renderChildrenArgument in all ViewHelpers | | | | |
| 75442 | TYPO3 Core | Bug | Closed | Should have | Use non aliased class name for rendering context | | | | |
| 75423 | TYPO3 Core | Bug | Closed | Should have | Allow installation of composer installers 1.2.x in TYPO3 6.2 | | | | |
| 75401 | TYPO3 Core | Bug | Closed | Should have | Faulty type hint in install tool | | | | |
| 75280 | TYPO3 Core | Bug | Closed | Should have | Unit tests fail with exit code 0 in case a fatal error occurs | | | | |
| 75136 | TYPO3 Core | Bug | Closed | Should have | This is just a test ticket for t3 bootup day in basel, please ignore | | | | |
| 75104 | TYPO3 Core | Task | Closed | Should have | lockToDomain feature can be (easily) circumvented | | | | |
| 73731 | TYPO3 Core | Bug | Closed | Should have | Browser language detection is broken after refactoring | | | | |
| 73457 | TYPO3 Core | Bug | Closed | Should have | Needs Investigation: Potential Session/ Serialisation issue | | | | |
| 73456 | TYPO3 Core | Feature | Closed | Should have | Timing attack vulnerability in Hash comparisons throughout the core | | | | |
| 73104 | TYPO3 Core | Bug | Closed | Must have | Fix composer branch alias in master | Helmut Hummel | composer | | |
| 73036 | TYPO3 Core | Bug | Closed | Should have | Remove double sanitizing of Fluid paths | | Fluid | | |
| 71828 | TYPO3 Core | Bug | Closed | Should have | Raise minimum version of typo3/cms-composer-installers | Helmut Hummel | composer | | |
| 70700 | TYPO3 Core | Bug | Closed | Should have | Improve resolving path to autoload.php | Nicole Cordes | composer | | |
| 70234 | TYPO3 Core | Bug | Closed | Must have | Trailing slash in classmap files | Helmut Hummel | composer | | |
| 70233 | TYPO3 Core | Bug | Closed | Must have | Refactor class information generator to be testable | Helmut Hummel | composer | | |
| 70230 | TYPO3 Core | Bug | Closed | Must have | Class alias loader sometime returns instance of itself instead of composer class loader | Helmut Hummel | composer | | |
| 70057 | TYPO3 Core | Bug | Closed | Should have | Do not call non static methods statically in ClassInformationGenerator | | | | |
| 69946 | TYPO3 Core | Bug | Closed | Should have | Fix class alias maps and IDE files | | | | |
| 69767 | TYPO3 Core | Bug | Closed | Should have | Do not create folder in wrong directory when executing tests | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|---------------|-------------|----------------|-----------|
| 69562 | TYPO3 Core | Bug | Closed | Should have | Remove redundant CSRF protection tokens and deprecate used methods | | Backend API | | |
| 69463 | TYPO3 Core | Bug | Closed | Should have | Abstract XSD generator can handle more than two namespace parts | | | | |
| 69421 | TYPO3 Core | Bug | Closed | Should have | Remove top level modules from access checks | | | | |
| 69386 | TYPO3 Core | Bug | Closed | Should have | Remove data processing trait in favor of object | Helmut Hummel | | | |
| 69293 | TYPO3 Core | Bug | Closed | Should have | Use routing for folder navigation tree | | | | |
| 69291 | TYPO3 Core | Bug | Closed | Should have | Fix configuration for backend module icons | | Backend API | | |
| 69289 | TYPO3 Core | Bug | Closed | Should have | Reestablish DB connection for long running scripts | Markus Klein | | | |
| 69270 | TYPO3 Core | Bug | Closed | Should have | Cleanup navigation frame module registration | | Backend API | | |
| 69142 | TYPO3 Core | Bug | Closed | Should have | Remove package class source from package manager cache | | composer | | |
| 69070 | TYPO3 Core | Bug | Closed | Should have | When extracting a t3x file after upload, the dependencies are not written to ext_emconf.php | | | | |
| 69061 | TYPO3 Core | Bug | Closed | Should have | Properly encode database input in the right place | | | | |
| 68918 | TYPO3 Core | Bug | Closed | Should have | Move vendor/ directory out of typo3/ | Helmut Hummel | composer | | |
| 68916 | TYPO3 Core | Bug | Closed | Should have | Update to latest class alias loader version | Helmut Hummel | composer | | |
| 68885 | TYPO3 Core | Bug | Closed | Should have | Move composer vendor directory out of typo3 folder | Helmut Hummel | composer | | |
| 68828 | TYPO3 Core | Bug | Closed | Should have | Avoid double encoding of routes | | | | |
| 68825 | TYPO3 Core | Bug | Closed | Should have | XSS in History module (and probably more places) | | | | |
| 68811 | TYPO3 Core | Bug | Closed | Should have | Update to class-alias-loader 2.x | Helmut Hummel | composer | | |
| 68772 | TYPO3 Core | Task | Closed | Should have | Remove obsolete require_once from test files | Helmut Hummel | composer | | |
| 68670 | TYPO3 Core | Bug | Closed | Must have | Do not let legacy code take precedence over HTTP headers | | | | |
| 68633 | TYPO3 Core | Bug | Closed | Should have | Consistently name methods and command "dumpClassLoadingInformation" | Helmut Hummel | composer | | |
| 68589 | TYPO3 Core | Bug | Closed | Should have | Add CLI command to dump class loading information | Helmut Hummel | composer | | |
| 68586 | TYPO3 Core | Bug | Closed | Should have | Deactivate install tool core updater in composer mode | Helmut Hummel | composer | | |
| 68474 | TYPO3 Core | Bug | Closed | Should have | Revert "Fluid Tag Builder: Allow empty attributes" | | | | |
| 68365 | TYPO3 Core | Bug | Closed | Should have | Remove unnecessary usage of the encryption key | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|---------------|--------------------------------|----------------|-----------|
| 68232 | TYPO3 Core | Bug | Closed | Should have | Disallow unauthorized module access | Benni Mack | System/Bootstrap/Configuration | | |
| 68220 | TYPO3 Core | Bug | Closed | Should have | Do not log out a logged out user | | | | |
| 68184 | TYPO3 Core | Bug | Closed | Should have | Update to new composer installer | Helmut Hummel | composer | | |
| 68159 | TYPO3 Core | Bug | Closed | Should have | Move global functions file out of Classes folder | | | | |
| 68150 | TYPO3 Core | Bug | Closed | Should have | Remove \$GLOBALS['CLIENT'] | | | | |
| 68131 | TYPO3 Core | Bug | Closed | Should have | Streamline error and exception handling | | | | |
| 68070 | TYPO3 Core | Task | Closed | Should have | Document usage of psr-4 in extension composer.json | Helmut Hummel | composer | | |
| 68061 | TYPO3 Core | Bug | Closed | Should have | Ensure PageRenderer singleton is set | | | | |
| 67969 | TYPO3 Core | Bug | Closed | Should have | Remove class alias map in form | | | | |
| 67967 | TYPO3 Core | Bug | Closed | Should have | Remove obsolete class aliases | | FormEngine aka TCEforms | | |
| 67966 | TYPO3 Core | Bug | Closed | Should have | Move t3lib_extMgm alias to compatibility6 extension | | | | |
| 67878 | TYPO3 Core | Bug | Closed | Must have | Call base setup in CLI bootstrap | | | | |
| 67877 | TYPO3 Core | Bug | Closed | Should have | Mark additional public methods in bootstrap as internal | | | | |
| 67767 | TYPO3 Core | Task | Closed | Should have | Include autoload info of all core extensions | | | | |
| 67697 | TYPO3 Core | Bug | Closed | Should have | Bump class alias loader version | | | | |
| 67696 | TYPO3 Core | Bug | Closed | Should have | Bump composer installer version | | | | |
| 67546 | TYPO3 Core | Bug | Closed | Should have | Cleanup Flash message rendering in FlashMessageQueue | | Backend API | | |
| 67410 | TYPO3 Core | Bug | Closed | Must have | Register runtime class loading information on extension update | | | | |
| 67294 | TYPO3 Core | Bug | Closed | Should have | "Ghost entry" remains in PackageStates.php file after extension is removed in EM | Nicole Cordes | Extension Manager | | |
| 65574 | TYPO3 Core | Bug | Closed | Should have | Editing multiple Records fails with token validation error message | | | | |
| 65573 | TYPO3 Core | Bug | Closed | Must have | File operation permissions are not correctly inherited from group when field in user is NULL | | File Abstraction Layer (FAL) | | |
| 65432 | TYPO3 Core | Bug | Closed | Should have | Remove \$GLOBALS['MCONF']['_'] | | | | |
| 64873 | TYPO3 Core | Bug | Closed | Should have | Make composer class loading case insensitive | | | | |
| 64770 | TYPO3 Core | Bug | Closed | Should have | Remove superfluous getInstance call in Bootstrap | Helmut Hummel | | | |
| 64674 | TYPO3 Core | Epic | Closed | Must have | Improve Domain Records behavior | | | | |
| 64669 | TYPO3 Core | Bug | Closed | Should have | Fix class alias functionality that was broken with composer class loader commit | | | | |
| 64376 | TYPO3 Core | Bug | Closed | Must have | Class aliases not respected in certain situations | | | | |
| 64361 | TYPO3 Core | Task | Closed | Should have | Improve class loading performance | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|----------|------------------------|----------------|-----------|
| 64044 | TYPO3 Core | Bug | Closed | Must have | Revert fix for #63275 until concept is worked out and agreed upon | | | | |
| 64000 | TYPO3 Core | Bug | Closed | Should have | Properly HTML encode URI in renderer | | | | |
| 63999 | TYPO3 Core | Bug | Closed | Should have | Use autoload map instead of aliases in sysext form | | | | |
| 63717 | TYPO3 Core | Bug | Closed | Should have | Clean up configuration handling in module loader | | | | |
| 63653 | TYPO3 Core | Bug | Closed | Must have | Remove 'defaultMod' module configuration | | | | |
| 63648 | TYPO3 Core | Bug | Closed | Must have | Add module access check to module dispatcher | | | | |
| 63646 | TYPO3 Core | Bug | Closed | Should have | Fix return type of PathUtility::stripPathSitePrefix | | | | |
| 63622 | TYPO3 Core | Bug | Closed | Should have | Clarify configuration preset description | | | | |
| 63591 | TYPO3 Core | Bug | Closed | Must have | Improve page tree performance | | Backend User Interface | | |
| 63590 | TYPO3 Core | Story | Closed | Must have | Find a better solution for IconStyleModifier | | Backend API | | |
| 63372 | TYPO3 Core | Bug | Closed | Should have | Cleanup Fluid StandaloneTemplateView test | | | | |
| 63025 | TYPO3 Core | Bug | Closed | Should have | Not possible to deliver frontend requests from dedicated web folder | | | | |
| 62723 | TYPO3 Core | Bug | Closed | Must have | Cache poisoning with prefixLocalAchors | | | | |
| 62618 | TYPO3 Core | Bug | Closed | Should have | Rename IconUtility slot class | | | | |
| 62569 | TYPO3 Core | Bug | Closed | Should have | Function menu broken for old modules | | | | |
| 62503 | TYPO3 Core | Bug | Closed | Should have | Chrome opens a new window instead of a tab on "save and close" | | | | |
| 61467 | TYPO3 Core | Bug | Closed | Should have | Cleanup backend toolbar item registration | | | | |
| 61292 | TYPO3 Core | Bug | Closed | Should have | The persistent object type converter is not able to handle integers | | Extbase | | |
| 60506 | TYPO3 Core | Bug | Closed | Should have | Exceptions not caught for missing file references and file collections | | | | |
| 60317 | TYPO3 Core | Bug | Closed | Must have | Final cleanup of TCA Overrides | | | | |
| 60235 | TYPO3 Core | Bug | Closed | Should have | Exception handler unavailable in early bootstrap | | | | |
| 59981 | TYPO3 Core | Bug | Closed | Must have | Re-enable skipped tests | | | | |
| 59808 | TYPO3 Core | Bug | Closed | Should have | Signal Slot returns broken in case array keys have been used | | | | |
| 59614 | TYPO3 Core | Bug | Closed | Should have | The property newSessionID is used in a wrong context in AbstractUserAuthentication | | | | |
| 58612 | TYPO3 Core | Bug | Closed | Should have | Make object access work with ObjectStorage | | | | |
| 58465 | TYPO3 Core | Bug | Closed | Should have | Flush caches in group should throw exception | | | | |
| 58456 | TYPO3 Core | Bug | Closed | Should have | Remove hardcoded calling script in help controller | | Extbase | | |
| 58288 | TYPO3 Core | Bug | Closed | Must have | Cache that write absolute paths needs PATH_site in cache identifier | | | | |
| 58257 | TYPO3 Core | Bug | Closed | Must have | Not possible to close just localized record | | | | |
| 58039 | TYPO3 Core | Bug | Closed | Should have | Fix TCA overrides when not cached | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|---------------|-------------|----------------|-----------|
| 57949 | TYPO3 Core | Bug | Closed | Should have | Cleanup CategoryRegistryTest and ExtensionManagementUtilityTest | | | | |
| 57942 | TYPO3 Core | Task | Closed | Should have | Provide API to add cached TCA changes | | | | |
| 57881 | TYPO3 Core | Task | Closed | Should have | Make category TCA changes cacheable | | | | |
| 57863 | TYPO3 Core | Task | Closed | Should have | Introduce a signal in ExtensionManagementUtility::loadBaseTca | | Performance | | |
| 57862 | TYPO3 Core | Story | Closed | Should have | Add possibility to make all TCA additions cached | | Performance | | |
| 57700 | TYPO3 Core | Bug | Closed | Should have | Fix incomplete mocking in ExtensionManagementUtilityTest | | | | |
| 57490 | TYPO3 Core | Bug | Closed | Should have | Remove the need of PackageStates.php in tests | | | | |
| 57487 | TYPO3 Core | Bug | Closed | Should have | Activate all packages in unit tests | | | | |
| 57247 | TYPO3 Core | Bug | Closed | Should have | Fix tests according to changes in #57199 | | | | |
| 57206 | TYPO3 Core | Bug | Closed | Must have | Fix incomplete mocking in several tests | | | | |
| 57184 | TYPO3 Core | Bug | Closed | Should have | Remove not needed autoload registry of form | | | | |
| 57096 | TYPO3 Core | Task | Closed | Should have | Cleanup Ajax URL JS settings | | | | |
| 56633 | TYPO3 Core | Bug | Closed | Should have | Add Formprotection Class for FE usage (API for ext developers) | Helmut Hummel | | | |
| 56632 | TYPO3 Core | Task | Closed | Should have | Make show_rechis.php mod.php dispatched | Nicole Cordes | | | |
| 56597 | TYPO3 Core | Bug | Closed | Should have | Deprecate usage of \$GLOBALS['typo3CacheManager'] | | | | |
| 56583 | TYPO3 Core | Bug | Closed | Should have | Fix no caching behavior of bootstrap | | | | |
| 56479 | TYPO3 Core | Bug | Closed | Should have | Remove condensed mode leftovers | | | | |
| 56472 | TYPO3 Core | Bug | Closed | Should have | Mock locked records for DataProviderTest | | Tests | | |
| 56471 | TYPO3 Core | Task | Closed | Should have | Make wizard_backend_layout.php mod.php dispatched | | | | |
| 56470 | TYPO3 Core | Task | Closed | Should have | Make typo3/browse_links.php and rtehtmlarea/mod3/browse_links mod.php dispatched | | | | |
| 56454 | TYPO3 Core | Task | Closed | Should have | Remove old wizard scripts | | | | |
| 56453 | TYPO3 Core | Task | Closed | Should have | Improve usability with multiple tabs open | | | | |
| 56404 | TYPO3 Core | Task | Closed | Should have | Make sure M parameter is first in URL | | | | |
| 56403 | TYPO3 Core | Bug | Closed | Should have | Fix GET parameter order in unit tests | | | | |
| 56375 | TYPO3 Core | Bug | Closed | Should have | Fix link for workspace preview | | | | |
| 56359 | TYPO3 Core | Task | Closed | Should have | Fix module access regressions | | | | |
| 56357 | TYPO3 Core | Bug | Closed | Should have | Do not save failed token messages in session | | | | |
| 56356 | TYPO3 Core | Task | Closed | Should have | Protect core Ajax calls against CSRF | | | | |
| 56345 | TYPO3 Core | Task | Closed | Should have | Add API to CSRF protect Ajax calls in Backend | | | | |
| 56272 | TYPO3 Core | Task | Closed | Should have | Use the new way of registering wizards for edit wizard | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|--|-------------------|------------------------------|----------------|-----------|
| 56268 | TYPO3 Core | Task | Closed | Should have | Add new way to register a TCA wizard | | | | |
| 56204 | TYPO3 Core | Bug | Closed | Should have | Use absolute path to check for extensions | | Tests | | |
| 56203 | TYPO3 Core | Bug | Closed | Should have | Fix PHP warnings in functional tests | | Tests | | |
| 56187 | TYPO3 Core | Bug | Closed | Should have | Add additional configuration for functional tests | | Tests | | |
| 56182 | TYPO3 Core | Bug | Closed | Should have | Use environment variable for functional test bootstrap | | Tests | | |
| 55897 | TYPO3 Core | Bug | Closed | Must have | Not possible to define more than one alias for a class | | | | |
| 55603 | TYPO3 Core | Bug | Closed | Should have | Fix GeneralUtility tests on OSX Mavericks | | | | |
| 55562 | TYPO3 Core | Bug | Closed | Should have | Cleanup EM list utility | | | | |
| 55516 | TYPO3 Core | Story | Closed | Should have | Reduce the number of backend script entry points | Anja Leichsenring | | | |
| 55458 | TYPO3 Core | Bug | Closed | Should have | DocumentTemplate class inserts inDocStyles twice | Stefan Neufeind | | | |
| 54879 | TYPO3 Core | Bug | Closed | Should have | Dependencies of inactive packages should be ignored | Helmut Hummel | | | |
| 52842 | TYPO3 Core | Bug | Closed | Should have | Remove realpath call from unit test bootstrap | | | | |
| 52808 | TYPO3 Core | Bug | Closed | Must have | Remove misleading password hint in install tool | | Install Tool | | |
| 52787 | TYPO3 Core | Bug | Closed | Should have | Executing unit tests with cli dispatcher fails | | | | |
| 51996 | TYPO3 Core | Bug | Closed | Should have | Cleanup install tool module code | | | | |
| 51807 | TYPO3 Core | Task | Closed | Should have | RTE MagicImage should use the FAL processing API and not storage-0 | Stanislas Rolland | RTE (rtehtmlarea + ckeditor) | | |
| 51804 | TYPO3 Core | Bug | Closed | Must have | Set absPrefix in GraficalFunctions to PATH_site | Helmut Hummel | File Abstraction Layer (FAL) | | |
| 51699 | TYPO3 Core | Bug | Closed | Must have | Processing folder must not be visible in storage | | File Abstraction Layer (FAL) | | |
| 51209 | TYPO3 Core | Bug | Closed | Should have | Ignore permission checks for processed files | | | | |
| 49740 | TYPO3 Core | Bug | Closed | Must have | admin_get_dbs: Keep the current database selected | | | | |
| 49738 | TYPO3 Core | Bug | Closed | Should have | admin_get_tables in DatabaseConnection uses constant instead of class property | | | | |
| 48522 | TYPO3 Core | Bug | Closed | Should have | Cleanup opendir extension | | Miscellaneous | | |
| 45625 | TYPO3 Core | Bug | Closed | Must have | Global backend user object must be available early | Helmut Hummel | | | |
| 45416 | TYPO3 Core | Bug | Closed | Should have | Fix inconsistency of file reference property getters | | | | |
| 45415 | TYPO3 Core | Bug | Closed | Must have | Content adapter sets imagecaption of media field instead of image field | | | | |
| 45065 | TYPO3 Core | Bug | Closed | Must have | Remove delete button for sys_file | | File Abstraction Layer (FAL) | | |
| 45044 | TYPO3 Core | Bug | Closed | Should have | Remove save and new button for sys_file | | File Abstraction Layer (FAL) | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|--------|-------------|---|-------------------|------------------------------|----------------|-----------|
| 44988 | TYPO3 Core | Bug | Closed | Must have | Arbitrary image is shown, if all images are set to hidden | | File Abstraction Layer (FAL) | | |
| 44887 | TYPO3 Core | Bug | Closed | Should have | Pasting multiple lines plain text results in line breaks () instead of paragraphs (<p>) | | RTE (rtehtmlarea + ckeditor) | | |
| 44581 | TYPO3 Core | Bug | Closed | Must have | Editing file properties and pushing the delete button in docheader leads to exception | | File Abstraction Layer (FAL) | | |
| 44440 | TYPO3 Core | Bug | Closed | Should have | Setting an external link with domain of the backend leads to exception | Stanislas Rolland | RTE (rtehtmlarea + ckeditor) | | |
| 44439 | TYPO3 Core | Bug | Closed | Should have | Renaming a folder must change the identifier of all indexed files in that folder | | File Abstraction Layer (FAL) | | |
| 44242 | TYPO3 Core | Bug | Closed | Should have | Exclude fields not show for sys_file and sys_file_reference tables | | File Abstraction Layer (FAL) | | |
| 44237 | TYPO3 Core | Bug | Closed | Must have | Fix erroneous replacement of language label | | | | |
| 44073 | TYPO3 Core | Bug | Closed | Should have | Checksum needs to be updated after file processing | | File Abstraction Layer (FAL) | | |
| 44055 | TYPO3 Core | Bug | Closed | Should have | ExtJS connection timeout when mass publishing workspace changes | | Workspaces | | |
| 44013 | TYPO3 Core | Bug | Closed | Should have | Users have no permissions to delete processed files | | File Abstraction Layer (FAL) | | |
| 43460 | TYPO3 Core | Bug | Closed | Should have | Extension list is not updated, even if empty | | Extension Manager | | |
| 43324 | TYPO3 Core | Bug | Closed | Should have | Add simulatestatic to upgrade wizard | | | | |
| 43319 | TYPO3 Core | Bug | Closed | Should have | Disable some not finished functions in EM | | Extension Manager | | |
| 43290 | TYPO3 Core | Bug | Closed | Must have | In case of an early call to makeInstance the object configuration might not be set | | | | |
| 43264 | TYPO3 Core | Bug | Closed | Should have | Hide version selector if workspaces are used | | | | |
| 43189 | TYPO3 Core | Bug | Closed | Should have | Header thumbnail not rendered after inserting new image | | | | |
| 43115 | TYPO3 Core | Bug | Closed | Should have | Remove not needed require for language service | | | | |
| 42990 | TYPO3 Core | Bug | Closed | Should have | Remove dependency to iconv lib in form | | | | |
| 42850 | TYPO3 Core | Bug | Closed | Must have | Fix TYPO3 logos | | | | |
| 42840 | TYPO3 Core | Bug | Closed | Should have | Fix update translation handling | | | | |
| 42826 | TYPO3 Core | Bug | Closed | Should have | Rename SUViewHelper to SwitchUserViewHelper | | | | |
| 42806 | TYPO3 Core | Bug | Closed | Should have | Fix SEARCHRESULT content object | | | | |
| 42805 | TYPO3 Core | Bug | Closed | Should have | [BUGFIX] Fix OTABLE content object | | | | |

...