

Issues

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|----|-------------------|---------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------|----------------|-----------|
| 6 | Testing | Feature | Closed | Should have | Tests have different results with different file systems | Robert Lemke | | | |
| 7 | Testing | Bug | Under Review | Should have | Some core tests fail when executed in certain order | Robert Lemke | | | |
| 8 | TYPO3.Flow | Feature | Closed | Should have | T3P_Core_PackageConfFileComponentsConfigurationSourceTest->test_getComponentConfigurations_matchesFixutreOfTestPackage always fails | Robert Lemke | Package | 0.1 | |
| 9 | TYPO3.Flow | Bug | Closed | Should have | AOP Framework doesn't work at all - invalid type "...BasicClass_AOPProxy" | Robert Lemke | Reflection | 0.1 | |
| 10 | TYPO3.Flow | Feature | Closed | Should have | Register component types automatically from interfaces | Robert Lemke | Object | 0.1 | |
| 11 | TYPO3.Flow | Feature | Closed | Should have | Add wildcard support for components in Components.ini | Robert Lemke | Object | | |
| 12 | TYPO3.Flow | Bug | Closed | Should have | Add support for autowiring | Robert Lemke | AOP | 0.1 | |
| 13 | TYPO3.Flow | Bug | Closed | Should have | Implement support for lifecycle methods | Robert Lemke | Object | 0.1 | |
| 14 | TYPO3.Flow | Feature | Resolved | Should have | Define the packageInfo.xml format | | Package | | |
| 15 | Testing | Feature | Closed | Should have | Test selector should contain the last selected test after run | Sebastian Kurfuerst | | | |
| 16 | Testing | Feature | Closed | Must have | Add feature for running single tests | | | | |
| 17 | TYPO3.Flow | Bug | Closed | Should have | Optimize reflection usage by introducing a cache | Robert Lemke | Reflection | 0.1 | |
| 18 | Testing | Bug | Closed | Should have | Test of package Log is not executed although it exists | Sebastian Kurfuerst | | | |
| 19 | TYPO3.Flow | Feature | Closed | Should have | Add a feature for replacing "new" with "getComponent" in php source files | Robert Lemke | Object | | |
| 20 | TYPO3.Flow | Bug | Closed | Should have | Implement support for introductions / intertype-declarations | Robert Lemke | AOP | 0.1 | |
| 21 | TYPO3.Flow | Bug | Closed | Should have | Implement support for pointcut definitions | Robert Lemke | AOP | 0.1 | |
| 22 | TYPO3.Flow | Bug | Closed | Should have | Enhance pointcut expression parser: within() | Robert Lemke | AOP | 0.1 | |
| 23 | TYPO3.Flow | Feature | Resolved | Should have | Implement "context" support | Robert Lemke | | | |
| 24 | TYPO3.TYPO3C R | Bug | Closed | Should have | Fix documentation in T3P_T3Lib_HashSet | Sebastian Kurfuerst | | | |
| 25 | Testing | Bug | Closed | Should have | Sometimes tests fail but the fail message is not displayed | Karsten Dambekalns | | | |
| 27 | TYPO3.Flow | Feature | Closed | Should have | Add support for visibility modifier in pointcut expressions | Robert Lemke | AOP | 0.1 | |
| 28 | TYPO3.Flow | Feature | Closed | Should have | Add support for argument modifiers in pointcut expressions | Robert Lemke | AOP | 0.1 | |
| 29 | TYPO3.Flow | Bug | Closed | Should have | Class files in sub directories are not loaded | Robert Lemke | Package | 0.1 | |
| 30 | TYPO3.Flow | Feature | Closed | Should have | Add feature to detect circular pointcut references | Robert Lemke | AOP | 0.1 | |
| 31 | TYPO3.TYPO3C R | Feature | Closed | Should have | Define an exception hierarchy | Robert Lemke | | | |
| 32 | TYPO3.Flow | Feature | Resolved | Should have | Design and implement a configuration manager | | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|----|------------------|---------|----------|-------------|---------------------------------------------------------------------------------------|-------------------|------------|----------------|-----------|
| 33 | TYPO3.TYPO3CR | Feature | Closed | Should have | Restructure unit tests | Karsten Dambekals | | | |
| 35 | TYPO3.Flow | Feature | Closed | Should have | Refactor T3P_Core_AOPFramework: Extract build methods | Robert Lemke | AOP | 0.1 | |
| 36 | TYPO3.Flow | Feature | Resolved | Must have | Add automatic documentation in AOP proxy classes | Robert Lemke | AOP | | |
| 37 | TYPO3.Flow | Feature | Closed | Should have | AOP: Test introducing multiple interfaces | Robert Lemke | AOP | 0.1 | |
| 38 | TYPO3.TYPO3CR | Bug | Closed | Should have | Undefined constants and non-initialized properties | Karsten Dambekals | | | |
| 40 | TYPO3.Flow | Feature | Closed | Should have | Check all classes for Array type hinting | Robert Lemke | | 0.1 | |
| 41 | TYPO3.Flow | Bug | Closed | Should have | Custom autoloaders are registered too late | Robert Lemke | Package | 0.1 | |
| 44 | TYPO3.Flow | Bug | Closed | Should have | Fix injection of straight values with Setter Injection | Robert Lemke | Object | 0.1 | |
| 45 | TYPO3.Flow | Bug | Closed | Should have | Core ComponentObjectBuilder: Create test for different types of constructor arguments | Robert Lemke | Object | 0.1 | |
| 46 | TYPO3.Flow | Feature | Resolved | Must have | Implement After Advice | Andreas Förthner | AOP | 1.0 alpha 1 | |
| 47 | TYPO3.Flow | Feature | Resolved | Should have | Implement pointcut designator for annotations | Robert Lemke | AOP | | |
| 48 | TYPO3.TYPO3CR | Feature | Closed | Should have | ValueStreamRegistry is a Singleton outside the IoC container | Karsten Dambekals | | | |
| 49 | PHPCR | Bug | Closed | Must have | Fix comments and clean up code in phpCR tests | Karsten Dambekals | | | |
| 51 | TYPO3.Flow | Bug | Closed | Should have | Two tests for AOP introductions fail | Robert Lemke | AOP | 0.1 | |
| 52 | TYPO3.Flow | Bug | Closed | Should have | T3P_Framework_AOP_Pointcut: too many recursions | Robert Lemke | AOP | 0.1 | |
| 53 | Testing | Bug | Closed | Should have | TestRunner throws ReflectionException (PHP6) | Robert Lemke | | | |
| 54 | TYPO3.TypoScript | Feature | Closed | Should have | Optimize speed of regular expressions in TypoScript parser | Karsten Dambekals | _old | | |
| 55 | TYPO3.TypoScript | Feature | Closed | Should have | Namespaces are not available for the definition of processor methods | Karsten Dambekals | _old | | |
| 57 | TYPO3.TypoScript | Bug | Closed | Should have | Unsetting elements of content arrays does not work | Karsten Dambekals | _old | | |
| 58 | TYPO3.Flow | Bug | Closed | Should have | Create support for "Component Manager aware" components | Robert Lemke | Object | 0.1 | |
| 59 | Testing | Feature | New | Should have | Implement MVC pattern for TestRunner | Robert Lemke | | 1.0.0 | |
| 60 | TYPO3.Flow | Bug | Closed | Should have | Problems with constructor arguments and DI in non-adviced constructor interceptors | Robert Lemke | Object | 0.1 | |
| 62 | TYPO3.TypoScript | Feature | Closed | Should have | Decide on and implement TypoScript Array access | Robert Lemke | | | |
| 65 | TYPO3.Flow | Feature | Resolved | Should have | Move "Validation" to its own subpackage | Andreas Förthner | Validation | | |
| 66 | TYPO3.Flow | Feature | Resolved | Should have | Add the feature "Mapping Results" to the Property Mapper | Andreas Förthner | Property | | |
| 67 | TYPO3.Flow | Feature | Resolved | Should have | Refine the generic "Error" class | Andreas Förthner | Error | | |
| 68 | TYPO3.Flow | Feature | Resolved | Must have | Add validateProperty() to the Validator interface | Andreas Förthner | Validation | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------|----------|-------------|--------------------------------------------------------------------------------------------------|----------------------|-------------|----------------|-----------|
| 69 | TYPO3.Flow | Feature | Resolved | Should have | Add validation to the PropertyMapper | Andreas Förthner | Property | | |
| 70 | TYPO3.Flow | Feature | Resolved | Should have | Implement a Validator Resolver | Andreas Förthner | Validation | | |
| 71 | TYPO3.Flow | Feature | Resolved | Should have | Add Validators for generic base types | Andreas Förthner | Validation | | |
| 72 | TYPO3.Flow | Feature | Closed | Should have | Fix @package and @subpackage annotation in all Framework classes | Robert Lemke | | 0.1 | |
| 73 | TYPO3.Flow | Bug | Closed | Should have | Fix MVC CLI Request Handler / -Builder | Andreas Förthner | MVC | 0.1 | |
| 74 | TYPO3.Flow | Feature | Resolved | Should have | Request Builder doesn't convert POST arguments into Request arguments | Robert Lemke | MVC | | |
| 75 | TYPO3.Flow | Feature | Resolved | Should have | Move T3_Framework_MVC_URI to a more fitting subpackage | Robert Lemke | MVC | | |
| 76 | TYPO3.Flow | Bug | Closed | Should have | Rename test methods, add @test annotation, extend base class | | | | |
| 80 | TYPO3.Neos | Feature | Closed | Should have | Rename package "CMS" to "TYPO3" | Robert Lemke | | | |
| 81 | Testing | Feature | Resolved | Must have | Improve component manager separation in Base Test Case | Karsten Dambekalns | | | |
| 82 | TYPO3.TYPO3CR | Bug | Resolved | Must have | TYPO3CR_BaseTest uses global variables | Karsten Dambekalns | | | |
| 83 | PHPCR | Bug | Closed | Must have | phpCR tests need cleanup | Karsten Dambekalns | | | |
| 87 | TYPO3.Flow | Feature | Resolved | Should have | Add fallback for servers without mod_rewrite / .htaccess support | Karsten Dambekalns | MVC | 1.0 alpha 5 | |
| 88 | TYPO3.Flow | Feature | Resolved | Should have | Add forwarding support to MVC controller | Robert Lemke | MVC | | |
| 89 | TYPO3.Flow | Bug | Resolved | Should have | Create proper exceptions for the Utility subpackage | Robert Lemke | Utility | | |
| 90 | TYPO3.Flow | Feature | Closed | Could have | Add PHP dependency support | Christian Jul Jensen | Package | | No |
| 91 | TYPO3.Flow | Feature | Closed | Should have | Check how eAccelerator can be supported | Robert Lemke | | | |
| 97 | forge.typo3.org | Bug | Closed | Should have | CSS: Links are not visible | Martin Brüggemann | Development | 0.1 | |
| 98 | forge.typo3.org | Bug | Closed | Should have | The old 5-0.dev.typo3.org https certificate is used | Karsten Dambekalns | | 0.1 | |
| 102 | forge.typo3.org | Feature | Closed | Must have | Each project can display its API documentation in an "API" tab by using a custom Redmine module. | Martin Brüggemann | Development | 0.2 | |
| 103 | forge.typo3.org | Bug | Closed | Should have | Assign tickets from "Packages" to the project they belong to | Robert Lemke | Content | 0.1 | |
| 106 | forge.typo3.org | Feature | Closed | Should have | Check if and how Apache supports external scripts for authentication | Sebastian Kurfuerst | Research | 0.2 | |
| 107 | forge.typo3.org | Feature | Closed | Should have | Create a new SVN structure for svn.typo3.org | Karsten Dambekalns | Research | 0.1 | |
| 108 | forge.typo3.org | Feature | Closed | Should have | Continuous Integration Sandbox in its own VM | Sebastian Kurfuerst | Research | 0.8 - CI | |
| 109 | forge.typo3.org | Feature | Closed | Should have | Create a script which renames the usernames in an existing SVN repository | Sebastian Kurfuerst | Development | 0.1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------|----------|-------------|----------------------------------------------------------------|----------------------|-----------------------|------------------------------|-----------|
| 111 | forge.typo3.org | Bug | Closed | Should have | Project title looks a bit ugly and is not aligned | Sebastian Kurfuerst | Development | 0.1 | |
| 113 | forge.typo3.org | Bug | Closed | Should have | Orange navigation bar is collapsed when empty | Sebastian Kurfuerst | Development | 0.1 | |
| 114 | forge.typo3.org | Bug | Closed | Should have | SSO adaptor crops lastname if middle name exists | Robert Lemke | Development | 0.1 | |
| 115 | forge.typo3.org | Task | Closed | Should have | Upload SSO adaptor to SVN | Robert Lemke | Development | 0.5 - Usability Improvements | |
| 116 | TYPO3.Flow | Feature | Resolved | Must have | Package Manager provides CLI access | Christopher Hlubek | Package | 1.0 alpha 1 | |
| 122 | flow3.typo3.org | Feature | Resolved | Should have | Enable RealURL | Sebastian Kurfuerst | TS / Extensions | 1.0.0 | |
| 123 | flow3.typo3.org | Bug | Resolved | Should have | Footer copyright year is wrong | Søren Vedel | TS / Extensions | 1.0.0 | |
| 124 | flow3.typo3.org | Bug | Resolved | Must have | Adjust feature title / description | Søren Vedel | HTML / CSS | 1.0.0 | |
| 125 | flow3.typo3.org | Bug | Rejected | Should have | Content positioning of documentation is wrong | Christian Jul Jensen | HTML / CSS | 1.0.0 | |
| 126 | flow3.typo3.org | Bug | Resolved | Should have | Link color and bullets are undefined in right bar | | HTML / CSS | 1.0.0 | |
| 127 | flow3.typo3.org | Bug | Resolved | Should have | Underlined links necessary in navigation? | Søren Vedel | Design | 1.0.0 | |
| 128 | flow3.typo3.org | Bug | Rejected | Should have | Code snippets (PRE) in the documentation destroy column layout | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 152 | flow3.typo3.org | Bug | Resolved | Should have | Image links in documentation are broken | Robert Lemke | TS / Extensions | 1.0.0 | |
| 153 | flow3.typo3.org | Feature | Closed | Should have | Feature photos need to be replaced by real photos | Robert Lemke | Content | 1.0.0 | |
| 154 | flow3.typo3.org | Bug | Resolved | Should have | Layout / floating of feature box is broken in Safari | Christian Jul Jensen | HTML / CSS | 1.0.0 | |
| 155 | forge.typo3.org | Task | Closed | Should have | Created redirects from 5-0.dev.typo3.org to forge | Karsten Dambekalns | Server Administration | 0.1 | |
| 157 | forge.typo3.org | Feature | Closed | Should have | SVN passwords are set to typo3.org password via SSO | Robert Lemke | Development | 0.1 | |
| 158 | forge.typo3.org | Bug | Closed | Should have | SVN History seems to be gone | Sebastian Kurfuerst | Server Administration | 0.2 | |
| 159 | flow3.typo3.org | Feature | Resolved | Should have | Install and configure the news plugin | Sebastian Kurfuerst | TS / Extensions | 1.0.0 | |
| 164 | flow3.typo3.org | Bug | Resolved | Should have | h1 in column 3 is too wide | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 165 | flow3.typo3.org | Feature | Resolved | Should have | Page "Documentation" has no content yet | | Content | 1.0.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------------|----------|-----------------|-------------------------------------------------------------------------------------------------------|---------------------|-----------------------|----------------|-----------|
| 166 | flow3.typo3.org | Bug | Resolved | Should have | Documentation: Content grows below footer line if images exist | Karsten Dambekalns | HTML / CSS | | |
| 167 | flow3.typo3.org | Task | Resolved | Should have | API documentation needs to be updated (still shows UNKNOWN3) | Karsten Dambekalns | Content | 1.0.0 | |
| 168 | flow3.typo3.org | Bug | Resolved | Should have | "Frame1" style is not consistent depending on content | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 169 | flow3.typo3.org | Feature | Resolved | Should have | We need a style for h2 | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 170 | flow3.typo3.org | Task | Closed | Should have | Dummy picture on "Core Team" needs to be replaced | Robert Lemke | Content | 1.0.0 | |
| 171 | flow3.typo3.org | Task | Resolved | Should have | Point the wiki link to a FLOW3 page | Karsten Dambekalns | Content | | |
| 172 | flow3.typo3.org | Bug | Resolved | Should have | Styles for news list view on front page need brush up | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 173 | flow3.typo3.org | Task | Resolved | Should have | Add content for Comparison | Robert Lemke | Content | 1.0.0 | |
| 174 | flow3.typo3.org | Task | Resolved | -- undefined -- | Add real news item | Robert Lemke | Content | 1.0.0 | |
| 187 | forge.typo3.org | Task | Closed | Should have | Allow anonymous browsing of The Forge | Martin Brüggemann | Server Administration | 0.1 | |
| 197 | flow3.typo3.org | Task | Closed | Should have | Redirect flow3.de to flow3.typo3.org | Wolfgang Zenker | Server Administration | | |
| 215 | TYPO3.Flow | Major Feature | Resolved | Should have | The MVC Framework can handle, dispatch and forward GET, POST and CLI requests | | MVC | | |
| 216 | TYPO3.Flow | Major Feature | Resolved | Should have | AOP proxy classes are cached in production mode | | AOP | | |
| 218 | TYPO3.Flow | Major Feature | Closed | Should have | Comprehensive reference documentation for the MVC framework | Robert Lemke | MVC | | |
| 220 | TYPO3.Flow | Major Feature | Closed | Should have | A basic persistence framework, based on annotations, with the content repository as backend | | Persistence | | |
| 222 | TYPO3.Flow | Bug | Resolved | Should have | Logger test should use a mock instead of file or write the file to FileCache | Robert Lemke | Log | | |
| 261 | forge.typo3.org | Bug | Closed | Should have | Font size of code in DIFF view is too big | Sebastian Kurfuerst | Development | 0.2 | |
| 263 | TYPO3.Flow | Bug | Resolved | Should have | Object Builder injects constructor arguments of previous builds if no arguments are passed explicitly | Robert Lemke | Object | | |
| 266 | TYPO3.Flow | Bug | Resolved | Should have | Proxied classes loose annotation information | Robert Lemke | AOP | | |
| 309 | TYPO3.Flow | Task | Resolved | Should have | Move Classes/Components.conf to Configuration/ | Robert Lemke | Object | | |
| 310 | TYPO3.Flow | Feature | Resolved | Should have | Find a way to simplify setter injection in ActionController (and elsewhere) | Robert Lemke | MVC | | |
| 311 | TYPO3.Flow | Task | Resolved | Should have | Move PackageConfiguration.php to the package Configuration/ directory and rename it | Robert Lemke | Package | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------------|----------|----------------------|-----------------------------------------------------------------------------------------------------------|--------------------|-----------------------|----------------|-----------|
| 312 | TYPO3.TYPO3CR | Bug | Resolved | Won't have this time | TYPO3CR_Session throws InvalidArgumentException in unit tests | Karsten Dambekalns | | | |
| 314 | TYPO3.Flow | Bug | Resolved | Should have | Improve directory structure and naming for views in a package | Robert Lemke | MVC | | |
| 315 | TYPO3.Flow | Feature | Resolved | Must have | Add "format" support to the Request object | Robert Lemke | MVC | 1.0 alpha 11 | |
| 316 | flow3.typo3.org | Feature | Closed | Should have | API documentation needs to be updated automatically | Karsten Dambekalns | Server Administration | | |
| 319 | TYPO3.Flow | Feature | Resolved | Should have | Support setter injection without configuration through "inject" methods | Robert Lemke | Object | | |
| 321 | TYPO3.Flow | Major Feature | Closed | Should have | The MVC Framework supports RESTful URLs | | MVC | | |
| 324 | TYPO3.Flow | Feature | Resolved | Should have | Add support for "required" dependencies via setter injection | Robert Lemke | Object | | |
| 339 | TYPO3.Flow | Feature | Closed | Should have | Improve the Components.ini format | Robert Lemke | Object | | |
| 340 | TYPO3.Flow | Major Feature | Closed | Should have | The MVC framework provides a default rewriting router and an interface for custom routers | | | | |
| 341 | TYPO3.Flow | Feature | Closed | Should have | Define a router interface and implement a rewrite router | Robert Lemke | MVC | | |
| 342 | TYPO3.Flow | Feature | Resolved | Must have | Support for file uploads | Robert Lemke | MVC | 1.0 alpha 7 | |
| 345 | TYPO3.Flow | Major Feature | Closed | Should have | An initial implementation of the Resource Manager | Karsten Dambekalns | Resource | | |
| 368 | TYPO3.Flow | Major Feature | Closed | Should have | Caching Manager with support for different kinds of caches and stores. | | | | |
| 369 | TYPO3.Flow | Feature | Resolved | Must have | Replace path constants by resource manager calls | Robert Lemke | Resource | | |
| 370 | TYPO3.Flow | Bug | Resolved | Should have | T3_FLOW3_Reflection_Class->getProperty() does not return FLOW3s property reflection | Robert Lemke | Reflection | | |
| 371 | Testing | Feature | Resolved | Should have | Improve speed and memory usage of unit test | Karsten Dambekalns | | | |
| 374 | TYPO3.Flow | Major Feature | Closed | Should have | Speed | | | | |
| 407 | TYPO3.Flow | Feature | Resolved | Should have | Implement getAspectContainers() for the AOP Framework | Robert Lemke | AOP | | |
| 408 | TYPO3.Flow | Feature | Resolved | Should have | Implement getAdvisedMethodsInformation...() for the AOP Framework | Robert Lemke | AOP | | |
| 410 | TYPO3.Flow | Major Feature | Resolved | Should have | A simple and robust configuration system | | | | |
| 423 | TYPO3.Flow | Task | Resolved | Should have | Rename top-level namespace prefix "T3" to "F3" | Robert Lemke | | | |
| 424 | TYPO3.Flow | Feature | Resolved | Should have | Refactoring: Rename Components.ini to Components.php and transfer responsibility to configuration manager | Robert Lemke | Configuration | | |
| 426 | flow3.typo3.org | Bug | Rejected | Could have | Content is (almost) completely invisible in IE6 | Karsten Dambekalns | HTML / CSS | | |
| 441 | TYPO3.Flow | Feature | Resolved | Should have | Extract component configuration modifications from AOP Framework initialize method | Robert Lemke | AOP | 1.0 alpha 1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|------------------|---------|----------|----------------------|--------------------------------------------------------------------------|----------------------|-----------------------|------------------------------|-----------|
| 442 | TYPO3.Flow | Feature | Resolved | Should have | Cache Backend for Memcached | Christian Jul Jensen | Cache | | |
| 456 | forge.typo3.org | Task | Closed | Could have | Add monitoring and start Mongrel automatically | Wolfgang Zenker | Server Administration | | |
| 459 | TYPO3.Flow | Feature | Closed | Should have | Implement dependency injection via abstract factory methods | Robert Lemke | Object | | |
| 472 | forge.typo3.org | Feature | Closed | Should have | Add CLA flag to user details | Martin Brüggemann | Development | | |
| 474 | TYPO3.Flow | Task | Rejected | Must have | Refactor the MVC controller class names | Robert Lemke | MVC | 1.0 alpha 1 | |
| 477 | TYPO3.Flow | Task | Resolved | Should have | Globally adjust copyright notice | Karsten Dambekals | | | |
| 481 | TYPO3.TypoScript | Bug | Closed | Should have | confinements for arrays don't work. | Karsten Dambekals | _old | | |
| 486 | TYPO3.Flow | Bug | Resolved | Should have | Configuration from Components.php is not merged among different packages | Robert Lemke | Object | | |
| 514 | forge.typo3.org | Feature | Closed | Should have | Add a property for projects: "Requires signed CLA" | Michael Stucki | Development | | |
| 515 | forge.typo3.org | Feature | Closed | Won't have this time | Display CLA signation status in user details | Sebastian Kurfuerst | Development | | |
| 586 | forge.typo3.org | Bug | Closed | Should have | Screen viewport jumps when clicking on "update" (for example) | Sebastian Kurfuerst | Development | 0.5 - Usability Improvements | |
| 718 | TYPO3.Flow | Feature | Closed | Could have | make docCommentParser static | Robert Lemke | Reflection | | |
| 764 | TYPO3.Flow | Feature | Resolved | Could have | Implement tagging support for Memcache backend | Karsten Dambekals | Cache | | |
| 879 | TYPO3.Flow | Bug | Closed | Could have | setValidator et al. are misleading method names | Andreas Förthner | MVC | | |
| 880 | TYPO3.Flow | Bug | Resolved | Must have | F3_FLOW3_MVC_Controller_ArgumentsValidator is untested | Robert Lemke | MVC | 1.0 alpha 1 | |
| 935 | F3PR | Story | Accepted | -- undefined -- | Create new package | | Package Manager | Sprint #0 | |
| 936 | F3PR | Story | Accepted | -- undefined -- | Create package meta data | | Package Manager | Sprint #0 | |
| 937 | F3PR | Story | Accepted | -- undefined -- | Create default action controller | | Package Manager | | |
| 938 | F3PR | Story | Accepted | -- undefined -- | Install package from repository | | | Sprint #0 | |
| 939 | F3PR | Story | Accepted | -- undefined -- | Switch between package versions | | Package Manager | Sprint #0 | |
| 940 | F3PR | Story | Accepted | -- undefined -- | Activate package | | Package Manager | Sprint #0 | |
| 941 | F3PR | Story | Accepted | -- undefined -- | Search for packages | | Frontend | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------|-----------------|------------------------------------------------------------------------------------|--------------------|-----------------------------|----------------|-----------|
| 942 | F3PR | Story | Accepted | -- undefined -- | Release package | | Forge | | |
| 943 | F3PR | Story | Accepted | -- undefined -- | Test before a release | | Forge | | |
| 944 | F3PR | Story | Accepted | -- undefined -- | Tag released packages | | Forge | | |
| 945 | F3PR | Story | Accepted | -- undefined -- | Register package key | | Package Repository | | |
| 946 | F3PR | Story | Accepted | -- undefined -- | Remove package release from listing | | | | |
| 947 | F3PR | Story | Accepted | -- undefined -- | Block new releases | | | | |
| 1235 | TYPO3.Flow | Feature | Closed | Should have | Check if mod_rewrite is enabled | Karsten Dambekalns | | | |
| 1245 | DEV3 | Bug | New | Must have | TypoScript Editor / Mac: Unsupported Class Version Error | Sebastian Böttger | TYPO3 4.x TypoScript Editor | | |
| 1265 | forge.typo3.org | Bug | Closed | Should have | Right-click on issue list does not work anymore | | Development | | |
| 1278 | TYPO3.Flow | Bug | Resolved | Must have | Router matches static route parts even on substrings | Bastian Waidelich | MVC | | |
| 1280 | TYPO3.Flow | Task | Resolved | Must have | Tag all classes as @internal - except the released API | Robert Lemke | - Documentati on - | 1.0 alpha 1 | |
| 1456 | TYPO3.Flow | Bug | Resolved | Should have | Empty array causes PDO exception if not documented as @reference | Karsten Dambekalns | Persistence | | |
| 1511 | TYPO3.Flow | Feature | Resolved | Must have | Create a "Not Found" Controller | Robert Lemke | MVC | | |
| 1513 | TYPO3.Flow | Feature | Resolved | Should have | Add magic call method to the Empty View | Robert Lemke | MVC | | |
| 1523 | TYPO3.Flow | Task | Resolved | Should have | Rename Reflection classes | Karsten Dambekalns | Reflection | | |
| 1543 | TYPO3.Flow | Feature | Resolved | Must have | Support 1-1 object references | Karsten Dambekalns | Persistence | | |
| 1620 | TYPO3.TYPO3CR | Bug | Resolved | Must have | Reference array keys are discarded during persistence without a warning | Karsten Dambekalns | FLOW3 Persistence | | |
| 1623 | TYPO3.TYPO3CR | Bug | Resolved | Must have | Searching for "identifier" is possible even though no property "identifier" exists | Karsten Dambekalns | Index/Search | | |
| 1634 | TYPO3.Flow | Feature | Resolved | Should have | Allow omitting the @reference annotation for object properties | Karsten Dambekalns | Persistence | | |
| 1785 | TYPO3.Flow | Feature | New | Must have | Automatic garbage collection for expired cache entries | | Cache | | |
| 1786 | TYPO3.Flow | Feature | Closed | Must have | findByTag support for the cache frontend | Karsten Dambekalns | Cache | | |
| 1787 | TYPO3.Flow | Feature | Resolved | Must have | Improved cache registration | | Cache | 1.0 alpha 1 | |
| 2109 | TYPO3.Flow | Feature | Resolved | Should have | Support constructor / factory arguments in Objects injection configuration | Robert Lemke | Object | 1.0 alpha 1 | |
| 2110 | TYPO3.Flow | Feature | Resolved | Should have | Add support for custom factories | Robert Lemke | Object | 1.0 alpha 1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|---------------|---------|----------|-------------|-------------------------------------------------------------------------------------|--------------------|-------------------|----------------|-----------|
| 2117 | TYPO3.Flow | Task | Resolved | Should have | Clean up bootstrap | Robert Lemke | Core | | |
| 2118 | TYPO3.Flow | Task | Resolved | Must have | Decouple MVC and Security | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2119 | TYPO3.Flow | Task | Resolved | Must have | Rename "component" to "object" | Robert Lemke | Object | 1.0 alpha 1 | |
| 2121 | TYPO3.TYPO3CR | Bug | Resolved | Must have | (Almost) all objects in the TYPO3CR package should be prototype | Karsten Dambekalns | | | |
| 2123 | TYPO3.Flow | Task | Resolved | Should have | Refactor (Object) Framework unit tests | Robert Lemke | Object | 1.0 alpha 8 | |
| 2156 | TYPO3.Flow | Task | Resolved | Must have | Optimize autowiring in the Object Builder | Robert Lemke | Object | 1.0 alpha 1 | |
| 2158 | TYPO3.Flow | Bug | Resolved | Must have | flushByTag() does not check tags for validity | Robert Lemke | Cache | | |
| 2284 | TYPO3.Flow | Feature | Resolved | Must have | Make Reflection caching more intelligent | Robert Lemke | Reflection | 1.0 alpha 1 | |
| 2297 | TYPO3.Flow | Feature | Resolved | Should have | automagic settings injection | Robert Lemke | Object | 1.0 alpha 1 | |
| 2305 | TYPO3.Flow | Feature | Resolved | Should have | Automatic flushing of AOP Proxy Cache | Robert Lemke | AOP | 1.0 alpha 1 | |
| 2318 | TYPO3.Flow | Feature | Resolved | Must have | Implement point cut designator methodTaggedWith() | Robert Lemke | AOP | 1.0 alpha 1 | |
| 2365 | TYPO3.Flow | Feature | Resolved | Should have | Support simple comparisons in Setting Pointcutfilter expression | Andreas Förthner | AOP | 1.0 alpha 1 | |
| 2384 | TYPO3.Flow | Feature | Resolved | Should have | Support for injection of setting values | Robert Lemke | Object | 1.0 alpha 1 | |
| 2408 | TYPO3.Flow | Feature | Resolved | Should have | Automatic flushing of object configuration cache | Robert Lemke | Object | 1.0 alpha 1 | |
| 2506 | TYPO3.Flow | Feature | Resolved | Should have | Automagic action argument registration | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2515 | TYPO3.Flow | Task | Resolved | Must have | Inconsistent class names in sub namespaces | Robert Lemke | | 1.0 alpha 1 | |
| 2524 | TYPO3.Flow | Task | Resolved | Must have | Short filenames for class files | Robert Lemke | | 1.0 alpha 1 | |
| 2536 | TYPO3.Flow | Task | Resolved | Must have | Additions to coding guidelines | | - Documentation - | 1.0 alpha 1 | |
| 2556 | TYPO3.Flow | Task | Resolved | Should have | Use only mock objects instead of the real object manager / factory in Routing tests | Bastian Waidelich | MVC | | |
| 2557 | TYPO3.Flow | Bug | Resolved | Must have | Links rendered by the Router ignore application context | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2558 | TYPO3.Flow | Bug | Closed | Must have | Property Injection doesn't work with subclasses | Karsten Dambekalns | Object | 1.0 alpha 1 | |
| 2601 | TYPO3.Flow | Bug | Resolved | Must have | canProcessRequest doesn't accept mocked requests | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2602 | TYPO3.Flow | Feature | Resolved | Should have | Automatically render the view if action returns nothing (NULL) | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2603 | TYPO3.Flow | Feature | Resolved | Must have | Implement magic findBy*() and findOneBy*() methods in the base repository | Robert Lemke | Persistence | 1.0 alpha 1 | |
| 2621 | TYPO3.Flow | Feature | Resolved | Must have | Support SPObjectStorage as container for references to other persisted objects | Karsten Dambekalns | Persistence | 1.0 alpha 1 | |
| 2623 | TYPO3.TYPO3CR | Task | Resolved | Should have | Clean up Data Mapper test case | Karsten Dambekalns | FLOW3 Persistence | | |
| 2811 | TYPO3.TYPO3CR | Feature | Resolved | Must have | Implement a case insensitive equals constraint | Karsten Dambekalns | Query handling | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------------|-------------|------------------------------------------------------------------------------------------------------|--------------------|----------------|----------------|-----------|
| 2812 | TYPO3.TYPO3CR | Feature | Resolved | Must have | Support querying by a property which is a reference | Karsten Dambekalns | Query handling | | |
| 2815 | TYPO3.Fluid | Feature | Resolved | Must have | Support for objects as values in hidden fields | Robert Lemke | | 1.0.0 alpha 1 | |
| 2816 | TYPO3.Flow | Feature | Resolved | Must have | Implement redirect to action | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2817 | TYPO3.Flow | Feature | Needs Feedback | Should have | Provide safeguard for preventing multiple submits of a form | | MVC | | No |
| 2818 | TYPO3.Flow | Feature | Closed | Should have | Provide safeguard for preventing multiple submits of a form | | MVC | | |
| 2819 | TYPO3.Flow | Feature | Resolved | Must have | View Helper "Flash Message" | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2832 | TYPO3.Flow | Feature | Resolved | Must have | Implement a "(String)Length Validator" | | Validation | 1.0 alpha 1 | |
| 2974 | TYPO3.Flow | Bug | New | Must have | Aspect / Proxy Cache is not emptied automatically if an interface used for introduction was modified | Robert Lemke | AOP | | |
| 2979 | TYPO3.Flow | Feature | Resolved | Must have | Implement replace() method for the base Repository | Robert Lemke | Persistence | 1.0 alpha 1 | |
| 3034 | TYPO3.Flow | Bug | Resolved | Should have | The Resolve Handler Resolver doesn't check if potential resolve handlers are registered objects | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3091 | TYPO3.Flow | Feature | Resolved | Should have | Support new method "initializeXYAction" in controllers | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3092 | TYPO3.Flow | Feature | Resolved | Must have | Support annotation-based validation rules in controller actions | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3093 | TYPO3.Flow | Feature | Resolved | Must have | Implement annotation based validation rules for models | Robert Lemke | Validation | 1.0 alpha 1 | |
| 3152 | TYPO3.Flow | Bug | Resolved | Must have | The Reflection does not recognize changes in class files | Robert Lemke | Reflection | 1.0 alpha 1 | |
| 3153 | TYPO3.Flow | Feature | New | Should have | Support of action based filter rules defined by annotation. | | MVC | | |
| 3240 | TYPO3.Flow | Bug | Resolved | Must have | AOP cache is not emptied if class file is deleted | Robert Lemke | Monitor | 1.0 alpha 2 | |
| 3275 | TYPO3.Flow | Bug | Resolved | Must have | ValidatorResolver can't parse validator arguments containing round brackets | Karsten Dambekalns | Validation | 1.0 alpha 2 | |
| 3276 | TYPO3.Flow | Feature | Resolved | Should have | Support Conjunction and Disjunction Composite validators | Christopher Hlubek | Validation | 1.0 alpha 1 | |
| 3278 | TYPO3.Flow | Bug | Resolved | Must have | Resource manager doesn't publish files without extension | Karsten Dambekalns | Utility | 1.0 alpha 5 | |
| 3302 | TYPO3.Flow | Feature | Resolved | Must have | Implement a "Controller Context" | Christopher Hlubek | MVC | 1.0 alpha 1 | |
| 3303 | TYPO3.Flow | Task | Resolved | Should have | Rename URIHelper to URIBuilder | Bastian Waidelich | MVC | 1.0 alpha 1 | |
| 3304 | forge.typo3.org | Feature | Closed | Should have | Features for release planning | Robert Lemke | Development | | |
| 3305 | TYPO3.Flow | Feature | Accepted | Must have | Unmodified objects retrieved from a repository should not be validated in the controller | Robert Lemke | MVC | | No |
| 3306 | TYPO3.Flow | Feature | Accepted | Should have | Flush routes cache automatically on class file modifications | Robert Lemke | MVC | | |
| 3312 | TYPO3.Flow | Feature | Needs Feedback | Should have | Allow for easy logging by annotations | Robert Lemke | Log | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|----------------|---------|----------|-------------|----------------------------------------------------------------------------------------------------------|---------------------|--------------------|----------------|-----------|
| 3322 | TYPO3.Flow | Task | Closed | Should have | Use mocked objects instead of real ones in the RouteTest | | MVC | 1.0 alpha 2 | |
| 3373 | TYPO3.Flow | Task | Resolved | Must have | Check the fixpermissions script | Karsten Dambekalns | | 1.0 alpha 1 | |
| 3374 | TYPO3.Flow | Task | Rejected | Could have | Support dedicated package versions per context | Karsten Dambekalns | Package | | No |
| 3375 | TYPO3.Flow | Bug | Resolved | Must have | PATH_INFO is empty using fastcgi / Windows | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 3376 | TYPO3.Flow | Feature | Resolved | Must have | Implement a more attractive and informative default view | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3377 | TYPO3.Flow | Task | Resolved | Must have | Move the manual to a DocBook subdirectory | Karsten Dambekalns | - Documentati on - | 1.0 alpha 1 | |
| 3379 | TYPO3.Flow | Task | Resolved | Must have | Write installation instructions for Windows | Karsten Dambekalns | - Documentati on - | 1.0 alpha 1 | |
| 3380 | TYPO3.Flow | Task | Resolved | Must have | Write installation instructions for MacOS | Karsten Dambekalns | - Documentati on - | 1.0 alpha 1 | |
| 3381 | TYPO3.Flow | Task | Resolved | Must have | Write installation instructions for Debian | Andreas Förthner | - Documentati on - | 1.0 alpha 1 | |
| 3382 | TYPO3.Flow | Feature | Resolved | Should have | Make Fluid the default templating engine in FLOW3 | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 3398 | TYPO3.Flow | Task | Resolved | Should have | Are methods in CLI\Request still used? | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 3400 | TYPO3.Flow | Task | Resolved | Must have | Is FLOW3\Utility\GenericCollection obsolete? | Bastian Waidelich | Utility | 1.0 alpha 1 | |
| 3466 | TYPO3.Flow | Task | Resolved | Must have | Update / move GPL.txt file in FLOW3 distribution | Karsten Dambekalns | - Documentati on - | 1.0 alpha 1 | |
| 3467 | TYPO3.Flow | Feature | Resolved | Could have | Implement meaningful / helpful default view for Production context | Karsten Dambekalns | MVC | 1.0 alpha 5 | |
| 3477 | TYPO3.Flow | Bug | Resolved | Must have | Objects added to a (persistence) repository don't have have a uuid | Karsten Dambekalns | Persistence | 1.0 alpha 1 | |
| 3478 | TYPO3.TYPO3C R | Bug | Resolved | Must have | Reconstitution of object respects class schema - but persistence doesn't | Karsten Dambekalns | FLOW3 Persistence | | |
| 3480 | TYPO3.Fluid | Bug | Resolved | Must have | SelectViewHelper creates multiple select field by default | Sebastian Kurfuerst | ViewHelpers | 1.0.0 alpha 1 | |
| 3485 | TYPO3.TYPO3C R | Bug | Resolved | Should have | Non-persistable properties of an entity which are not marked as transient cause a fatal error | Karsten Dambekalns | FLOW3 Persistence | | |
| 3488 | TYPO3.Flow | Bug | Resolved | Must have | Parameters of actions which have a name containing uppercase characters are not automatically registered | | MVC | 1.0 alpha 1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-------------------|---------------|----------|-------------|---------------------------------------------------------------------------------------------|--------------------|-----------------------|----------------|-----------|
| 3507 | TYPO3.Flow | Task | Resolved | Must have | Apply new conventions for naming of Domain Models and Repositories | Karsten Dambekalns | | 1.0 alpha 2 | |
| 3513 | TYPO3.Flow | Bug | Resolved | Must have | Created logfiles are read-only for either command line user or web user | Robert Lemke | Log | 1.0 alpha 1 | |
| 3560 | TYPO3.Flow | Feature | Resolved | Should have | Display meaningful error message if temporary path would be too long for OS | Bastian Waidelich | Utility | 1.0 alpha 3 | |
| 3580 | TYPO3.Flow | Feature | New | Must have | Create an administration panel for the FLOW3 Development context | | MVC | | |
| 3581 | TYPO3.Flow | Feature | Resolved | Must have | Site lock / code cache flushing mechanism | Robert Lemke | Cache | 1.0 alpha 2 | |
| 3582 | TYPO3.Flow | Task | Closed | Should have | Concurrency stress test | Robert Lemke | - Testing - | 1.0 alpha 2 | |
| 3583 | TYPO3.Flow | Task | Closed | Must have | Profiling of persistence framework / CR | Karsten Dambekalns | Persistence | 1.0 alpha 2 | |
| 3584 | TYPO3.Flow | Task | Resolved | Must have | Write a getting started tutorial | Robert Lemke | - Documentati on - | 1.0 alpha 3 | |
| 3585 | TYPO3.Flow | Major Feature | New | Should have | Implement support for value objects | | | | No |
| 3586 | TYPO3.Flow | Feature | Resolved | Could have | Assure that value objects are immutable | Karsten Dambekalns | Persistence | 1.0 alpha 8 | |
| 3587 | TYPO3.Flow | Feature | New | Could have | Enforce validation rules for value objects already in constructor | | Validation | | |
| 3588 | TYPO3.Flow | Feature | Accepted | Should have | Support value objects in the Object Factory | Robert Lemke | Object | | |
| 3649 | TYPO3.Flow | Feature | Resolved | Must have | Caches should be flushed on package version number changes | Robert Lemke | Cache | 1.0 alpha 2 | |
| 3650 | TYPO3.Flow | Feature | Resolved | Should have | AOP proxies support classes implementing an interface declaring a __construct() signature | Karsten Dambekalns | AOP | 1.0 alpha 2 | |
| 3730 | TYPO3.Flow | Bug | Resolved | Should have | Signal Slot Dispatcher does not check if slot class is a registered object | Robert Lemke | SignalSlot | 1.0 alpha 2 | |
| 3733 | TYPO3.Flow | Bug | Resolved | Should have | Site should be unlocked by Exception Handler | Robert Lemke | Core | 1.0 alpha 2 | |
| 3736 | TYPO3.Flow | Feature | Resolved | Must have | Implement support for Directory status monitoring | Robert Lemke | Monitor | 1.0 alpha 2 | |
| 3755 | TYPO3.Flow | Task | New | Must have | Concurrency stress testing and cache mechanism | | - Testing - | | |
| 3756 | TYPO3.TYPO3C R | Bug | Rejected | Should have | Empty SplObjectStorage property is not reconstituted | Karsten Dambekalns | FLOW3 Persistence | | |
| 3835 | TYPO3.TYPO3C R | Bug | Resolved | Must have | Nested array containing objects as leafs are not handled correctly | Karsten Dambekalns | FLOW3 Persistence | | |
| 3837 | TYPO3.Flow | Bug | Resolved | Must have | Objects added to a repository are not found if repository doesn't follow naming conventions | Karsten Dambekalns | Persistence | 1.0 alpha 3 | |
| 3846 | TYPO3.Flow | Feature | Resolved | Should have | Enforce validation before persisting model objects | Karsten Dambekalns | Persistence | 1.0 alpha 8 | |
| 3852 | TYPO3.Flow | Feature | Resolved | Should have | Implement removeAll() for Repository | Karsten Dambekalns | Persistence | 1.0 alpha 5 | |
| 3858 | TYPO3.TYPO3C R | Feature | Resolved | Must have | Add objects to their own repository automatically | Karsten Dambekalns | FLOW3 Persistence | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|----------------|---------|----------|-------------|-------------------------------------------------------------------------------------|--------------------|--------------------|----------------|-----------|
| 3864 | TYPO3.Flow | Feature | Resolved | Should have | Implement filtering for log messages | Karsten Dambekalns | Log | 1.0 alpha 5 | |
| 3881 | TYPO3.Flow | Task | Resolved | Should have | Complete documentation about MVC | | - Documentati on - | | |
| 3882 | TYPO3.Flow | Task | Resolved | Should have | Document the Signal Slot features | Karsten Dambekalns | - Documentati on - | | |
| 3883 | TYPO3.Flow | Task | Resolved | Must have | Mark all public API with @api tags | Karsten Dambekalns | - Documentati on - | 1.0 alpha 3 | |
| 3889 | TYPO3.TYPO3C R | Bug | Resolved | Must have | Reinjected dependencies are overwritten with NULL | Robert Lemke | FLOW3 Persistence | | |
| 3950 | TYPO3.Flow | Feature | Resolved | Should have | Package Manager should warn about duplicate packages | Karsten Dambekalns | Package | 1.0 alpha 5 | |
| 3956 | TYPO3.Flow | Feature | Resolved | Could have | Implement a Count Validator | Karsten Dambekalns | Validation | 1.0 alpha 5 | |
| 3977 | TYPO3.Flow | Bug | Rejected | Should have | TextValidator is insecure | | Validation | | No |
| 3987 | TYPO3.Fluid | Task | Resolved | Must have | Inconsistent attribute naming in Form view helper | Bastian Waidelich | ViewHelpers | 1.0 | |
| 3989 | TYPO3.Flow | Feature | Resolved | Should have | Generate PackageStates.yaml if it doesn't exist | Karsten Dambekalns | Package | 1.0 alpha 5 | |
| 3990 | TYPO3.Flow | Feature | Resolved | Should have | Allow arbitrary names and locations for "Web" directory | | Core | 1.0 alpha 3 | |
| 3997 | TYPO3.Fluid | Feature | Resolved | Should have | Enable bulk assignment of template variables | Bastian Waidelich | Core | 1.0.0 alpha 3 | |
| 4082 | TYPO3.Flow | Bug | Resolved | Must have | FLOW3 uses wrong Packages path via CLI if directories are symlinked | Robert Lemke | Core | 1.0 alpha 3 | |
| 4084 | TYPO3.Flow | Feature | Resolved | Should have | Make the application context accessible by a read-only setting | Robert Lemke | Configuratio n | 1.0 alpha 3 | |
| 4085 | TYPO3.Flow | Bug | Resolved | Must have | Package Manager does not ignore files in directory Packages/ | Robert Lemke | Package | 1.0 alpha 3 | |
| 4118 | TYPO3.Flow | Bug | Resolved | Must have | Package Manager does not clear the code cache on activating / deactivating packages | Robert Lemke | Package | 1.0 beta 1 | |
| 4166 | TYPO3.Flow | Feature | Resolved | Must have | Allow disabling validation for action arguments | Robert Lemke | MVC | 1.0 alpha 3 | |
| 4167 | TYPO3.Flow | Feature | Resolved | Must have | Implement an update() method for the base repository | Robert Lemke | Persistence | 1.0 alpha 3 | |
| 4168 | TYPO3.Flow | Bug | Resolved | Must have | Rules added with @validate will replace existing validation rules | Robert Lemke | MVC | 1.0 alpha 3 | |
| 4170 | TYPO3.Fluid | Bug | Resolved | Must have | Form Viewhelper creates hidden identity field even for new objects | Robert Lemke | ViewHelpers | 1.0.0 alpha 3 | |
| 4221 | TYPO3.Flow | Feature | Resolved | Should have | Implement CLI controller for Cache Manager | Robert Lemke | Cache | 1.0 alpha 3 | |
| 4279 | TYPO3.Flow | Feature | Resolved | Should have | setfilepermissions.sh should give a hint on from where to call it | Karsten Dambekalns | Core | 1.0 alpha 4 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|------------------|---------------|----------|-------------|-------------------------------------------------------------------------|--------------------|---------------|----------------|-----------|
| 4280 | TYPO3.Welcome | Bug | Resolved | Should have | Welcome screen should warn if context != Development | Karsten Dambekalns | | 1.0.0 alpha 4 | |
| 4333 | TYPO3.Flow | Feature | Resolved | Should have | Implement log rotation | Karsten Dambekalns | Log | 1.0 alpha 5 | |
| 4406 | TYPO3.Flow | Feature | Resolved | Must have | Implement caching mechanism for configuration files | Robert Lemke | Configuration | 1.0 alpha 4 | |
| 4407 | TYPO3.Flow | Bug | Resolved | Should have | flow3 script cannot flush caches | Robert Lemke | Cache | 1.0 beta 1 | |
| 4445 | TYPO3.Flow | Feature | Resolved | Should have | setfilepermissions.sh should check if parent directories are accessible | Karsten Dambekalns | Core | 1.0 alpha 7 | |
| 4454 | TYPO3.Flow | Bug | Resolved | Must have | FileMonitor does not detect new files | Robert Lemke | Monitor | 1.0 alpha 4 | |
| 4469 | TYPO3.Flow | Feature | Resolved | Should have | Implement a central command line controller | Bastian Waidelich | Core | 1.0 beta 1 | |
| 4952 | TYPO3.Flow | Bug | Resolved | Should have | Reflection cache of subclasses are not flushed if parent classes change | Robert Lemke | Reflection | 1.0 alpha 6 | |
| 5068 | TYPO3.Flow | Feature | Resolved | Should have | Implement validation for settings (or configuration in general) | | Configuration | | |
| 5241 | TYPO3.TypeScript | Bug | Resolved | Must have | Overriding properties doesn't work | Robert Lemke | | | |
| 5243 | TYPO3.TypeScript | Bug | Resolved | Must have | It is not possible to assign an object to a property | Robert Lemke | | | |
| 5440 | TYPO3.Flow | Task | Resolved | Should have | Security should have its own configuration file | Andreas Förthner | Configuration | 1.0 alpha 8 | |
| 5442 | TYPO3.Flow | Feature | New | Should have | Destroy session / logout user on deleting an account | Andreas Förthner | Security | | |
| 5446 | TYPO3.Flow | Feature | Resolved | Should have | Implement PDO based Cache Backend | Karsten Dambekalns | Cache | 1.0 alpha 7 | |
| 5480 | TYPO3.Flow | Feature | Resolved | Should have | JoinPoint should provide a method hasException() | Robert Lemke | AOP | 1.0 alpha 7 | |
| 5481 | TYPO3.Flow | Feature | Resolved | Should have | Implement meaningful logging for security / authentication | Robert Lemke | Security | 1.0 alpha 7 | |
| 5576 | TYPO3.Flow | Bug | Resolved | Must have | Cache Manager receives bloated configuration array | Robert Lemke | Configuration | 1.0 alpha 7 | |
| 5577 | TYPO3.Flow | Feature | Resolved | Should have | Implement postprocessing and validation into the configuration manager | Robert Lemke | Configuration | 1.0 alpha 7 | |
| 5579 | TYPO3.Flow | Task | Resolved | Should have | Replace FLOW3.yaml file by a regular Settings.yaml file | Robert Lemke | Configuration | 1.0 alpha 7 | |
| 5612 | TYPO3.Flow | Feature | Resolved | Should have | Property Mapper should be able to map to target if only a setter exists | Karsten Dambekalns | Property | 1.0 alpha 8 | |
| 5658 | TYPO3.Flow | Task | Resolved | Must have | Inconsistent class names in sub namespaces (Part II) | Robert Lemke | | 1.0 alpha 7 | |
| 5659 | TYPO3.Flow | Major Feature | Resolved | Must have | Implement content security | Andreas Förthner | Security | | |
| 5660 | TYPO3.Flow | Feature | Resolved | Must have | Implement support for Object Converters | Robert Lemke | Property | 1.0 alpha 7 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------|-------------|----------------------------------------------------------------------------------------------|--------------------|--------------------|----------------|-----------|
| 5774 | TYPO3.Flow | Feature | New | Should have | Package Manager should clear all cache entries tagged with %PACKAGE% | | Package | | |
| 5822 | TYPO3.Flow | Feature | Resolved | Must have | Implement proper resource management | Robert Lemke | Resource | 1.0 alpha 7 | |
| 5833 | TYPO3.Kickstart | Bug | Resolved | Should have | Inflection viewhelper doesn't work anymore | Karsten Dambekalns | | 1.0.0 alpha 7 | |
| 5846 | TYPO3.Flow | Feature | Resolved | Should have | Implement Account Factory | Robert Lemke | Security | 1.0 alpha 8 | |
| 5849 | TYPO3.Flow | Feature | Resolved | Should have | Rebuild proxy classes if security policy changes | Robert Lemke | Monitor | 1.1 beta 1 | No |
| 5851 | TYPO3.Flow | Task | Resolved | Should have | Security Context Holder redundant? | Andreas Förthner | Security | 1.0 alpha 8 | |
| 5927 | TYPO3.Flow | Task | Resolved | Must have | Write documentation for Cache Framework | Karsten Dambekalns | - Documentati on - | 1.0 beta 1 | |
| 5995 | TYPO3.Flow | Feature | Resolved | Could have | Implicitly call __toString method if action result is an object | Robert Lemke | MVC | 1.0 alpha 7 | |
| 5998 | TYPO3.Flow | Feature | Resolved | Should have | More flexible subpackage directory structure | Robert Lemke | MVC | 1.0 alpha 7 | |
| 6003 | TYPO3.Fluid | Bug | Resolved | Should have | ObjectAccessorNode::evaluate calls ObjectAccessor even if variable is not an object or array | Robert Lemke | Core | 1.0.0 alpha 7 | |
| 6008 | TYPO3.Flow | Feature | Resolved | Should have | Automatically purge files of removed resources | Karsten Dambekalns | Resource | 1.0 alpha 8 | |
| 6092 | TYPO3.Flow | Bug | Resolved | Must have | Resources imported with importResource() are not published | Robert Lemke | Resource | 1.0 alpha 7 | |
| 6118 | TYPO3.Flow | Bug | Resolved | Should have | Integer arguments are not validated automatically | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 6137 | TYPO3.Flow | Feature | Resolved | Must have | Implement a PHP Code Cache Frontend | Robert Lemke | Cache | 1.0 alpha 8 | |
| 6315 | TYPO3.Flow | Bug | Resolved | Should have | Input fields with a name attribute with more than 64 characters are ignored | Karsten Dambekalns | Security | 1.0 alpha 11 | |
| 6317 | TYPO3.Flow | Task | Resolved | Should have | Replace "Granted Authority" by "Role" | Robert Lemke | Security | 1.0 alpha 8 | |
| 6529 | TYPO3.Flow | Bug | Resolved | Should have | Fully support regular expressions for method names in pointcut expressions | Robert Lemke | AOP | 1.0 alpha 8 | |
| 6562 | TYPO3.Flow | Task | Resolved | Must have | Make Object Manager API more consistent | Robert Lemke | Object | 1.0 alpha 8 | |
| 6564 | TYPO3.Flow | Task | Resolved | Should have | Move the YAML parser from its own package to within FLOW3 | Robert Lemke | Configuratio n | 1.0 alpha 8 | |
| 6596 | TYPO3.Flow | Bug | Resolved | Should have | Environment variables (context, rewrite urls, ...) are not recognized with FCGI + Apache | Robert Lemke | Core | 1.0 alpha 8 | |
| 6646 | TYPO3.Flow | Feature | Resolved | Should have | Response should send correct content type header if format is rss / atom | Robert Lemke | MVC | 1.0 alpha 8 | |
| 6647 | TYPO3.Flow | Bug | Resolved | Should have | ObjectAccess doesn't know that is*() is also a possible getter method name | Robert Lemke | Reflection | 1.0 alpha 8 | |
| 6712 | TYPO3.Flow | Feature | Accepted | Should have | Implement mixin support | Robert Lemke | AOP | | |
| 6773 | TYPO3.Flow | Bug | Resolved | Should have | Debug Exception Handler does not escape characters in exception message | Robert Lemke | Error | 1.0 alpha 8 | |
| 6774 | TYPO3.Flow | Feature | Resolved | Should have | Improve error message in Property Mapper if type hint of method parameter is invalid | Robert Lemke | Property | 1.0 alpha 8 | |
| 6781 | TYPO3.Flow | Feature | Resolved | Should have | Implement Swift Mailer integration | Karsten Dambekalns | | 1.0 alpha 8 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-------------------|---------|----------|-------------|-------------------------------------------------------------------------------------------------|--------------------|---------------|----------------|-----------|
| 6787 | TYPO3.Flow | Bug | Resolved | Must have | New accounts cannot be persisted and existing accounts cannot be found | Robert Lemke | Security | 1.0 alpha 8 | |
| 6846 | TYPO3.Flow | Bug | Resolved | Should have | The static object container is not rebuilt automatically if the FLOW3 revision changed | Robert Lemke | Core | 1.0 alpha 8 | |
| 6868 | TYPO3.Flow | Feature | Resolved | Should have | Classes tagged as value object must have a constructor and no setters | Karsten Dambekalns | Reflection | 1.0 alpha 8 | |
| 6869 | TYPO3.Flow | Feature | Resolved | Must have | Enable the property mapper to create value objects | Karsten Dambekalns | Property | 1.0 alpha 8 | |
| 6902 | TYPO3.Flow | Bug | Resolved | Should have | \$objectName is not meaningful enough in serializeObjectAsPropertyArray() | Karsten Dambekalns | Object | 1.0 alpha 8 | |
| 6913 | TYPO3.Flow | Feature | Resolved | Should have | Implement a FLOW3 optimized var_dump function | Karsten Dambekalns | Error | 1.0 alpha 8 | |
| 6949 | TYPO3.Flow | Task | Resolved | Should have | Rename \F3\FLOW3\MVC\Controller\Context back to \F3\FLOW3\MVC\Controller\ControllerContext | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 6974 | TYPO3.SwiftMailer | Task | Resolved | Should have | Add Swift Mailer license to the Meta directory | Karsten Dambekalns | | | |
| 6992 | TYPO3.Flow | Bug | Resolved | Must have | ValidatorResolver does not build certain validators | Robert Lemke | Validation | 1.0 alpha 8 | |
| 6993 | TYPO3.Flow | Feature | Resolved | Should have | Support declaration of additional validation rules by object accessor syntax | Robert Lemke | Validation | 1.0 alpha 8 | |
| 7054 | TYPO3.Flow | Feature | Resolved | Should have | Make salted md5 generation and validation available through an API | Robert Lemke | Security | 1.0 alpha 8 | |
| 7068 | TYPO3.Fluid | Bug | Resolved | Should have | SelectViewHelper does not support SplObjectStorage as option | Robert Lemke | ViewHelpers | 1.0.0 alpha 8 | |
| 7143 | Base Distribution | Story | Resolved | Must have | As a WebsiteUser I want to see a simple website. | | | | |
| 7144 | Base Distribution | Story | Resolved | Must have | As a PHP Developer I want to have an easy API to create a page and add content to it. | | | | |
| 7197 | Blog App | Story | Accepted | Should have | As a blog editor I want to define my username and password when I launch the app the first time | Robert Lemke | | | |
| 7198 | TYPO3.Flow | Bug | Resolved | Should have | Reflection Service should ignore leading backslashes in class names | Robert Lemke | Reflection | 1.0 alpha 8 | |
| 7199 | TYPO3.Flow | Bug | Resolved | Should have | Persistence Manager retrieves repository objects by class name instead of object name | Robert Lemke | Persistence | 1.0 alpha 8 | |
| 7286 | TYPO3.Flow | Bug | Resolved | Must have | Undefined FLOW3 root path does not issue an error in CLI mode | Robert Lemke | Core | 1.0 alpha 8 | |
| 7300 | TYPO3.Neos | Task | Resolved | Should have | Package demo site HTML and CSS | Robert Lemke | | | |
| 7301 | TYPO3.Neos | Task | Resolved | Should have | Set up the demo package | Robert Lemke | | | |
| 7302 | TYPO3.Neos | Task | Resolved | Should have | Check the status / finish the TS Rendering Engine | Robert Lemke | | | |
| 7473 | TYPO3.Neos | Task | Resolved | Should have | Adjust the dist configuration files | Robert Lemke | | | |
| 7474 | TYPO3.Flow | Feature | Resolved | Should have | Implement a "LabelValidator" | Robert Lemke | Validation | 1.0 alpha 9 | |
| 7479 | TYPO3.Flow | Task | Resolved | Should have | Move context configuration defaults to package | Robert Lemke | Configuration | 1.0 alpha 9 | |
| 7495 | TYPO3.Flow | Feature | Resolved | Should have | Implement support for persistence of nested arrays | Karsten Dambekalns | Persistence | 1.0 alpha 9 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|------------------|---------|----------|-------------|----------------------------------------------------------------------------------|--------------------|---------------|----------------|-----------|
| 7496 | TYPO3.Neos | Task | Resolved | Should have | Implement nested array support in persistence | Karsten Dambekalns | | | |
| 7497 | TYPO3.Neos | Task | Resolved | Should have | Design generic error message screen for TYPO3 frontend | | | | |
| 7502 | TYPO3.Neos | Task | Resolved | Should have | Create a "Demo" distribution | Robert Lemke | | | |
| 7513 | TYPO3.Neos | Task | Resolved | Should have | Move context configuration defaults to package | Robert Lemke | | | |
| 7516 | TYPO3.Flow | Feature | Resolved | Should have | Create encryption hash if none was defined | Karsten Dambekalns | Security | 1.0 alpha 10 | |
| 7517 | TYPO3.Neos | Task | Resolved | Could have | Implement feature #7516 (encryption hash generation) | Karsten Dambekalns | | | |
| 7521 | TYPO3.Neos | Task | Resolved | Should have | Write real texts for the demo website | | | | |
| 7532 | TYPO3.Neos | Task | Resolved | Should have | Implement a login screen | | | | |
| 7536 | TYPO3.Neos | Task | Resolved | Could have | Implement a mechanism which saves and restores the path to the last visited page | Nils Dehl | | | |
| 7551 | TYPO3.Neos | Task | Resolved | Should have | Design a Page Not Found screen for the TYPO3 frontend | | | | |
| 7552 | TYPO3.TypoScript | Feature | Resolved | Should have | Implement multiline string support | Tobias Liebig | | | |
| 7553 | TYPO3.Neos | Task | Resolved | Should have | Fix curly braces bug in TS Parser | Robert Lemke | | | |
| 7555 | TYPO3.TypoScript | Bug | Resolved | Should have | Curly braces within literals are interpreted as confinements | Robert Lemke | | | |
| 7559 | TYPO3.TypoScript | Bug | Resolved | Should have | Double slashes are interpreted as comments even within literals | Robert Lemke | | | |
| 7682 | TYPO3.Flow | Task | Resolved | Should have | Replace generic exceptions by proper exceptions | Karsten Dambekalns | | 1.0 alpha 10 | |
| 7687 | TYPO3.Flow | Bug | Resolved | Should have | ObjectAccess doesn't allow numeric indexes for arrays | Robert Lemke | Reflection | 1.0 alpha 9 | |
| 7688 | TYPO3.Flow | Task | Resolved | Should have | Don't reflect Exception classes | Robert Lemke | Reflection | 1.0 alpha 9 | |
| 7820 | TYPO3.Flow | Bug | Resolved | Should have | Configuration Manager doesn't properly check for existence of uriPattern | Robert Lemke | Configuration | 1.0 alpha 9 | |
| 7831 | TYPO3.Flow | Bug | Resolved | Should have | Router interprets negative integer values of a match result as "matched" | Robert Lemke | MVC | 1.0 alpha 9 | |
| 7960 | TYPO3.Flow | Feature | Resolved | Should have | Implement getClassNameByObjectName() | Robert Lemke | Object | 1.0 alpha 9 | |
| 8056 | TYPO3.Flow | Task | Closed | Should have | Remove configuration option for mirrorMode | Karsten Dambekalns | Resource | | No |
| 8061 | TYPO3.Welcome | Bug | Resolved | Should have | Wrong directory case for resources | Karsten Dambekalns | | 1.0 alpha 13 | |
| 8063 | TYPO3.Flow | Task | Resolved | Should have | Rename the resource stream wrapper's scheme from "package://" to "resource://" | Robert Lemke | Resource | 1.0 alpha 10 | |
| 8082 | TYPO3.Flow | Feature | Resolved | Should have | API for accessing persisted resources | Robert Lemke | Resource | 1.0 alpha 10 | |
| 8088 | TYPO3.Flow | Feature | Resolved | Should have | API method for retrieving the original filename of recently imported resources | Robert Lemke | Resource | 1.0 alpha 10 | |
| 8133 | TYPO3.Flow | Feature | Resolved | Should have | ObjectAccess::setProperty() should support arrays as a subject | Robert Lemke | Reflection | 1.0 alpha 10 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-------------|---------|----------|----------------------|------------------------------------------------------------------------------|---------------------|-----------|----------------|-----------|
| 8276 | TYPO3.Neos | Feature | Closed | Should have | Implement getParent() and getPath() for structure nodes | Robert Lemke | Services | | |
| 8277 | TYPO3.Neos | Task | Closed | Won't have this time | Implement #8276 – getParent() and getPath() | Robert Lemke | | | |
| 8631 | TYPO3.Neos | Task | Resolved | Should have | Copyright information should have a fixed width | | | | |
| 8632 | TYPO3.Neos | Task | Resolved | Should have | TYPO3 logo is on the wrong side | Berit Hlubek | | | |
| 8633 | TYPO3.Neos | Task | Resolved | Should have | Add a hint that the UI is only wireframes | Berit Hlubek | | | |
| 8635 | TYPO3.Neos | Task | Resolved | Should have | Visual appearance of content dialog button bar needs to be fixed | Berit Hlubek | | | |
| 8636 | TYPO3.Neos | Task | Closed | Should have | Backend Login doesn't work in Production Context | Andreas Förthner | | | |
| 8637 | TYPO3.Neos | Task | Resolved | Should have | On trying on the Demo distribution you'll get a 404 as welcome message | Sebastian Kurfuerst | | | |
| 8640 | TYPO3.Neos | Task | Resolved | Should have | Rename variable in TemplateView "domainModel" > "model" | Christopher Hlubek | | | |
| 8734 | TYPO3.Neos | Task | Resolved | Should have | Clean up SetupController and its resources | Karsten Dambekalns | | | |
| 8772 | TYPO3.Flow | Task | Resolved | Should have | Rename the "Locale" sub package to "i18n" | Karol Gusak | i18n | 1.0 alpha 11 | |
| 9279 | TYPO3.ExtJS | Bug | Resolved | Should have | Optional arguments are not supported | Robert Lemke | ExtDirect | | |
| 9322 | TYPO3.Neos | Bug | Resolved | Should have | Aloha Connector causes JS error: en.dict could not be loaded | | UI | | |
| 9323 | TYPO3.ExtJS | Bug | Resolved | Should have | Number of arguments of ExtDirect provider actions are registered incorrectly | Robert Lemke | ExtDirect | | |
| 9327 | TYPO3.Flow | Feature | Resolved | Should have | Make the resource argument name for REST controllers configurable | Robert Lemke | MVC | 1.0 alpha 11 | |
| 9356 | TYPO3.Flow | Feature | Resolved | Could have | Implement getAccount() for the Security Context | Robert Lemke | Security | 1.0 alpha 11 | |
| 9360 | TYPO3.Flow | Bug | Resolved | Should have | ObjectSerializer does not detect recursion in object references | Robert Lemke | Object | 1.0 alpha 11 | |
| 9436 | TYPO3.Flow | Bug | Resolved | Should have | Package Manager doesn't check if directory Packages/Application exists | Robert Lemke | Package | 1.0 alpha 12 | |
| 9456 | TYPO3.Flow | Feature | Resolved | Should have | MVC arguments should be converted to their target type | Robert Lemke | MVC | 1.0 alpha 12 | |
| 9479 | TYPO3.Neos | Task | Resolved | Must have | Move ContentService functionality to TYPO3CR | Robert Lemke | | | |
| 9480 | TYPO3.Neos | Feature | Resolved | Should have | Login screen should redirect to setup controller if no account exists | Karsten Dambekalns | | | |
| 9502 | TYPO3.Flow | Bug | Resolved | Should have | After and After Throwing advices intercept exceptions | Robert Lemke | AOP | 1.0 alpha 12 | |
| 9528 | TYPO3.Flow | Feature | Resolved | Should have | Log remote IP address | Robert Lemke | Log | 1.0 alpha 12 | |
| 9532 | TYPO3.Flow | Bug | Resolved | Must have | FLOW3 loses session data / tokens if scope session is used elsewhere | Robert Lemke | Session | 1.0 alpha 12 | |
| 9536 | TYPO3.Flow | Feature | Resolved | Should have | Improve logging of security related events | Robert Lemke | Security | 1.0 alpha 12 | |
| 9538 | TYPO3.Flow | Bug | Resolved | Should have | APC Backend test fails (flushRemovesAllCacheEntries) | Karsten Dambekalns | Cache | 1.0 alpha 12 | |
| 9539 | TYPO3.Flow | Bug | Resolved | Must have | WebRedirect entry point does not work anymore | Robert Lemke | Security | 1.0 alpha 12 | |
| 9568 | TYPO3.Flow | Task | Resolved | Should have | Improve speed of AOP proxy building / reflection | Robert Lemke | | 1.1 | No |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-------------------|---------|----------|-------------|--------------------------------------------------------------------------------|--------------------|-------------|----------------|-----------|
| 9585 | TYPO3.Flow | Bug | Resolved | Should have | PDOException thrown if array contains NULL as value | Karsten Dambekalns | Persistence | 1.0 alpha 12 | |
| 9586 | TYPO3.Flow | Feature | Resolved | Should have | Support @var/@param type "object" | Karsten Dambekalns | Persistence | 1.0 alpha 12 | |
| 9587 | TYPO3.Flow | Bug | Rejected | Should have | ArrayObject cannot be persisted as part of an array | | Persistence | | No |
| 9625 | TYPO3.Flow | Task | Resolved | Must have | Remove references of ObjectFactory | Karsten Dambekalns | Object | 1.0 alpha 12 | |
| 9626 | TYPO3.Flow | Feature | Resolved | Should have | Switch off autowiring for single methods via @autowiring annotation | Robert Lemke | Object | 1.0 alpha 12 | |
| 9679 | TYPO3.Flow | Bug | Resolved | Should have | PdoHelper fails if username / password are NULL | Robert Lemke | Persistence | 1.0 alpha 12 | |
| 9684 | TYPO3.Flow | Bug | Resolved | Should have | Datamapper fails to thaw reused objects if in certain order | Karsten Dambekalns | Persistence | 1.0 alpha 12 | |
| 10143 | TYPO3.Neos | Bug | Resolved | Should have | Animation of breadcrumb module navigation is jerky | Christian Müller | UI | | |
| 10168 | TYPO3.Neos | Bug | Resolved | Must have | Can't execute delete page action in WebKit browsers | Robert Lemke | TypoScript | | |
| 10341 | TYPO3.Flow | Bug | Resolved | Should have | DateTime properties cannot be persisted | Robert Lemke | Object | 1.0 alpha 13 | |
| 10368 | Base Distribution | Story | Resolved | Should have | As Gerrit I want that editors don't edit content directly on the live website | | | | |
| 10370 | TYPO3.Neos | Task | Resolved | Should have | Content Repository: Implement basic workspace support with personal workspaces | Robert Lemke | | | |
| 10371 | TYPO3.Neos | Task | Resolved | Should have | Implement "Publish workspace?" dialog in the backend UI | Robert Lemke | | | |
| 10372 | TYPO3.Neos | Task | Resolved | Should have | Implement service method for publishing workspace | Robert Lemke | | | |
| 10373 | Base Distribution | Story | Resolved | Should have | As Roger I want to have functional testing support in FLOW3 | | | | |
| 10376 | TYPO3.Neos | Task | Closed | Should have | Document use of REST service | | | | |
| 10424 | TYPO3.Neos | Task | Resolved | Should have | Implement build scripts for functional testing | Robert Lemke | | | |
| 10425 | TYPO3.Neos | Task | Resolved | Should have | Automatically register classes found in PackageKey/Tests/Functional/ | Robert Lemke | | | |
| 10426 | TYPO3.Neos | Task | Resolved | Should have | Implement functional testing support in the Testing package | Robert Lemke | | | |
| 10428 | TYPO3.Flow | Bug | Resolved | Should have | Wrong Namespace scope when using PhpFrontend | Robert Lemke | Cache | 1.0 alpha 13 | |
| 10435 | TYPO3.Neos | Task | Resolved | Should have | Integrate functional testing in Hudson build | Karsten Dambekalns | | | |
| 10437 | TYPO3.Neos | Task | Closed | Should have | Document functional testing and unit test namespaces in CGLs | Karsten Dambekalns | | | |
| 10438 | TYPO3.Neos | Task | Resolved | Should have | Adjust tests to new namespace conventions | Robert Lemke | | | |
| 10458 | TYPO3.Neos | Task | Resolved | Should have | Create Phing task which flushes caches prior to running functional tests | Karsten Dambekalns | | | |
| 10619 | TYPO3.Neos | Task | Resolved | Should have | Implement an ExtDirect method returning the root node of a site | Robert Lemke | | | |
| 10620 | Base Distribution | Story | Resolved | Should have | As Roger I want a reasonable test coverage of the TYPO3CR package | | | | |
| 10621 | TYPO3.Neos | Task | Resolved | Should have | Implement functional tests for API functions | Robert Lemke | | | |
| 10622 | TYPO3.Neos | Task | Resolved | Should have | Implement unit tests | Robert Lemke | | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|---------------------------------|---------|----------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------|----------------|-----------|
| 10631 | TYPO3.Neos | Task | Resolved | Should have | Refactor current REST service to new namespace conventions | Robert Lemke | | | |
| 10680 | TYPO3.Flow | Feature | Resolved | Should have | Implement Content Negotiation Support | Robert Lemke | MVC | 1.0 alpha 13 | |
| 10681 | TYPO3.Neos | Task | Resolved | Should have | Add support for Accept headers | Robert Lemke | | | |
| 10687 | TYPO3.Flow | Bug | Resolved | Should have | @subpackage cannot be unset when rendering URIs | Robert Lemke | MVC - Routing | 1.0 alpha 13 | |
| 10722 | TYPO3.Neos | Task | Resolved | Should have | Make parameters of URI and Link NodeViewHelper optional. If parameters are omitted, the <code>_current_</code> value of the contexts should be used. | Robert Lemke | | | |
| 10733 | TYPO3.Neos | Bug | Closed | Could have | As a backend user, I want a clean visual design for the whole UI | | | Sprint 7 | |
| 10810 | TYPO3.Neos | Task | Resolved | Should have | Implement delete-nodes support for workspaces | Robert Lemke | | | |
| 11042 | Base Distribution | Story | Closed | Should have | As Roger, I want clean and extensible JavaScript Code | | | Sprint 7 | |
| 11043 | TYPO3.Neos | Bug | Closed | Should have | As Roger, I want to have Guidelines for CSS Programming | | | | |
| 11044 | Base Distribution | Story | Resolved | Should have | As Magarethe I want to add pages | | | Sprint 7 | |
| 11045 | Base Distribution | Story | Resolved | Should have | As Robin I want to have a Basic ManagementView (List) | | | | |
| 11156 | TYPO3.Neos | Task | Resolved | Should have | Create technical concept for content element handling | Robert Lemke | | Sprint 7 | |
| 11169 | TYPO3 Flow Base Distribution | Story | Resolved | Should have | Implement new operator support | Robert Lemke | | 1.0 beta 1 | |
| 11176 | TYPO3.Neos | Task | Closed | Should have | Implement content type registration mechanism (e.g. ContentTypes.yaml) | | | Sprint 7 | |
| 11177 | TYPO3.Neos | Task | Resolved | Should have | Remove "OpenID" button from login screen (because that's not implemented yet) | Rens Admiraal | | Sprint 7 | |
| 11181 | TYPO3.Neos | Task | Closed | Should have | Style the Aloha floating menu | Jens Hoffmann | | Sprint 7 | |
| 11182 | TYPO3.Neos | Task | Resolved | Should have | Style the Aloha content border (aka yellow flashing rectangle) | Sebastian Kurfuerst | | Sprint 7 | |
| 11183 | TYPO3.Neos | Task | Resolved | Should have | Develop new double-click / activation behavior for Aloha content | Rens Admiraal | | Sprint 7 | |
| 11184 | TYPO3.Neos | Task | Resolved | Should have | Style top bar background | Berit Hlubek | | Sprint 7 | |
| 11185 | TYPO3.Neos | Task | Resolved | Should have | Style "My Area" + publish indicator | Berit Hlubek | | Sprint 7 | |
| 11186 | TYPO3.Neos | Task | Resolved | Should have | Remove Report, Layout and System tabs as they are not yet implemented | Rens Admiraal | | Sprint 7 | |
| 11187 | Base Distribution | Story | Resolved | Should have | As a community member, I want a smooth demo site experience | | | | |
| 11188 | TYPO3.Neos | Task | Resolved | Should have | Make Latest Tweets widget non-editable | Robert Lemke | | | |
| 11189 | TYPO3.Neos | Task | Resolved | Should have | Implement create-demo-account functionality | Bastian Waidelich | | | |
| 11192 | TYPO3.Neos | Task | Closed | Should have | Create wireframe for Dashboard (publish list / commit) | Jens Hoffmann | | Sprint 7 | |
| 11200 | TYPO3.Neos | Task | Resolved | Should have | Auto-create text element after creating new page | | | Sprint 7 | |
| 11220 | TYPO3.Neos | Task | Resolved | Should have | Explore technical possibilities for add-new-content-element in Aloha | Christian Müller | | Sprint 7 | |
| 11221 | TYPO3.Neos | Task | Resolved | Should have | Create simple support for "Plugin" content types | Bastian Waidelich | | | |
| 11327 | TYPO3.Neos | Task | Resolved | Should have | Disabled Aloha on the actual website (outside the UI) even when a user is logged in | | | Sprint 7 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------|---------|----------|-------------|----------------------------------------------------------------------------------------|------------------|----------|----------------|-----------|
| 11360 | TYPO3.Neos | Task | Resolved | Should have | Hide Frontend iFrame or style with background #333 to avoid flashing right after login | Christian Müller | | Sprint 7 | |
| 11424 | TYPO3.Neos | Task | Resolved | Should have | Style the logout button | Jens Hoffmann | | Sprint 7 | |
| 11443 | TYPO3.Flow | Feature | Resolved | Should have | Implement igbinary support | Robert Lemke | Cache | 1.0 alpha 14 | |
| 11542 | TYPO3.Neos | Task | Resolved | Should have | Set Dashboard background to #A6A6A6 | Christian Müller | | Sprint 7 | |
| 11543 | TYPO3.Neos | Task | Resolved | Should have | Style display filter bar | Berit Hlubek | | Sprint 7 | |
| 11544 | TYPO3.Neos | Task | Resolved | Should have | Fix labels for dialog buttons | Christian Müller | | Sprint 7 | |
| 11545 | TYPO3.Neos | Task | Closed | Could have | Make content-changed-number 100% visible all the time | | UI | Sprint 7 | |

...