

Issues

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-----------------|---------|--------------|-------------|---------------------------------------------------------------------------------------------|----------------------|-------------|----------------|-----------|
| 50636 | TYPO3.Flow | Bug | Resolved | Should have | CurlEngine tries to rewind stream | Robert Lemke | Http | 2.x | No |
| 49189 | TYPO3.Flow | Bug | Resolved | Must have | Session storage has poor performance for hundreds of sessions | Robert Lemke | Session | 2.0 | No |
| 49021 | TYPO3.Flow | Bug | Resolved | Must have | Session garbage collection is non functional | Robert Lemke | Session | 2.0 | No |
| 47473 | TYPO3.Flow | Bug | Resolved | Must have | Role->setParentRoles() fails if array of roles contains duplicates | Robert Lemke | Security | 2.0 | No |
| 47469 | TYPO3.Flow | Bug | Resolved | Must have | ActionController issues PHP warning if it contains methods with short names | Robert Lemke | MVC | 2.0 | No |
| 46703 | TYPO3.Flow | Bug | Resolved | Should have | Session has side effects in functional tests | Robert Lemke | Session | 2.0 | No |
| 45219 | TYPO3.Flow | Bug | Resolved | Should have | Malformed DocBlock causes fatal error in ProxyClassBuilder | Robert Lemke | Object | 2.0 | No |
| 43673 | TYPO3.Flow | Bug | Resolved | Should have | Session shutdown might keep destroyed session alive | Robert Lemke | Session | 2.0 beta 1 | No |
| 43590 | TYPO3.Flow | Bug | Resolved | Must have | Session initialization fails in functional test cases | Robert Lemke | Session | 2.0 beta 1 | No |
| 43190 | TYPO3.Flow | Bug | Accepted | Should have | Misleading exception message for incompatible database structure | Karsten Dambekalns | Persistence | 2.0.1 | No |
| 43110 | TYPO3.Flow | Bug | Resolved | Must have | FlowSession: renewId() loses data of existing session | Robert Lemke | Session | 2.0 beta 1 | No |
| 42601 | TYPO3.Flow | Bug | Under Review | Must have | Content Security: QOM rewriting is omitted if used in certain cases in an Action Controller | Robert Lemke | Security | 2.0.1 | No |
| 42342 | TYPO3.Flow | Bug | Resolved | Should have | Fatal error / no possibility to flush caches after package has been removed | Christian Jul Jensen | Package | 2.0 beta 1 | No |
| 41642 | forge.typo3.org | Bug | Closed | Must have | Can't update quicklinks and logo of projects | Steffen Gebert | Support | | |
| 40890 | TYPO3.Flow | Bug | Resolved | Should have | Display error message if Data is not writeable | Robert Lemke | Core | 2.0 beta 1 | No |
| 40372 | TYPO3.Flow | Bug | Resolved | Should have | Headers::has() always returns FALSE for Cache-Control | Robert Lemke | Http | 1.1.1 | No |
| 39791 | TYPO3.Flow | Bug | New | Must have | Reflection data of old aspect is not removed | | Reflection | 1.1.1 | No |
| 39267 | TYPO3.Flow | Bug | Resolved | Should have | RsaWalletServicePhp saves keys even if not modified | Robert Lemke | Security | 1.1 | No |
| 37223 | TYPO3.Flow | Bug | Resolved | Must have | Packages can be frozen in Production Context | Karsten Dambekalns | Package | 1.1 beta 3 | No |
| 36804 | TYPO3.Flow | Bug | New | Should have | Orphaned entities within aggregates are not removed | | Persistence | | No |
| 36659 | TYPO3.Flow | Bug | Resolved | Must have | Functional test sees account roles from previous test | Robert Lemke | Security | 1.1 beta 1 | No |
| 36519 | TYPO3.Flow | Bug | Resolved | Should have | flow3:package:import doesn't update PackageStates.php | Robert Lemke | Package | 1.1 beta 1 | No |
| 36516 | TYPO3.Flow | Bug | Resolved | Should have | PackageStates.php are written on every request | Robert Lemke | Package | 1.1 beta 1 | No |
| 36502 | TYPO3.Flow | Bug | Resolved | Must have | Precompiled reflection data is not removed on a cache:flush --force | Robert Lemke | Cache | 1.1 beta 1 | No |
| 36446 | TYPO3.Flow | Bug | Resolved | Must have | "classesPath" is not added to PackageStates.php on creating a package | Karsten Dambekalns | Package | 1.1 beta 1 | No |
| 33495 | TYPO3.Flow | Bug | Resolved | Should have | No alternative entry point type can be configured | Robert Lemke | Security | 1.1 | No |
| 33417 | TYPO3.Flow | Bug | Resolved | Should have | kickstart:package does not update .Shortcuts | Christian Müller | Package | 1.1 | No |
| 32723 | TYPO3.Flow | Bug | Resolved | Must have | Files unit tests create but don't remove a lot of temporary files | | - Testing - | 1.1 beta 1 | No |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-----------------------|---------|----------|-------------|------------------------------------------------------------------------------------------------|---------------------|-------------------|-----------------|-----------|
| 32346 | TYPO3.Flow | Bug | Resolved | Must have | allObjectsPersisted is not triggered after each test | Robert Lemke | - Testing - | 1.1 beta 1 | No |
| 30380 | TYPO3.Flow | Bug | Resolved | Should have | Optimistic Locking / @version annotation is not functional | Robert Lemke | Reflection | 1.0.0 | |
| 30379 | TYPO3.Flow | Bug | Resolved | Must have | Object persistence has side effects in functional tests | Robert Lemke | - Testing - | 1.0.0 | |
| 30017 | TYPO3.Flow | Bug | Resolved | Should have | Functional tests see data from previous tests | Robert Lemke | - Testing - | 1.0.0 | |
| 29777 | TYPO3.Flow | Bug | Resolved | Should have | Removal of symlinked package resources fails | Robert Lemke | Utility | 1.0.0 | |
| 29486 | TYPO3.Flow | Bug | Resolved | Should have | injectSettings() doesn't receive always the settings of its own package | Robert Lemke | Object | 1.0 beta 2 | |
| 29414 | TYPO3.Flow | Bug | Resolved | Must have | Deletion of packages results in fatal error | Robert Lemke | Command | 1.0 beta 2 | |
| 29407 | TYPO3.Flow | Bug | Resolved | Should have | help command does not display description | Bastian Waidelich | Command | 1.0 beta 2 | |
| 29406 | TYPO3.Kickstart | Bug | Resolved | Should have | kickstart:commandcontroller renders appendContent() code | Karsten Dambekalns | | 1.0 beta 2 | |
| 29384 | TYPO3.Blog | Bug | Resolved | Should have | Login form does not work with FLOW3 1.0 beta 1 | Robert Lemke | | | |
| 28525 | TYPO3.Flow | Bug | Resolved | Should have | Caches are not flushed after creating a package | Robert Lemke | Package | 1.0 beta 1 | |
| 28327 | TYPO3.Flow | Bug | Resolved | Should have | Argument mapping falsely detects tags from method description - ReflectionService RegExp issue | Sebastian Kurfuerst | Reflection | 1.0.0 | |
| 28306 | TYPO3.Flow | Bug | Resolved | Must have | Optional command line argument is ignored | Bastian Waidelich | MVC | 1.0 beta 1 | |
| 28294 | TYPO3.Flow | Bug | Resolved | Must have | Command is not run in compile time if command identifier is abbreviated | Robert Lemke | Core | 1.0 beta 1 | |
| 26337 | Conference Management | Bug | Resolved | Should have | TypoScript template inheritance might be broken | Robert Lemke | | Site Launch | |
| 26282 | Conference Management | Bug | Resolved | Could have | JQuery conflict in edit mode | Rens Admiraal | | Call for Papers | |
| 25881 | TYPO3.Flow | Bug | Resolved | Must have | Inherited methods cannot be adviced | Robert Lemke | AOP | 1.0 beta 1 | |
| 25851 | TYPO3.Flow | Bug | Resolved | Should have | Methods whose name contain "protected" can't be adviced | Robert Lemke | AOP | 1.0 beta 1 | |
| 25816 | TYPO3.Flow | Bug | Resolved | Must have | Improve error handling for invalid types | Robert Lemke | Utility | 1.0 beta 2 | |
| 25776 | TYPO3.Flow | Bug | Resolved | Should have | Doctrine proxy class files can't be overwritten by other SAPI type | Karsten Dambekalns | Persistence | 1.0 beta 1 | |
| 25607 | TYPO3.Flow | Bug | Resolved | Should have | Reflection Service does not save emerged class reflections | Robert Lemke | Core | 1.0 beta 1 | |
| 23082 | TYPO3 Core | Bug | Closed | Should have | Install tool causes PHP warnings if typo3conf/ is not writeable | Steffen Kamper | | | |
| 17120 | TYPO3 Core | Bug | Closed | Should have | Content is not cached and white page displayed with big content / PHP 5.2.1 | Dmitry Dulepov | Content Rendering | | |
| 15936 | TYPO3 Core | Bug | Closed | Must have | Gremlin: The running TYPO3 version (4.0-CVS) is higher than allowed (0.0.2) | Karsten Dambekalns | Extension Manager | | |
| 15879 | TYPO3 Core | Bug | Closed | Should have | EM: Suggested extensions are not handled correctly | Karsten Dambekalns | Extension Manager | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|---------------|---------|----------|-------------|----------------------------------------------------------------------------------------------|--------------------|-------------------|----------------|-----------|
| 15877 | TYPO3 Core | Bug | Closed | Must have | EM doesn't respect dependencies if no version number is specified | Robert Lemke | Extension Manager | | |
| 15635 | TYPO3 Core | Bug | Closed | Should have | Extension Manager: Charset of extension titles, authors etc. ist not converted to BE charset | Karsten Dambekalns | Extension Manager | | |
| 15237 | TYPO3 Core | Bug | Closed | Should have | Nesting of sections doesn't seem to work | | | | |
| 14557 | TYPO3 Core | Bug | Closed | Should have | EM: Updating an extension with changed dependencies blocks website | | Extension Manager | | |
| 14123 | TYPO3 Core | Bug | Closed | Should have | cached image sizes don't work properly, method for clearing the cache has to be changed | Robert Lemke | Frontend | | |
| 14122 | TYPO3 Core | Bug | Closed | Should have | Install Tool shows fatal error if typo3/ext is not writeable | Robert Lemke | Backend API | | |
| 12365 | TYPO3.Flow | Bug | Rejected | Must have | mapAndValidate() and map() behave differently | | Property | 1.0 beta 1 | |
| 10687 | TYPO3.Flow | Bug | Resolved | Should have | @subpackage cannot be unset when rendering URIs | Robert Lemke | MVC - Routing | 1.0 alpha 13 | |
| 10428 | TYPO3.Flow | Bug | Resolved | Should have | Wrong Namespace scope when using PhpFrontend | Robert Lemke | Cache | 1.0 alpha 13 | |
| 10341 | TYPO3.Flow | Bug | Resolved | Should have | DateTime properties cannot be persisted | Robert Lemke | Object | 1.0 alpha 13 | |
| 9684 | TYPO3.Flow | Bug | Resolved | Should have | Datamapper fails to thaw reused objects if in certain order | Karsten Dambekalns | Persistence | 1.0 alpha 12 | |
| 9679 | TYPO3.Flow | Bug | Resolved | Should have | PdoHelper fails if username / password are NULL | Robert Lemke | Persistence | 1.0 alpha 12 | |
| 9587 | TYPO3.Flow | Bug | Rejected | Should have | ArrayObject cannot be persisted as part of an array | | Persistence | | No |
| 9585 | TYPO3.Flow | Bug | Resolved | Should have | PDOException thrown if array contains NULL as value | Karsten Dambekalns | Persistence | 1.0 alpha 12 | |
| 9539 | TYPO3.Flow | Bug | Resolved | Must have | WebRedirect entry point does not work anymore | Robert Lemke | Security | 1.0 alpha 12 | |
| 9538 | TYPO3.Flow | Bug | Resolved | Should have | APC Backend test fails (flushRemovesAllCacheEntries) | Karsten Dambekalns | Cache | 1.0 alpha 12 | |
| 9532 | TYPO3.Flow | Bug | Resolved | Must have | FLOW3 loses session data / tokens if scope session is used elsewhere | Robert Lemke | Session | 1.0 alpha 12 | |
| 9502 | TYPO3.Flow | Bug | Resolved | Should have | After and After Throwing advices intercept exceptions | Robert Lemke | AOP | 1.0 alpha 12 | |
| 9436 | TYPO3.Flow | Bug | Resolved | Should have | Package Manager doesn't check if directory Packages/Application exists | Robert Lemke | Package | 1.0 alpha 12 | |
| 9360 | TYPO3.Flow | Bug | Resolved | Should have | ObjectSerializer does not detect recursion in object references | Robert Lemke | Object | 1.0 alpha 11 | |
| 9323 | TYPO3.ExtJS | Bug | Resolved | Should have | Number of arguments of ExtDirect provider actions are registered incorrectly | Robert Lemke | ExtDirect | | |
| 9279 | TYPO3.ExtJS | Bug | Resolved | Should have | Optional arguments are not supported | Robert Lemke | ExtDirect | | |
| 8061 | TYPO3.Welcome | Bug | Resolved | Should have | Wrong directory case for resources | Karsten Dambekalns | | 1.0 alpha 13 | |
| 7831 | TYPO3.Flow | Bug | Resolved | Should have | Router interprets negative integer values of a match result as "matched" | Robert Lemke | MVC | 1.0 alpha 9 | |
| 7820 | TYPO3.Flow | Bug | Resolved | Should have | Configuration Manager doesn't properly check for existence of uriPattern | Robert Lemke | Configuration | 1.0 alpha 9 | |
| 7687 | TYPO3.Flow | Bug | Resolved | Should have | ObjectAccess doesn't allow numeric indexes for arrays | Robert Lemke | Reflection | 1.0 alpha 9 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------|-------------|----------------------------------------------------------------------------------------------|--------------------|---------------|----------------|-----------|
| 7286 | TYPO3.Flow | Bug | Resolved | Must have | Undefined FLOW3 root path does not issue an error in CLI mode | Robert Lemke | Core | 1.0 alpha 8 | |
| 7199 | TYPO3.Flow | Bug | Resolved | Should have | Persistence Manager retrieves repository objects by class name instead of object name | Robert Lemke | Persistence | 1.0 alpha 8 | |
| 7198 | TYPO3.Flow | Bug | Resolved | Should have | Reflection Service should ignore leading backslashes in class names | Robert Lemke | Reflection | 1.0 alpha 8 | |
| 7068 | TYPO3.Fluid | Bug | Resolved | Should have | SelectViewHelper does not support SplObjectStorage as option | Robert Lemke | ViewHelpers | 1.0.0 alpha 8 | |
| 6992 | TYPO3.Flow | Bug | Resolved | Must have | ValidatorResolver does not build certain validators | Robert Lemke | Validation | 1.0 alpha 8 | |
| 6902 | TYPO3.Flow | Bug | Resolved | Should have | \$objectName is not meaningful enough in serializeObjectAsPropertyArray() | Karsten Dambekalns | Object | 1.0 alpha 8 | |
| 6846 | TYPO3.Flow | Bug | Resolved | Should have | The static object container is not rebuilt automatically if the FLOW3 revision changed | Robert Lemke | Core | 1.0 alpha 8 | |
| 6787 | TYPO3.Flow | Bug | Resolved | Must have | New accounts cannot be persisted and existing accounts cannot be found | Robert Lemke | Security | 1.0 alpha 8 | |
| 6773 | TYPO3.Flow | Bug | Resolved | Should have | Debug Exception Handler does not escape characters in exception message | Robert Lemke | Error | 1.0 alpha 8 | |
| 6647 | TYPO3.Flow | Bug | Resolved | Should have | ObjectAccess doesn't know that is*() is also a possible getter method name | Robert Lemke | Reflection | 1.0 alpha 8 | |
| 6596 | TYPO3.Flow | Bug | Resolved | Should have | Environment variables (context, rewrite urls, ...) are not recognized with FCGI + Apache | Robert Lemke | Core | 1.0 alpha 8 | |
| 6529 | TYPO3.Flow | Bug | Resolved | Should have | Fully support regular expressions for method names in pointcut expressions | Robert Lemke | AOP | 1.0 alpha 8 | |
| 6315 | TYPO3.Flow | Bug | Resolved | Should have | Input fields with a name attribute with more than 64 characters are ignored | Karsten Dambekalns | Security | 1.0 alpha 11 | |
| 6118 | TYPO3.Flow | Bug | Resolved | Should have | Integer arguments are not validated automatically | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 6092 | TYPO3.Flow | Bug | Resolved | Must have | Resources imported with importResource() are not published | Robert Lemke | Resource | 1.0 alpha 7 | |
| 6003 | TYPO3.Fluid | Bug | Resolved | Should have | ObjectAccessorNode::evaluate calls ObjectAccessor even if variable is not an object or array | Robert Lemke | Core | 1.0.0 alpha 7 | |
| 5833 | TYPO3.Kickstart | Bug | Resolved | Should have | Inflection viewhelper doesn't work anymore | Karsten Dambekalns | | 1.0.0 alpha 7 | |
| 5576 | TYPO3.Flow | Bug | Resolved | Must have | Cache Manager receives bloated configuration array | Robert Lemke | Configuration | 1.0 alpha 7 | |
| 4952 | TYPO3.Flow | Bug | Resolved | Should have | Reflection cache of subclasses are not flushed if parent classes change | Robert Lemke | Reflection | 1.0 alpha 6 | |
| 4454 | TYPO3.Flow | Bug | Resolved | Must have | FileMonitor does not detect new files | Robert Lemke | Monitor | 1.0 alpha 4 | |
| 4407 | TYPO3.Flow | Bug | Resolved | Should have | flow3 script cannot flush caches | Robert Lemke | Cache | 1.0 beta 1 | |
| 4280 | TYPO3.Welcome | Bug | Resolved | Should have | Welcome screen should warn if context != Development | Karsten Dambekalns | | 1.0.0 alpha 4 | |
| 4170 | TYPO3.Fluid | Bug | Resolved | Must have | Form Viewhelper creates hidden identity field even for new objects | Robert Lemke | ViewHelpers | 1.0.0 alpha 3 | |
| 4168 | TYPO3.Flow | Bug | Resolved | Must have | Rules added with @validate will replace existing validation rules | Robert Lemke | MVC | 1.0 alpha 3 | |
| 4118 | TYPO3.Flow | Bug | Resolved | Must have | Package Manager does not clear the code cache on activating / deactivating packages | Robert Lemke | Package | 1.0 beta 1 | |
| 4085 | TYPO3.Flow | Bug | Resolved | Must have | Package Manager does not ignore files in directory Packages/ | Robert Lemke | Package | 1.0 alpha 3 | |
| 4082 | TYPO3.Flow | Bug | Resolved | Must have | FLOW3 uses wrong Packages path via CLI if directories are symlinked | Robert Lemke | Core | 1.0 alpha 3 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------|-------------|----------------------------------------------------------------------------------------------------------|---------------------|-----------------------------|----------------|-----------|
| 3977 | TYPO3.Flow | Bug | Rejected | Should have | TextValidator is insecure | | Validation | | No |
| 3837 | TYPO3.Flow | Bug | Resolved | Must have | Objects added to a repository are not found if repository doesn't follow naming conventions | Karsten Dambekalns | Persistence | 1.0 alpha 3 | |
| 3733 | TYPO3.Flow | Bug | Resolved | Should have | Site should be unlocked by Exception Handler | Robert Lemke | Core | 1.0 alpha 2 | |
| 3730 | TYPO3.Flow | Bug | Resolved | Should have | Signal Slot Dispatcher does not check if slot class is a registered object | Robert Lemke | SignalSlot | 1.0 alpha 2 | |
| 3513 | TYPO3.Flow | Bug | Resolved | Must have | Created logfiles are read-only for either command line user or web user | Robert Lemke | Log | 1.0 alpha 1 | |
| 3488 | TYPO3.Flow | Bug | Resolved | Must have | Parameters of actions which have a name containing uppercase characters are not automatically registered | | MVC | 1.0 alpha 1 | |
| 3480 | TYPO3.Fluid | Bug | Resolved | Must have | SelectViewHelper creates multiple select field by default | Sebastian Kurfuerst | ViewHelpers | 1.0.0 alpha 1 | |
| 3477 | TYPO3.Flow | Bug | Resolved | Must have | Objects added to a (persistence) repository don't have have a uuid | Karsten Dambekalns | Persistence | 1.0 alpha 1 | |
| 3375 | TYPO3.Flow | Bug | Resolved | Must have | PATH_INFO is empty using fastcgi / Windows | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 3278 | TYPO3.Flow | Bug | Resolved | Must have | Resource manager doesn't publish files without extension | Karsten Dambekalns | Utility | 1.0 alpha 5 | |
| 3275 | TYPO3.Flow | Bug | Resolved | Must have | ValidatorResolver can't parse validator arguments containing round brackets | Karsten Dambekalns | Validation | 1.0 alpha 2 | |
| 3240 | TYPO3.Flow | Bug | Resolved | Must have | AOP cache is not emptied if class file is deleted | Robert Lemke | Monitor | 1.0 alpha 2 | |
| 3152 | TYPO3.Flow | Bug | Resolved | Must have | The Reflection does not recognize changes in class files | Robert Lemke | Reflection | 1.0 alpha 1 | |
| 3034 | TYPO3.Flow | Bug | Resolved | Should have | The Resolve Handler Resolver doesn't check if potential resolve handlers are registered objects | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2974 | TYPO3.Flow | Bug | New | Must have | Aspect / Proxy Cache is not emptied automatically if an interface used for introduction was modified | Robert Lemke | AOP | | |
| 2601 | TYPO3.Flow | Bug | Resolved | Must have | canProcessRequest doesn't accept mocked requests | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2558 | TYPO3.Flow | Bug | Closed | Must have | Property Injection doesn't work with subclasses | Karsten Dambekalns | Object | 1.0 alpha 1 | |
| 2557 | TYPO3.Flow | Bug | Resolved | Must have | Links rendered by the Router ignore application context | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2158 | TYPO3.Flow | Bug | Resolved | Must have | flushByTag() does not check tags for validity | Robert Lemke | Cache | | |
| 1456 | TYPO3.Flow | Bug | Resolved | Should have | Empty array causes PDO exception if not documented as @reference | Karsten Dambekalns | Persistence | | |
| 1278 | TYPO3.Flow | Bug | Resolved | Must have | Router matches static route parts even on substrings | Bastian Waidelich | MVC | | |
| 1265 | forge.typo3.org | Bug | Closed | Should have | Right-click on issue list does not work anymore | | Development | | |
| 1245 | DEV3 | Bug | New | Must have | TypoScript Editor / Mac: Unsupported Class Version Error | Sebastian Böttger | TYPO3 4.x TypoScript Editor | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------|----------|-------------|-------------------------------------------------------------------------------------------------------|----------------------|-----------------------|------------------------------|-----------|
| 880 | TYPO3.Flow | Bug | Resolved | Must have | F3_FLOW3_MVC_Controller_ArgumentsValidator is untested | Robert Lemke | MVC | 1.0 alpha 1 | |
| 879 | TYPO3.Flow | Bug | Closed | Could have | setValidator et al. are misleading method names | Andreas Förthner | MVC | | |
| 586 | forge.typo3.org | Bug | Closed | Should have | Screen viewport jumps when clicking on "update" (for example) | Sebastian Kurfuerst | Development | 0.5 - Usability Improvements | |
| 486 | TYPO3.Flow | Bug | Resolved | Should have | Configuration from Components.php is not merged among different packages | Robert Lemke | Object | | |
| 426 | flow3.typo3.org | Bug | Rejected | Could have | Content is (almost) completely invisible in IE6 | Karsten Dambekalns | HTML / CSS | | |
| 370 | TYPO3.Flow | Bug | Resolved | Should have | T3_FLOW3_Reflection_Class->getProperty() does not return FLOW3s property reflection | Robert Lemke | Reflection | | |
| 314 | TYPO3.Flow | Bug | Resolved | Should have | Improve directory structure and naming for views in a package | Robert Lemke | MVC | | |
| 266 | TYPO3.Flow | Bug | Resolved | Should have | Proxied classes loose annotation information | Robert Lemke | AOP | | |
| 263 | TYPO3.Flow | Bug | Resolved | Should have | Object Builder injects constructor arguments of previous builds if no arguments are passed explicitly | Robert Lemke | Object | | |
| 261 | forge.typo3.org | Bug | Closed | Should have | Font size of code in DIFF view is too big | Sebastian Kurfuerst | Development | 0.2 | |
| 222 | TYPO3.Flow | Bug | Resolved | Should have | Logger test should use a mock instead of file or write the file to FileCache | Robert Lemke | Log | | |
| 172 | flow3.typo3.org | Bug | Resolved | Should have | Styles for news list view on front page need brush up | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 168 | flow3.typo3.org | Bug | Resolved | Should have | "Frame1" style is not consistent depending on content | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 166 | flow3.typo3.org | Bug | Resolved | Should have | Documentation: Content grows below footer line if images exist | Karsten Dambekalns | HTML / CSS | | |
| 164 | flow3.typo3.org | Bug | Resolved | Should have | h1 in column 3 is too wide | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 158 | forge.typo3.org | Bug | Closed | Should have | SVN History seems to be gone | Sebastian Kurfuerst | Server Administration | 0.2 | |
| 154 | flow3.typo3.org | Bug | Resolved | Should have | Layout / floating of feature box is broken in Safari | Christian Jul Jensen | HTML / CSS | 1.0.0 | |
| 152 | flow3.typo3.org | Bug | Resolved | Should have | Image links in documentation are broken | Robert Lemke | TS / Extensions | 1.0.0 | |
| 128 | flow3.typo3.org | Bug | Rejected | Should have | Code snippets (PRE) in the documentation destroy column layout | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 127 | flow3.typo3.org | Bug | Resolved | Should have | Underlined links necessary in navigation? | Søren Vedel | Design | 1.0.0 | |
| 126 | flow3.typo3.org | Bug | Resolved | Should have | Link color and bullets are undefined in right bar | | HTML / CSS | 1.0.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------|----------|-------------|---------------------------------------------------------------------------------------|----------------------|-----------------|----------------|-----------|
| 125 | flow3.typo3.org | Bug | Rejected | Should have | Content positioning of documentation is wrong | Christian Jul Jensen | HTML / CSS | 1.0.0 | |
| 124 | flow3.typo3.org | Bug | Resolved | Must have | Adjust feature title / description | Søren Vedel | HTML / CSS | 1.0.0 | |
| 123 | flow3.typo3.org | Bug | Resolved | Should have | Footer copyright year is wrong | Søren Vedel | TS / Extensions | 1.0.0 | |
| 114 | forge.typo3.org | Bug | Closed | Should have | SSO adaptor crops lastname if middle name exists | Robert Lemke | Development | 0.1 | |
| 113 | forge.typo3.org | Bug | Closed | Should have | Orange navigation bar is collapsed when empty | Sebastian Kurfuerst | Development | 0.1 | |
| 111 | forge.typo3.org | Bug | Closed | Should have | Project title looks a bit ugly and is not aligned | Sebastian Kurfuerst | Development | 0.1 | |
| 103 | forge.typo3.org | Bug | Closed | Should have | Assign tickets from "Packages" to the project they belong to | Robert Lemke | Content | 0.1 | |
| 98 | forge.typo3.org | Bug | Closed | Should have | The old 5-0.dev.typo3.org https certificate is used | Karsten Dambekalns | | 0.1 | |
| 97 | forge.typo3.org | Bug | Closed | Should have | CSS: Links are not visible | Martin Brüggemann | Development | 0.1 | |
| 89 | TYPO3.Flow | Bug | Resolved | Should have | Create proper exceptions for the Utility subpackage | Robert Lemke | Utility | | |
| 83 | PHPCR | Bug | Closed | Must have | phpCR tests need cleanup | Karsten Dambekalns | | | |
| 76 | TYPO3.Flow | Bug | Closed | Should have | Rename test methods, add @test annotation, extend base class | | | | |
| 73 | TYPO3.Flow | Bug | Closed | Should have | Fix MVC CLI Request Handler / -Builder | Andreas Förthner | MVC | 0.1 | |
| 60 | TYPO3.Flow | Bug | Closed | Should have | Problems with constructor arguments and DI in non-adviced constructor interceptors | Robert Lemke | Object | 0.1 | |
| 58 | TYPO3.Flow | Bug | Closed | Should have | Create support for "Component Manager aware" components | Robert Lemke | Object | 0.1 | |
| 53 | Testing | Bug | Closed | Should have | TestRunner throws ReflectionException (PHP6) | Robert Lemke | | | |
| 52 | TYPO3.Flow | Bug | Closed | Should have | T3P_Framework_AOP_Pointcut: too many recursions | Robert Lemke | AOP | 0.1 | |
| 51 | TYPO3.Flow | Bug | Closed | Should have | Two tests for AOP introductions fail | Robert Lemke | AOP | 0.1 | |
| 49 | PHPCR | Bug | Closed | Must have | Fix comments and clean up code in phpCR tests | Karsten Dambekalns | | | |
| 45 | TYPO3.Flow | Bug | Closed | Should have | Core ComponentObjectBuilder: Create test for different types of constructor arguments | Robert Lemke | Object | 0.1 | |
| 44 | TYPO3.Flow | Bug | Closed | Should have | Fix injection of straight values with Setter Injection | Robert Lemke | Object | 0.1 | |
| 41 | TYPO3.Flow | Bug | Closed | Should have | Custom autoloaders are registered too late | Robert Lemke | Package | 0.1 | |
| 29 | TYPO3.Flow | Bug | Closed | Should have | Class files in sub directories are not loaded | Robert Lemke | Package | 0.1 | |
| 25 | Testing | Bug | Closed | Should have | Sometimes tests fail but the fail message is not displayed | Karsten Dambekalns | | | |
| 22 | TYPO3.Flow | Bug | Closed | Should have | Enhance pointcut expression parser: within() | Robert Lemke | AOP | 0.1 | |
| 21 | TYPO3.Flow | Bug | Closed | Should have | Implement support for pointcut definitions | Robert Lemke | AOP | 0.1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-----------------|---------|--------------|-------------|---------------------------------------------------------------------------|----------------------|-------------|----------------|-----------|
| 20 | TYPO3.Flow | Bug | Closed | Should have | Implement support for introductions / intertype-declarations | Robert Lemke | AOP | 0.1 | |
| 18 | Testing | Bug | Closed | Should have | Test of package Log is not executed although it exists | Sebastian Kurfuerst | | | |
| 17 | TYPO3.Flow | Bug | Closed | Should have | Optimize reflection usage by introducing a cache | Robert Lemke | Reflection | 0.1 | |
| 13 | TYPO3.Flow | Bug | Closed | Should have | Implement support for lifecycle methods | Robert Lemke | Object | 0.1 | |
| 12 | TYPO3.Flow | Bug | Closed | Should have | Add support for autowiring | Robert Lemke | AOP | 0.1 | |
| 9 | TYPO3.Flow | Bug | Closed | Should have | AOP Framework doesn't work at all - invalid type "...BasicClass_AOPProxy" | Robert Lemke | Reflection | 0.1 | |
| 7 | Testing | Bug | Under Review | Should have | Some core tests fail when executed in certain order | Robert Lemke | | | |
| 50637 | TYPO3.Flow | Feature | Resolved | Should have | Allow arbitrary HTTP request methods | Robert Lemke | Http | 2.x | No |
| 49190 | TYPO3.Flow | Feature | Resolved | Should have | Cap amount of entries removed by Session Garbage Collector | Robert Lemke | Session | 2.0 | No |
| 49185 | TYPO3.Flow | Feature | Resolved | Should have | Iterator support for Cache Frontends / Backends | Robert Lemke | Cache | 2.0 | No |
| 47252 | TYPO3.Flow | Feature | Resolved | Must have | Skip CSRF protection and persistence for "safe" request methods | Robert Lemke | MVC | 2.0 | No |
| 44877 | Design Team | Feature | Closed | Should have | Forge banners for Flow and Neos | | | | |
| 44730 | TYPO3.Flow | Feature | Resolved | Should have | Support stream resources as content for HTTP Request | | Http | 2.1 | No |
| 43832 | TYPO3.Flow | Feature | Resolved | Should have | Taggable Sessions | Robert Lemke | Session | 2.0 beta 1 | No |
| 43491 | TYPO3.Flow | Feature | Resolved | Should have | API for touching remote sessions and tagging sessions with account | Robert Lemke | Session | 2.0 beta 1 | No |
| 43376 | TYPO3.Flow | Feature | Resolved | Must have | Remote session management | Robert Lemke | Session | 2.0 beta 1 | No |
| 42761 | TYPO3.Flow | Feature | Resolved | Should have | Let getByTag() return the identifiers, not only the values | Robert Lemke | Cache | 2.0 beta 1 | No |
| 42403 | TYPO3.Flow | Feature | Resolved | Should have | Session handler based on HTTP foundation with multi-backend support | Robert Lemke | Session | 2.0 beta 1 | No |
| 41900 | TYPO3.Flow | Feature | Accepted | Should have | Check for duplicate PSR-0 autoload namespaces | Christian Jul Jensen | Package | | No |
| 41136 | TYPO3.Flow | Feature | Resolved | Should have | Convenience function for registering routes in functional tests | Robert Lemke | - Testing - | 2.0 beta 1 | No |
| 40414 | TYPO3.Flow | Feature | Resolved | Should have | cURL request engine for HTTP browser | Robert Lemke | Http | 2.0 beta 1 | No |
| 39836 | TYPO3.Flow | Feature | Resolved | Must have | Finish implementation of cookie support | Robert Lemke | Http | 1.1 | No |
| 39792 | TYPO3.Flow | Feature | Resolved | Should have | Implement support for localized resources | Karsten Dambekals | l18n | 2.0 beta 1 | No |
| 39790 | TYPO3.Kickstart | Feature | New | Should have | Allow forward slashes where backslashes need to be specified | | | | |
| 37584 | TYPO3.Flow | Feature | Resolved | Should have | Reliable getClientIpAddress() method | Robert Lemke | Http | 1.1 beta 2 | No |
| 37561 | TYPO3.Flow | Feature | Resolved | Should have | Re-implement Accept Header / Content Negotiation support | Robert Lemke | Http | 1.1 beta 2 | No |
| 37376 | TYPO3.Flow | Feature | Resolved | Should have | Application-wide time stamp representing "now" | Robert Lemke | Utility | 1.1 beta 2 | No |
| 36813 | TYPO3.Flow | Feature | Resolved | Should have | Provide function for outputting word wrapped text to the command line | Robert Lemke | Cli | 1.1 beta 1 | No |
| 36565 | TYPO3.Flow | Feature | Resolved | Should have | Provide method for retrieving current HTTP request | Robert Lemke | Http | 1.1 beta 1 | No |
| 35826 | TYPO3.Flow | Feature | Resolved | Should have | Force option for flushing caches in edge cases | Robert Lemke | Cache | 1.1 | No |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-----------------|---------|----------|-------------|---------------------------------------------------------------------|-------------------|-------------------|----------------|-----------|
| 35706 | TYPO3.Flow | Feature | Resolved | Should have | Virtual Browser for Functional Testing | Robert Lemke | Http | 1.1 | No |
| 35243 | TYPO3.Flow | Feature | Resolved | Must have | HTTP 1.1 Support – Foundations | Robert Lemke | Http | 1.1 | No |
| 35135 | TYPO3.Flow | Feature | Resolved | Should have | Provide an inject() convenience method in Base Test Case | Robert Lemke | - Testing - | 1.1 beta 1 | No |
| 35052 | TYPO3.Flow | Feature | Resolved | Should have | Make message origin hint configurable | Robert Lemke | Log | 1.1 beta 1 | No |
| 35034 | TYPO3.Flow | Feature | Resolved | Should have | Automatic session expiration on user inactivity | Robert Lemke | Session | 1.1 beta 1 | No |
| 34900 | TYPO3.Flow | Feature | Resolved | Should have | New role: ANONYMOUS | Andreas Förthner | Security | 1.1 beta 1 | No |
| 34827 | TYPO3.Flow | Feature | Resolved | Should have | Precompiled reflection data for rather static packages | Robert Lemke | Reflection | 1.1 beta 1 | No |
| 33371 | TYPO3.Flow | Feature | Resolved | Must have | HTTP 1.1 Support | Robert Lemke | Http | 1.1 RC1 | No |
| 33112 | TYPO3.Flow | Feature | Resolved | Should have | Create .Shortcuts directory if it is missing | Robert Lemke | Package | 1.1 | No |
| 32398 | TYPO3.Flow | Feature | Resolved | Should have | Freezable Cache Backend | Robert Lemke | Cache | 1.1 beta 1 | No |
| 32333 | TYPO3.Flow | Feature | Resolved | Must have | Modular and configurable bootstrap | Robert Lemke | Core | 1.1 beta 1 | No |
| 30018 | TYPO3.Flow | Feature | Resolved | Should have | For functional tests: provide function for forgetting instances | Robert Lemke | Object | 1.0.0 | |
| 29883 | TYPO3.Kickstart | Feature | Resolved | Should have | Display a hint to update database schema | Robert Lemke | | 1.0.0 | |
| 29558 | Design Team | Feature | Closed | Should have | Create visual for making the "Buy Ticket" link more prominent | Robert Zierhofer | | | |
| 29489 | TYPO3.Flow | Feature | Closed | Should have | Simple remote packages support | Robert Lemke | Package | | No |
| 29476 | TYPO3.Flow | Feature | New | Should have | Provider rendering time and query count for request | | | | |
| 28652 | TYPO3.Flow | Feature | Resolved | Should have | Exit code support for command-line responses | Robert Lemke | MVC | 1.0 beta 1 | |
| 27563 | TYPO3.Flow | Feature | Resolved | Should have | Implement simple argument support for CommandController | | MVC | 1.0 beta 1 | |
| 27491 | TYPO3.Flow | Feature | Resolved | Must have | Support per-package Doctrine migrations | Karsten Dambekals | Persistence | 1.0 beta 1 | |
| 27490 | TYPO3.Flow | Feature | Resolved | Must have | Vendor Namespaces Support | Robert Lemke | Object | 1.0 beta 1 | |
| 27417 | TYPO3.Flow | Feature | Resolved | Should have | DateTime conversion support | Bastian Waidelich | Property | 1.0 beta 1 | |
| 26785 | TYPO3.Flow | Feature | Resolved | Should have | Doctrine Query Execution Commands | Karsten Dambekals | Persistence | 1.0 beta 1 | |
| 26783 | TYPO3.Flow | Feature | Rejected | Could have | Support settings via OS Environment | Christian Müller | Configuration | 2.0 beta 1 | No |
| 26358 | TYPO3.Flow | Feature | Resolved | Must have | Initialize sessions only when necessary | Robert Lemke | Session | 1.0.0 | |
| 25882 | TYPO3.Flow | Feature | Resolved | Should have | Dedicated query log | Karsten Dambekals | Persistence | 1.0 beta 1 | |
| 15181 | TYPO3 Core | Feature | Closed | Could have | Make EM unit test aware | | Extension Manager | | |
| 11443 | TYPO3.Flow | Feature | Resolved | Should have | Implement igbinary support | Robert Lemke | Cache | 1.0 alpha 14 | |
| 10680 | TYPO3.Flow | Feature | Resolved | Should have | Implement Content Negotiation Support | Robert Lemke | MVC | 1.0 alpha 13 | |
| 9626 | TYPO3.Flow | Feature | Resolved | Should have | Switch off autowiring for single methods via @autowiring annotation | Robert Lemke | Object | 1.0 alpha 12 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|------------|---------|----------|-------------|--------------------------------------------------------------------------------------|-------------------|-------------|----------------|-----------|
| 9586 | TYPO3.Flow | Feature | Resolved | Should have | Support @var/@param type "object" | Karsten Dambekals | Persistence | 1.0 alpha 12 | |
| 9536 | TYPO3.Flow | Feature | Resolved | Should have | Improve logging of security related events | Robert Lemke | Security | 1.0 alpha 12 | |
| 9528 | TYPO3.Flow | Feature | Resolved | Should have | Log remote IP address | Robert Lemke | Log | 1.0 alpha 12 | |
| 9456 | TYPO3.Flow | Feature | Resolved | Should have | MVC arguments should be converted to their target type | Robert Lemke | MVC | 1.0 alpha 12 | |
| 9356 | TYPO3.Flow | Feature | Resolved | Could have | Implement getAccount() for the Security Context | Robert Lemke | Security | 1.0 alpha 11 | |
| 9327 | TYPO3.Flow | Feature | Resolved | Should have | Make the resource argument name for REST controllers configurable | Robert Lemke | MVC | 1.0 alpha 11 | |
| 8133 | TYPO3.Flow | Feature | Resolved | Should have | ObjectAccess::setProperty() should support arrays as a subject | Robert Lemke | Reflection | 1.0 alpha 10 | |
| 8088 | TYPO3.Flow | Feature | Resolved | Should have | API method for retrieving the original filename of recently imported resources | Robert Lemke | Resource | 1.0 alpha 10 | |
| 8082 | TYPO3.Flow | Feature | Resolved | Should have | API for accessing persisted resources | Robert Lemke | Resource | 1.0 alpha 10 | |
| 7960 | TYPO3.Flow | Feature | Resolved | Should have | Implement getClassNameByObjectName() | Robert Lemke | Object | 1.0 alpha 9 | |
| 7516 | TYPO3.Flow | Feature | Resolved | Should have | Create encryption hash if none was defined | Karsten Dambekals | Security | 1.0 alpha 10 | |
| 7495 | TYPO3.Flow | Feature | Resolved | Should have | Implement support for persistence of nested arrays | Karsten Dambekals | Persistence | 1.0 alpha 9 | |
| 7474 | TYPO3.Flow | Feature | Resolved | Should have | Implement a "LabelValidator" | Robert Lemke | Validation | 1.0 alpha 9 | |
| 7054 | TYPO3.Flow | Feature | Resolved | Should have | Make salted md5 generation and validation available through an API | Robert Lemke | Security | 1.0 alpha 8 | |
| 6993 | TYPO3.Flow | Feature | Resolved | Should have | Support declaration of additional validation rules by object accessor syntax | Robert Lemke | Validation | 1.0 alpha 8 | |
| 6913 | TYPO3.Flow | Feature | Resolved | Should have | Implement a FLOW3 optimized var_dump function | Karsten Dambekals | Error | 1.0 alpha 8 | |
| 6869 | TYPO3.Flow | Feature | Resolved | Must have | Enable the property mapper to create value objects | Karsten Dambekals | Property | 1.0 alpha 8 | |
| 6868 | TYPO3.Flow | Feature | Resolved | Should have | Classes tagged as value object must have a constructor and no setters | Karsten Dambekals | Reflection | 1.0 alpha 8 | |
| 6781 | TYPO3.Flow | Feature | Resolved | Should have | Implement Swift Mailer integration | Karsten Dambekals | | 1.0 alpha 8 | |
| 6774 | TYPO3.Flow | Feature | Resolved | Should have | Improve error message in Property Mapper if type hint of method parameter is invalid | Robert Lemke | Property | 1.0 alpha 8 | |
| 6712 | TYPO3.Flow | Feature | Accepted | Should have | Implement mixin support | Robert Lemke | AOP | | |
| 6646 | TYPO3.Flow | Feature | Resolved | Should have | Response should send correct content type header if format is rss / atom | Robert Lemke | MVC | 1.0 alpha 8 | |
| 6137 | TYPO3.Flow | Feature | Resolved | Must have | Implement a PHP Code Cache Frontend | Robert Lemke | Cache | 1.0 alpha 8 | |
| 6008 | TYPO3.Flow | Feature | Resolved | Should have | Automatically purge files of removed resources | Karsten Dambekals | Resource | 1.0 alpha 8 | |
| 5998 | TYPO3.Flow | Feature | Resolved | Should have | More flexible subpackage directory structure | Robert Lemke | MVC | 1.0 alpha 7 | |
| 5995 | TYPO3.Flow | Feature | Resolved | Could have | Implicitly call __toString method if action result is an object | Robert Lemke | MVC | 1.0 alpha 7 | |
| 5849 | TYPO3.Flow | Feature | Resolved | Should have | Rebuild proxy classes if security policy changes | Robert Lemke | Monitor | 1.1 beta 1 | No |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-------------|---------|----------|-------------|-------------------------------------------------------------------------|--------------------|---------------|----------------|-----------|
| 5846 | TYPO3.Flow | Feature | Resolved | Should have | Implement Account Factory | Robert Lemke | Security | 1.0 alpha 8 | |
| 5822 | TYPO3.Flow | Feature | Resolved | Must have | Implement proper resource management | Robert Lemke | Resource | 1.0 alpha 7 | |
| 5774 | TYPO3.Flow | Feature | New | Should have | Package Manager should clear all cache entries tagged with %PACKAGE% | | Package | | |
| 5660 | TYPO3.Flow | Feature | Resolved | Must have | Implement support for Object Converters | Robert Lemke | Property | 1.0 alpha 7 | |
| 5612 | TYPO3.Flow | Feature | Resolved | Should have | Property Mapper should be able to map to target if only a setter exists | Karsten Dambekalns | Property | 1.0 alpha 8 | |
| 5577 | TYPO3.Flow | Feature | Resolved | Should have | Implement postprocessing and validation into the configuration manager | Robert Lemke | Configuration | 1.0 alpha 7 | |
| 5481 | TYPO3.Flow | Feature | Resolved | Should have | Implement meaningful logging for security / authentication | Robert Lemke | Security | 1.0 alpha 7 | |
| 5480 | TYPO3.Flow | Feature | Resolved | Should have | JoinPoint should provide a method hasException() | Robert Lemke | AOP | 1.0 alpha 7 | |
| 5446 | TYPO3.Flow | Feature | Resolved | Should have | Implement PDO based Cache Backend | Karsten Dambekalns | Cache | 1.0 alpha 7 | |
| 5442 | TYPO3.Flow | Feature | New | Should have | Destroy session / logout user on deleting an account | Andreas Förthner | Security | | |
| 5068 | TYPO3.Flow | Feature | Resolved | Should have | Implement validation for settings (or configuration in general) | | Configuration | | |
| 4469 | TYPO3.Flow | Feature | Resolved | Should have | Implement a central command line controller | Bastian Waidelich | Core | 1.0 beta 1 | |
| 4445 | TYPO3.Flow | Feature | Resolved | Should have | setfilepermissions.sh should check if parent directories are accessible | Karsten Dambekalns | Core | 1.0 alpha 7 | |
| 4406 | TYPO3.Flow | Feature | Resolved | Must have | Implement caching mechanism for configuration files | Robert Lemke | Configuration | 1.0 alpha 4 | |
| 4333 | TYPO3.Flow | Feature | Resolved | Should have | Implement log rotation | Karsten Dambekalns | Log | 1.0 alpha 5 | |
| 4279 | TYPO3.Flow | Feature | Resolved | Should have | setfilepermissions.sh should give a hint on from where to call it | Karsten Dambekalns | Core | 1.0 alpha 4 | |
| 4221 | TYPO3.Flow | Feature | Resolved | Should have | Implement CLI controller for Cache Manager | Robert Lemke | Cache | 1.0 alpha 3 | |
| 4167 | TYPO3.Flow | Feature | Resolved | Must have | Implement an update() method for the base repository | Robert Lemke | Persistence | 1.0 alpha 3 | |
| 4166 | TYPO3.Flow | Feature | Resolved | Must have | Allow disabling validation for action arguments | Robert Lemke | MVC | 1.0 alpha 3 | |
| 4084 | TYPO3.Flow | Feature | Resolved | Should have | Make the application context accessible by a read-only setting | Robert Lemke | Configuration | 1.0 alpha 3 | |
| 3997 | TYPO3.Fluid | Feature | Resolved | Should have | Enable bulk assignment of template variables | Bastian Waidelich | Core | 1.0.0 alpha 3 | |
| 3990 | TYPO3.Flow | Feature | Resolved | Should have | Allow arbitrary names and locations for "Web" directory | | Core | 1.0 alpha 3 | |
| 3989 | TYPO3.Flow | Feature | Resolved | Should have | Generate PackageStates.yaml if it doesn't exist | Karsten Dambekalns | Package | 1.0 alpha 5 | |
| 3956 | TYPO3.Flow | Feature | Resolved | Could have | Implement a Count Validator | Karsten Dambekalns | Validation | 1.0 alpha 5 | |
| 3950 | TYPO3.Flow | Feature | Resolved | Should have | Package Manager should warn about duplicate packages | Karsten Dambekalns | Package | 1.0 alpha 5 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------------|-------------|-------------------------------------------------------------------------------------------|--------------------|-------------|----------------|-----------|
| 3864 | TYPO3.Flow | Feature | Resolved | Should have | Implement filtering for log messages | Karsten Dambekalns | Log | 1.0 alpha 5 | |
| 3852 | TYPO3.Flow | Feature | Resolved | Should have | Implement removeAll() for Repository | Karsten Dambekalns | Persistence | 1.0 alpha 5 | |
| 3846 | TYPO3.Flow | Feature | Resolved | Should have | Enforce validation before persisting model objects | Karsten Dambekalns | Persistence | 1.0 alpha 8 | |
| 3736 | TYPO3.Flow | Feature | Resolved | Must have | Implement support for Directory status monitoring | Robert Lemke | Monitor | 1.0 alpha 2 | |
| 3650 | TYPO3.Flow | Feature | Resolved | Should have | AOP proxies support classes implementing an interface declaring a __construct() signature | Karsten Dambekalns | AOP | 1.0 alpha 2 | |
| 3649 | TYPO3.Flow | Feature | Resolved | Must have | Caches should be flushed on package version number changes | Robert Lemke | Cache | 1.0 alpha 2 | |
| 3588 | TYPO3.Flow | Feature | Accepted | Should have | Support value objects in the Object Factory | Robert Lemke | Object | | |
| 3587 | TYPO3.Flow | Feature | New | Could have | Enforce validation rules for value objects already in constructor | | Validation | | |
| 3586 | TYPO3.Flow | Feature | Resolved | Could have | Assure that value objects are immutable | Karsten Dambekalns | Persistence | 1.0 alpha 8 | |
| 3581 | TYPO3.Flow | Feature | Resolved | Must have | Site lock / code cache flushing mechanism | Robert Lemke | Cache | 1.0 alpha 2 | |
| 3580 | TYPO3.Flow | Feature | New | Must have | Create an administration panel for the FLOW3 Development context | | MVC | | |
| 3560 | TYPO3.Flow | Feature | Resolved | Should have | Display meaningful error message if temporary path would be too long for OS | Bastian Waidelich | Utility | 1.0 alpha 3 | |
| 3467 | TYPO3.Flow | Feature | Resolved | Could have | Implement meaningful / helpful default view for Production context | Karsten Dambekalns | MVC | 1.0 alpha 5 | |
| 3382 | TYPO3.Flow | Feature | Resolved | Should have | Make Fluid the default templating engine in FLOW3 | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 3376 | TYPO3.Flow | Feature | Resolved | Must have | Implement a more attractive and informative default view | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3312 | TYPO3.Flow | Feature | Needs Feedback | Should have | Allow for easy logging by annotations | Robert Lemke | Log | | |
| 3306 | TYPO3.Flow | Feature | Accepted | Should have | Flush routes cache automatically on class file modifications | Robert Lemke | MVC | | |
| 3305 | TYPO3.Flow | Feature | Accepted | Must have | Unmodified objects retrieved from a repository should not be validated in the controller | Robert Lemke | MVC | | No |
| 3304 | forge.typo3.org | Feature | Closed | Should have | Features for release planning | Robert Lemke | Development | | |
| 3302 | TYPO3.Flow | Feature | Resolved | Must have | Implement a "Controller Context" | Christopher Hlubek | MVC | 1.0 alpha 1 | |
| 3276 | TYPO3.Flow | Feature | Resolved | Should have | Support Conjunction and Disjunction Composite validators | Christopher Hlubek | Validation | 1.0 alpha 1 | |
| 3153 | TYPO3.Flow | Feature | New | Should have | Support of action based filter rules defined by annotation. | | MVC | | |
| 3093 | TYPO3.Flow | Feature | Resolved | Must have | Implement annotation based validation rules for models | Robert Lemke | Validation | 1.0 alpha 1 | |
| 3092 | TYPO3.Flow | Feature | Resolved | Must have | Support annotation-based validation rules in controller actions | Robert Lemke | MVC | 1.0 alpha 1 | |
| 3091 | TYPO3.Flow | Feature | Resolved | Should have | Support new method "initializeXYAction" in controllers | Robert Lemke | MVC | 1.0 alpha 1 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-------------|---------|----------------|-------------|---------------------------------------------------------------------------------|--------------------|-------------|----------------|-----------|
| 2979 | TYPO3.Flow | Feature | Resolved | Must have | Implement replace() method for the base Repository | Robert Lemke | Persistence | 1.0 alpha 1 | |
| 2832 | TYPO3.Flow | Feature | Resolved | Must have | Implement a "(String)Length Validator" | | Validation | 1.0 alpha 1 | |
| 2819 | TYPO3.Flow | Feature | Resolved | Must have | View Helper "Flash Message" | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2818 | TYPO3.Flow | Feature | Closed | Should have | Provide safeguard for preventing multiple submits of a form | | MVC | | |
| 2817 | TYPO3.Flow | Feature | Needs Feedback | Should have | Provide safeguard for preventing multiple submits of a form | | MVC | | No |
| 2816 | TYPO3.Flow | Feature | Resolved | Must have | Implement redirect to action | Karsten Dambekalns | MVC | 1.0 alpha 1 | |
| 2815 | TYPO3.Fluid | Feature | Resolved | Must have | Support for objects as values in hidden fields | Robert Lemke | | 1.0.0 alpha 1 | |
| 2621 | TYPO3.Flow | Feature | Resolved | Must have | Support SPLObjectStorage as container for references to other persisted objects | Karsten Dambekalns | Persistence | 1.0 alpha 1 | |
| 2603 | TYPO3.Flow | Feature | Resolved | Must have | Implement magic findBy*() and findOneBy*() methods in the base repository | Robert Lemke | Persistence | 1.0 alpha 1 | |
| 2602 | TYPO3.Flow | Feature | Resolved | Should have | Automatically render the view if action returns nothing (NULL) | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2506 | TYPO3.Flow | Feature | Resolved | Should have | Automagic action argument registration | Robert Lemke | MVC | 1.0 alpha 1 | |
| 2408 | TYPO3.Flow | Feature | Resolved | Should have | Automatic flushing of object configuration cache | Robert Lemke | Object | 1.0 alpha 1 | |
| 2384 | TYPO3.Flow | Feature | Resolved | Should have | Support for injection of setting values | Robert Lemke | Object | 1.0 alpha 1 | |
| 2365 | TYPO3.Flow | Feature | Resolved | Should have | Support simple comparisons in Setting Pointcutfilter expression | Andreas Förthner | AOP | 1.0 alpha 1 | |
| 2318 | TYPO3.Flow | Feature | Resolved | Must have | Implement point cut designator method TaggedWith() | Robert Lemke | AOP | 1.0 alpha 1 | |
| 2305 | TYPO3.Flow | Feature | Resolved | Should have | Automatic flushing of AOP Proxy Cache | Robert Lemke | AOP | 1.0 alpha 1 | |
| 2297 | TYPO3.Flow | Feature | Resolved | Should have | automagic settings injection | Robert Lemke | Object | 1.0 alpha 1 | |
| 2284 | TYPO3.Flow | Feature | Resolved | Must have | Make Reflection caching more intelligent | Robert Lemke | Reflection | 1.0 alpha 1 | |
| 2110 | TYPO3.Flow | Feature | Resolved | Should have | Add support for custom factories | Robert Lemke | Object | 1.0 alpha 1 | |
| 2109 | TYPO3.Flow | Feature | Resolved | Should have | Support constructor / factory arguments in Objects injection configuration | Robert Lemke | Object | 1.0 alpha 1 | |
| 1787 | TYPO3.Flow | Feature | Resolved | Must have | Improved cache registration | | Cache | 1.0 alpha 1 | |
| 1786 | TYPO3.Flow | Feature | Closed | Must have | findByTag support for the cache frontend | Karsten Dambekalns | Cache | | |
| 1785 | TYPO3.Flow | Feature | New | Must have | Automatic garbage collection for expired cache entries | | Cache | | |
| 1634 | TYPO3.Flow | Feature | Resolved | Should have | Allow omitting the @reference annotation for object properties | Karsten Dambekalns | Persistence | | |
| 1543 | TYPO3.Flow | Feature | Resolved | Must have | Support 1-1 object references | Karsten Dambekalns | Persistence | | |
| 1513 | TYPO3.Flow | Feature | Resolved | Should have | Add magic call method to the Empty View | Robert Lemke | MVC | | |
| 1511 | TYPO3.Flow | Feature | Resolved | Must have | Create a "Not Found" Controller | Robert Lemke | MVC | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|-----------------|---------|----------|----------------------|-----------------------------------------------------------------------------------------------------------|----------------------|-----------------------|----------------|-----------|
| 1235 | TYPO3.Flow | Feature | Closed | Should have | Check if mod_rewrite is enabled | Karsten Dambekalns | | | |
| 764 | TYPO3.Flow | Feature | Resolved | Could have | Implement tagging support for Memcache backend | Karsten Dambekalns | Cache | | |
| 718 | TYPO3.Flow | Feature | Closed | Could have | make docCommentParser static | Robert Lemke | Reflection | | |
| 515 | forge.typo3.org | Feature | Closed | Won't have this time | Display CLA signiation status in user details | Sebastian Kurfuerst | Development | | |
| 514 | forge.typo3.org | Feature | Closed | Should have | Add a property for projects: "Requires signed CLA" | Michael Stucki | Development | | |
| 472 | forge.typo3.org | Feature | Closed | Should have | Add CLA flag to user details | Martin Brüggemann | Development | | |
| 459 | TYPO3.Flow | Feature | Closed | Should have | Implement dependency injection via abstract factory methods | Robert Lemke | Object | | |
| 442 | TYPO3.Flow | Feature | Resolved | Should have | Cache Backend for Memcached | Christian Jul Jensen | Cache | | |
| 441 | TYPO3.Flow | Feature | Resolved | Should have | Extract component configuration modifications from AOP Framework initialize method | Robert Lemke | AOP | 1.0 alpha 1 | |
| 424 | TYPO3.Flow | Feature | Resolved | Should have | Refactoring: Rename Components.ini to Components.php and transfer responsibility to configuration manager | Robert Lemke | Configuration | | |
| 408 | TYPO3.Flow | Feature | Resolved | Should have | Implement getAdvisedMethodsInformation...() for the AOP Framework | Robert Lemke | AOP | | |
| 407 | TYPO3.Flow | Feature | Resolved | Should have | Implement getAspectContainers() for the AOP Framework | Robert Lemke | AOP | | |
| 371 | Testing | Feature | Resolved | Should have | Improve speed and memory usage of unit test | Karsten Dambekalns | | | |
| 369 | TYPO3.Flow | Feature | Resolved | Must have | Replace path constants by resource manager calls | Robert Lemke | Resource | | |
| 342 | TYPO3.Flow | Feature | Resolved | Must have | Support for file uploads | Robert Lemke | MVC | 1.0 alpha 7 | |
| 341 | TYPO3.Flow | Feature | Closed | Should have | Define a router interface and Implement a rewrite router | Robert Lemke | MVC | | |
| 339 | TYPO3.Flow | Feature | Closed | Should have | Improve the Components.ini format | Robert Lemke | Object | | |
| 324 | TYPO3.Flow | Feature | Resolved | Should have | Add support for "required" dependencies via setter injection | Robert Lemke | Object | | |
| 319 | TYPO3.Flow | Feature | Resolved | Should have | Support setter injection without configuration through "inject" methods | Robert Lemke | Object | | |
| 316 | flow3.typo3.org | Feature | Closed | Should have | API documentation needs to be updated automatically | Karsten Dambekalns | Server Administration | | |
| 315 | TYPO3.Flow | Feature | Resolved | Must have | Add "format" support to the Request object | Robert Lemke | MVC | 1.0 alpha 11 | |
| 310 | TYPO3.Flow | Feature | Resolved | Should have | Find a way to simplify setter injection in ActionController (and elsewhere) | Robert Lemke | MVC | | |
| 169 | flow3.typo3.org | Feature | Resolved | Should have | We need a style for h2 | Karsten Dambekalns | HTML / CSS | 1.0.0 | |
| 165 | flow3.typo3.org | Feature | Resolved | Should have | Page "Documentation" has no content yet | | Content | 1.0.0 | |
| 159 | flow3.typo3.org | Feature | Resolved | Should have | Install and configure the news plugin | Sebastian Kurfuerst | TS / Extensions | 1.0.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-----|-----------------|---------|----------|-------------|--------------------------------------------------------------------------------------------------|----------------------|-----------------|----------------|-----------|
| 157 | forge.typo3.org | Feature | Closed | Should have | SVN passwords are set to typo3.org password via SSO | Robert Lemke | Development | 0.1 | |
| 153 | flow3.typo3.org | Feature | Closed | Should have | Feature photos need to be replaced by real photos | Robert Lemke | Content | 1.0.0 | |
| 122 | flow3.typo3.org | Feature | Resolved | Should have | Enable RealURL | Sebastian Kurfuerst | TS / Extensions | 1.0.0 | |
| 116 | TYPO3.Flow | Feature | Resolved | Must have | Package Manager provides CLI access | Christopher Hlubek | Package | 1.0 alpha 1 | |
| 109 | forge.typo3.org | Feature | Closed | Should have | Create a script which renames the usernames in an existing SVN repository | Sebastian Kurfuerst | Development | 0.1 | |
| 108 | forge.typo3.org | Feature | Closed | Should have | Continuous Integration Sandbox in its own VM | Sebastian Kurfuerst | Research | 0.8 - CI | |
| 107 | forge.typo3.org | Feature | Closed | Should have | Create a new SVN structure for svn.typo3.org | Karsten Dambekalns | Research | 0.1 | |
| 106 | forge.typo3.org | Feature | Closed | Should have | Check if and how Apache supports external scripts for authentication | Sebastian Kurfuerst | Research | 0.2 | |
| 102 | forge.typo3.org | Feature | Closed | Must have | Each project can display its API documentation in an "API" tab by using a custom Redmine module. | Martin Brüggemann | Development | 0.2 | |
| 91 | TYPO3.Flow | Feature | Closed | Should have | Check how eAccelerator can be supported | Robert Lemke | | | |
| 90 | TYPO3.Flow | Feature | Closed | Could have | Add PHP dependency support | Christian Jul Jensen | Package | | No |
| 88 | TYPO3.Flow | Feature | Resolved | Should have | Add forwarding support to MVC controller | Robert Lemke | MVC | | |
| 87 | TYPO3.Flow | Feature | Resolved | Should have | Add fallback for servers without mod_rewrite / .htaccess support | Karsten Dambekalns | MVC | 1.0 alpha 5 | |
| 81 | Testing | Feature | Resolved | Must have | Improve component manager separation in Base Test Case | Karsten Dambekalns | | | |
| 75 | TYPO3.Flow | Feature | Resolved | Should have | Move T3_Framework_MVC_URI to a more fitting subpackage | Robert Lemke | MVC | | |
| 74 | TYPO3.Flow | Feature | Resolved | Should have | Request Builder doesn't convert POST arguments into Request arguments | Robert Lemke | MVC | | |
| 72 | TYPO3.Flow | Feature | Closed | Should have | Fix @package and @subpackage annotation in all Framework classes | Robert Lemke | | 0.1 | |
| 71 | TYPO3.Flow | Feature | Resolved | Should have | Add Validators for generic base types | Andreas Förthner | Validation | | |
| 70 | TYPO3.Flow | Feature | Resolved | Should have | Implement a Validator Resolver | Andreas Förthner | Validation | | |
| 69 | TYPO3.Flow | Feature | Resolved | Should have | Add validation to the PropertyMapper | Andreas Förthner | Property | | |
| 68 | TYPO3.Flow | Feature | Resolved | Must have | Add validateProperty() to the Validator interface | Andreas Förthner | Validation | | |
| 67 | TYPO3.Flow | Feature | Resolved | Should have | Refine the generic "Error" class | Andreas Förthner | Error | | |
| 66 | TYPO3.Flow | Feature | Resolved | Should have | Add the feature "Mapping Results" to the Property Mapper | Andreas Förthner | Property | | |
| 65 | TYPO3.Flow | Feature | Resolved | Should have | Move "Validation" to its own subpackage | Andreas Förthner | Validation | | |
| 59 | Testing | Feature | New | Should have | Implement MVC pattern for TestRunner | Robert Lemke | | 1.0.0 | |
| 47 | TYPO3.Flow | Feature | Resolved | Should have | Implement pointcut designator for annotations | Robert Lemke | AOP | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|------|------------|---------------|----------|-------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|----------------|-----------|
| 46 | TYPO3.Flow | Feature | Resolved | Must have | Implement After Advice | Andreas Förthner | AOP | 1.0 alpha 1 | |
| 40 | TYPO3.Flow | Feature | Closed | Should have | Check all classes for Array type hinting | Robert Lemke | | 0.1 | |
| 37 | TYPO3.Flow | Feature | Closed | Should have | AOP: Test introducing multiple interfaces | Robert Lemke | AOP | 0.1 | |
| 36 | TYPO3.Flow | Feature | Resolved | Must have | Add automatic documentation in AOP proxy classes | Robert Lemke | AOP | | |
| 35 | TYPO3.Flow | Feature | Closed | Should have | Refactor T3P_Core_AOPFramework: Extract build methods | Robert Lemke | AOP | 0.1 | |
| 32 | TYPO3.Flow | Feature | Resolved | Should have | Design and implement a configuration manager | | | | |
| 30 | TYPO3.Flow | Feature | Closed | Should have | Add feature to detect circular pointcut references | Robert Lemke | AOP | 0.1 | |
| 28 | TYPO3.Flow | Feature | Closed | Should have | Add support for argument modifiers in pointcut expressions | Robert Lemke | AOP | 0.1 | |
| 27 | TYPO3.Flow | Feature | Closed | Should have | Add support for visibility modifier in pointcut expressions | Robert Lemke | AOP | 0.1 | |
| 23 | TYPO3.Flow | Feature | Resolved | Should have | Implement "context" support | Robert Lemke | | | |
| 19 | TYPO3.Flow | Feature | Closed | Should have | Add a feature for replacing "new" with "getComponent" in php source files | Robert Lemke | Object | | |
| 16 | Testing | Feature | Closed | Must have | Add feature for running single tests | | | | |
| 15 | Testing | Feature | Closed | Should have | Test selector should contain the last selected test after run | Sebastian Kurfuerst | | | |
| 14 | TYPO3.Flow | Feature | Resolved | Should have | Define the packageInfo.xml format | | Package | | |
| 11 | TYPO3.Flow | Feature | Closed | Should have | Add wildcard support for components in Components.ini | Robert Lemke | Object | | |
| 10 | TYPO3.Flow | Feature | Closed | Should have | Register component types automatically from interfaces | Robert Lemke | Object | 0.1 | |
| 8 | TYPO3.Flow | Feature | Closed | Should have | T3P_Core_PackageConfFileComponentsConfigurationSourceTest->test_getComponent tConfigurations_matchesFixutreOfTestPackage always fails | Robert Lemke | Package | 0.1 | |
| 6 | Testing | Feature | Closed | Should have | Tests have different results with different file systems | Robert Lemke | | | |
| 5659 | TYPO3.Flow | Major Feature | Resolved | Must have | Implement content security | Andreas Förthner | Security | | |
| 3585 | TYPO3.Flow | Major Feature | New | Should have | Implement support for value objects | | | | No |
| 410 | TYPO3.Flow | Major Feature | Resolved | Should have | A simple and robust configuration system | | | | |
| 374 | TYPO3.Flow | Major Feature | Closed | Should have | Speed | | | | |
| 368 | TYPO3.Flow | Major Feature | Closed | Should have | Caching Manager with support for different kinds of caches and stores. | | | | |
| 345 | TYPO3.Flow | Major Feature | Closed | Should have | An initial implementation of the Resource Manager | Karsten Dambekalns | Resource | | |
| 340 | TYPO3.Flow | Major Feature | Closed | Should have | The MVC framework provides a default rewriting router and an interface for custom routers | | | | |
| 321 | TYPO3.Flow | Major Feature | Closed | Should have | The MVC Framework supports RESTful URLs | | MVC | | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|-------------------|---------------|----------|-------------|---------------------------------------------------------------------------------------------|---------------------|-----------------------|---------------------|-----------|
| 220 | TYPO3.Flow | Major Feature | Closed | Should have | A basic persistence framework, based on annotations, with the content repository as backend | | Persistence | | |
| 218 | TYPO3.Flow | Major Feature | Closed | Should have | Comprehensive reference documentation for the MVC framework | Robert Lemke | MVC | | |
| 216 | TYPO3.Flow | Major Feature | Resolved | Should have | AOP proxy classes are cached in production mode | | AOP | | |
| 215 | TYPO3.Flow | Major Feature | Resolved | Should have | The MVC Framework can handle, dispatch and forward GET, POST and CLI requests | | MVC | | |
| 42781 | TYPO3.Flow | Task | Rejected | Should have | Introduce global function flow_var_dump() | Robert Lemke | Error | 2.0 beta 1 | No |
| 41877 | Base Distribution | Task | New | Should have | Explore: Find a way to include Neos / Flow news via RSS | | | | |
| 41876 | Base Distribution | Task | New | Should have | Make Neos UI work with Zurb Foundation (for example) | | | | |
| 41316 | Base Distribution | Task | Closed | Should have | Use correct icons for edit options | Sebastian Kurfuerst | Content Editing | Sprint 10 (1.0 TP1) | |
| 41315 | Base Distribution | Task | Closed | Must have | Fix deletion of nodes | Robert Lemke | | Sprint 10 (1.0 TP1) | |
| 41314 | Base Distribution | Task | Closed | Should have | Page tree is off screen (with Zurb foundation) | Sebastian Kurfuerst | Content Editing | Sprint 10 (1.0 TP1) | |
| 41312 | Base Distribution | Task | Closed | Could have | Headline should not support multiple lines | Sebastian Kurfuerst | Content Editing | Sprint 10 (1.0 TP1) | |
| 41168 | Base Distribution | Task | Closed | Should have | Extract content type definitions from TYPO3.TYPO3 package to its own package. | Christian Müller | Content Management | Sprint 10 (1.0 TP1) | |
| 41154 | Base Distribution | Task | Resolved | Should have | As a content editor, I want the Page Tree to hide when I click outside the flyout | Markus Goldbeck | Content Editing | | |
| 41153 | Base Distribution | Task | Closed | Should have | Confirmation dialog: use the same style like in User Administration (see screenshot) | Markus Goldbeck | Content Editing | | |
| 41150 | Base Distribution | Task | Closed | Should have | Prepare logos and other visuals for new name. | | | | |
| 41149 | Base Distribution | Task | Closed | Must have | Add "TYPO3 Phoenix", "Phoenix", "phoenix" etc. everywhere where we expect the new name. | | | | |
| 41145 | Base Distribution | Task | Closed | Should have | Set focus on username field or password field – depending on username parameter | Robert Lemke | Global User Interface | Sprint 10 (1.0 TP1) | |
| 41140 | Base Distribution | Task | New | Could have | Let client redirect to login page if inactivity timeout was reached. | | | | |
| 41139 | Base Distribution | Task | Closed | Should have | Adjust error page (404, ...) to login screen design | Christian Müller | | Sprint 10 (1.0 TP1) | |
| 41040 | Base Distribution | Task | Resolved | Must have | (BREAKING) Rename page.headerData to page.head | Tim Kandel | | 1.0 beta 1 | |
| 41032 | Base Distribution | Task | Closed | Should have | Simplify TypoScript templates for phoenix.typo3.org (namespaces) | | | Sprint 10 (1.0 TP1) | |
| 41005 | Base Distribution | Task | Closed | Should have | Streamline and simplify namespaces in TypoScript | Robert Lemke | Content Rendering | Sprint 10 (1.0 TP1) | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------------------------|---------|----------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------|---------------------|-----------|
| 40985 | Base Distribution | Task | Closed | Should have | Create single issue tickets from walkthrough: https://dl.dropbox.com/u/1418806/PhoenixIssues-20120914.mov | Sebastian Kurfuerst | | Sprint 10 (1.0 TP1) | |
| 40935 | Base Distribution | Task | Closed | Should have | Remove necessity to include the All.ts2 file manually. | Robert Lemke | | Sprint 10 (1.0 TP1) | |
| 40927 | Base Distribution | Task | Closed | Should have | Disable deletion of the currently logged in user. | Rens Admiraal | | Sprint 10 (1.0 TP1) | |
| 40896 | Base Distribution | Task | New | Should have | Fix layout in "create account" setup step | | Setup | Sprint 10 (1.0 TP1) | |
| 40586 | Base Distribution | Task | Closed | Should have | Fix drag and drop positioning: currently the drop marker icon positioning is wrongly calculated due to the "new page" toolbar. | Markus Goldbeck | | Sprint 10 (1.0 TP1) | |
| 40582 | Base Distribution | Task | Closed | Should have | TEST | Robert Lemke | | Sprint 10 (1.0 TP1) | |
| 39793 | Server Team | Task | Closed | Should have | Set up dedicated server for integration sites | Steffen Gebert | | | |
| 39424 | TYPO3.Flow | Task | Resolved | Should have | Write documentation for HTTP framework | Robert Lemke | - Documentation - | 1.1 | No |
| 38944 | TYPO3.Flow | Task | Resolved | Should have | Write chapter about command line interface | Robert Lemke | - Documentation - | 1.1 | No |
| 38863 | flow3.typo3.org | Task | Accepted | Should have | Move FLOW3 Site to TYPO3 server infrastructure | Robert Lemke | Server Administration | 2012 August Release | |
| 37259 | TYPO3.Flow | Task | Resolved | Must have | Improve spec coverage of Request / Response classes | Robert Lemke | Http | 1.1 RC1 | No |
| 36943 | TYPO3.Flow | Task | Resolved | Should have | Catch exceptions in HTTP Browser | Robert Lemke | Http | 1.1 beta 1 | No |
| 36840 | TYPO3.Flow | Task | Accepted | Should have | Improve exception for wrong locales | Karsten Dambekals | l18n | | No |
| 36800 | TYPO3.Flow | Task | Accepted | Should have | Streamline Resource object API | Robert Lemke | Resource | | No |
| 35682 | TYPO3.Flow | Task | Resolved | Should have | Remove Selenium Test Case | Robert Lemke | - Testing - | 1.1 | No |
| 33705 | TYPO3.Flow | Task | Resolved | Should have | Inconsistent spelling of sub package and class names | Robert Lemke | | 1.1 | No |
| 33589 | TYPO3.Flow | Task | Resolved | Should have | Issue warning / error when trying to @inject into private property | Adrian Föder | Object | 1.1 | No |
| 31269 | TYPO3.Flow | Task | Resolved | Should have | Display line number of exception in CLI mode | Robert Lemke | Command | 1.0.1 | No |
| 29903 | Design Team | Task | Closed | Should have | T-Shirt design for special FLOW3 event at T3CON11 | Philipp Randt | | | |
| 29891 | flow3.typo3.org | Task | Resolved | Should have | Solve cufont / Aloha problem | | | 2.0.0 | |
| 29803 | forge.typo3.org | Task | Closed | Must have | Adjust Forge to Vendor Namespaces | | | | |
| 29557 | Design Team | Task | Closed | Should have | Prepare definite FLOW3 logo and color scheme | | | | |
| 29415 | TYPO3 Flow Base Distribution | Task | Resolved | Could have | Remove @license tags and add general license information | Karsten Dambekals | | 1.0.0 | |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------------------------|---------|----------|-------------|-----------------------------------------------------------------------------------------|--------------------|--------------------|--------------------|-----------|
| 29380 | Design Team | Task | Closed | Must have | FLOW3 Banner for typo3.org Slider | Robert Lemke | | | |
| 28132 | TYPO3.Flow | Task | Resolved | Should have | Shallow directory structure for packages | Robert Lemke | Package | 1.0 beta 1 | |
| 27488 | TYPO3 Flow Base Distribution | Task | Closed | Must have | Update documentation for 1.0 beta 1 | | | 1.0 beta 1 | |
| 26676 | Conference Management | Task | Resolved | Must have | Install valid SSL certificate on webserver | Robert Lemke | | Call for Papers | |
| 26675 | Conference Management | Task | Resolved | Must have | Install OpenSSL package for PHP on webserver | Robert Lemke | | Call for Papers | |
| 26547 | Conference Management | Task | Resolved | Should have | Replace TYPO3 logo with T3CON10 Logo | Berit Hlubek | | Site Launch | |
| 26546 | Conference Management | Task | Resolved | Must have | Remove / secure setup controller | Karsten Dambekalns | | Site Launch | |
| 26545 | Conference Management | Task | Resolved | Should have | Integrate GA or Piwik | Karsten Dambekalns | | Site Launch | |
| 26333 | Conference Management | Task | Resolved | Must have | Implement basic cache header support | Robert Lemke | | Site Launch | |
| 26299 | Conference Management | Task | Resolved | Must have | Write / check imprint and privacy statement | Karsten Dambekalns | | Site Launch | |
| 26293 | Conference Management | Task | Resolved | Should have | Implement the T3CON11 logo / design as Fluid / TYPO3 page template | Christopher Hlubek | | Call for Papers | |
| 26290 | Conference Management | Task | Resolved | Must have | Remove the search field | Karsten Dambekalns | | Site Launch | |
| 26288 | Conference Management | Task | Resolved | Should have | Implement sub-active support for menu items | Robert Lemke | | Site Launch | |
| 26286 | Conference Management | Task | Resolved | Must have | Finalize policies for site launch | Andreas Förthner | | Site Launch | |
| 26283 | Conference Management | Task | Resolved | Must have | Adjust layout and style to most recent typo3.org design | Berit Hlubek | | Site Launch | |
| 26129 | TYPO3.Flow | Task | Closed | Should have | Establish simple conventions for qualified and unqualified class names | | | 1.0.0 | |
| 25923 | TYPO3.Flow | Task | Resolved | Should have | Clean up session files in compile run | Christian Müller | Session | 1.1 beta 1 | No |
| 25775 | Conference Management | Task | New | Could have | Create design and markup for 404 page | | | Early Bird Tickets | |
| 13703 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Fix file monitoring / optimize compile step | Robert Lemke | | 1.0 beta 1 | |
| 13702 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Replace remaining uses of objectManager->create() with new and adjust tests accordingly | | | 1.0 beta 1 | |
| 13694 | TYPO3.Flow | Task | Resolved | Should have | Provide good naming conventions for directories in Resources/ | Bastian Waidelich | - Documentati on - | 2.0 | No |

| # | Project | Tracker | Status | Priority | Subject | Assignee | Category | Target version | Has patch |
|-------|------------------------------|---------|----------|-------------|--------------------------------------------------------------------------------------------|--------------------|-------------------|----------------|-----------|
| 13604 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Fix bugs and adjust affected code | Robert Lemke | | 1.0 beta 1 | |
| 13503 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Write policies for TYPO3 package | Andreas Förthner | | 1.0 beta 1 | |
| 12100 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Implement a generic Proxy Builder | Robert Lemke | | 1.0 beta 1 | |
| 12099 | TYPO3 Flow Base Distribution | Task | Resolved | Should have | Check feasibility and create rough concept | Robert Lemke | | 1.0 beta 1 | |
| 9625 | TYPO3.Flow | Task | Resolved | Must have | Remove references of ObjectFactory | Karsten Dambekalns | Object | 1.0 alpha 12 | |
| 9568 | TYPO3.Flow | Task | Resolved | Should have | Improve speed of AOP proxy building / reflection | Robert Lemke | | 1.1 | No |
| 8772 | TYPO3.Flow | Task | Resolved | Should have | Rename the "Locale" sub package to "i18n" | Karol Gusak | I18n | 1.0 alpha 11 | |
| 8063 | TYPO3.Flow | Task | Resolved | Should have | Rename the resource stream wrapper's scheme from "package:/" to "resource:/" | Robert Lemke | Resource | 1.0 alpha 10 | |
| 8056 | TYPO3.Flow | Task | Closed | Should have | Remove configuration option for mirrorMode | Karsten Dambekalns | Resource | | No |
| 7688 | TYPO3.Flow | Task | Resolved | Should have | Don't reflect Exception classes | Robert Lemke | Reflection | 1.0 alpha 9 | |
| 7682 | TYPO3.Flow | Task | Resolved | Should have | Replace generic exceptions by proper exceptions | Karsten Dambekalns | | 1.0 alpha 10 | |
| 7479 | TYPO3.Flow | Task | Resolved | Should have | Move context configuration defaults to package | Robert Lemke | Configuration | 1.0 alpha 9 | |
| 6974 | TYPO3.SwiftMailer | Task | Resolved | Should have | Add Swift Mailer license to the Meta directory | Karsten Dambekalns | | | |
| 6949 | TYPO3.Flow | Task | Resolved | Should have | Rename \F3\FLOW3\MVC\Controller\Context back to \F3\FLOW3\MVC\Controller\ControllerContext | Karsten Dambekalns | MVC | 1.0 alpha 8 | |
| 6564 | TYPO3.Flow | Task | Resolved | Should have | Move the YAML parser from its own package to within FLOW3 | Robert Lemke | Configuration | 1.0 alpha 8 | |
| 6562 | TYPO3.Flow | Task | Resolved | Must have | Make Object Manager API more consistent | Robert Lemke | Object | 1.0 alpha 8 | |
| 6317 | TYPO3.Flow | Task | Resolved | Should have | Replace "Granted Authority" by "Role" | Robert Lemke | Security | 1.0 alpha 8 | |
| 5927 | TYPO3.Flow | Task | Resolved | Must have | Write documentation for Cache Framework | Karsten Dambekalns | - Documentation - | 1.0 beta 1 | |

...