

TYPO3 Core - Feature #17881

Enable stdWrap for select.where

2007-12-03 18:31 - Oliver Hader

Status: Closed	Start date: 2007-12-03
Priority: Should have	Due date:
Assignee: Oliver Hader	% Done: 100%
Category:	Estimated time: 0.00 hour
Target version:	Complexity:
PHP Version: 4.3	Sprint Focus:
Tags:	
Description stdWrap is not possible for select.where. Example: 10 = CONTENT 10 { table = tt_content select.where.data = register:colPos select.where.wrap = colPos= } (issue imported from #M6882)	
Related issues:	
Related to TYPO3 Core - Feature #22338: Added marker in CONTENT object	Closed 2010-03-29
Related to TYPO3 Core - Feature #18822: Add stdWrap to each of the properties...	Closed 2008-05-21

Associated revisions

Revision bc5c229a - 2011-07-16 20:53 - Stefan Neufeind

[FEATURE] Enable stdWrap for select.where

stdWrap was supported at select.andWhere already.

Be careful not to use GPvar with this feature without securing it (e.g. with stdWrap.intval)

Change-Id: I22c0e2c1c49fdd44ab67b823043a2e07f304e8c8

Resolves: #17881

Reviewed-on: <http://review.typo3.org/3337>

Reviewed-by: Susanne Moog

Tested-by: Susanne Moog

History

#1 - 2008-08-11 01:19 - Ronald Steiner

Seems still not to be included in Typo3 Version 4.2.1

or is there a work around, how to solve the above example without stdWrap?

#2 - 2008-08-11 12:05 - Ralf Hettinger

workaround: select.andWhere has stdWrap property

#3 - 2009-02-03 11:08 - Martin Holtz

just for notice, that feature would make it possible to write sql-statements in this way:

```
select.where.cObject = COA
select.where.cObject {
10 = TEXT
10.value = colPos={field:colPos}
20 = TEXT
20.value = AND pid IN ({field:pages})
```

```
stdWrap.insertData = 1
}
```

#4 - 2009-09-28 22:43 - Sebastian Michaelsen

Added a patch for current 4.3 trunk and with warning comments to avoid using GPvars to avoid SQL-Injections

#5 - 2009-09-30 18:31 - Oliver Hader

Thanks Sebastian! However, who is looking into the source code while typing TypoScript? The proper place would be TSref - but then it's still possible to produce insecure settings...

#6 - 2009-10-01 14:42 - Martin Holtz

well, it is possible to produce SQL-Injections right now - use andWhere.stdWrap for proper SQL Injection vulnerability;

perhaps it would make sense to integrate fullQuoteStr as an stdWrap option - than you would not need an userFunction for that

#7 - 2009-10-01 14:51 - Martin Holtz

ok, i opened a ticket for that: [#21169](#)

#8 - 2011-02-20 11:48 - Marc Bastian Heinrichs

Could this be closed because of the markers concept in [#22338](#)?

#9 - 2011-03-11 00:44 - Chris topher

I just wanted to ask the same which Bastian already asked above:

Is this done with [#22338](#)?

#10 - 2011-07-14 13:52 - Xavier Perseguers

- *Category deleted (Communication)*
- *Status changed from Accepted to Needs Feedback*
- *Target version changed from 4.6.0 to 4.6.0-beta1*

#11 - 2011-07-14 22:46 - Stefan Neufeind

Function-wise it can all be done with markers ([#22338](#)), I agree. But having andWhere with stdWrap-support but not where sounds unlogic to me. Markers are imho a "heavy" way to solve even just small problems where somebody might just want to do something simple with an ID or typeNum he got from somewhere it (not GPvar). I like the idea of having where also support stdWrap "to have it clean".

(If there are strong objections, then those people please file another proposal to deprecate andWhere-stdWrap-support :-))

#12 - 2011-07-14 22:54 - Mr. Hudson

Patch set 1 of change I22c0e2c1c49fdd44ab67b823043a2e07f304e8c8 has been pushed to the review server. It is available at <http://review.typo3.org/3337>

#13 - 2011-07-14 22:58 - Mr. Hudson

Patch set 2 of change I22c0e2c1c49fdd44ab67b823043a2e07f304e8c8 has been pushed to the review server. It is available at <http://review.typo3.org/3337>

#14 - 2011-07-16 20:50 - Mr. Hudson

Patch set 3 of change I22c0e2c1c49fdd44ab67b823043a2e07f304e8c8 has been pushed to the review server. It is available at <http://review.typo3.org/3337>

#15 - 2011-07-16 21:00 - Stefan Neufeind

- *Status changed from Needs Feedback to Resolved*
- *% Done changed from 0 to 100*

Applied in changeset [bc5c229aa55fb9cb403c050e3f78739b214eb51f](#).

#16 - 2011-07-16 23:17 - Chris topher

The documentation has been [added to the wiki](#).

#17 - 2012-03-07 13:34 - Xavier Perseguers

- Status changed from Resolved to Closed

#18 - 2013-06-01 14:45 - Ernesto Baschny

- Target version deleted (4.6.0-beta1)

Files

0006882.patch	580 Bytes	2007-12-03	Administrator Admin
v43_0006882.patch	1.06 KB	2009-09-28	Administrator Admin