

## TYPO3 Core - Bug #19580

### Some extensions do not work anymore in the frontend

2008-11-06 15:29 - Oliver Hader

<b>Status:</b>	Closed	<b>Start date:</b>	2008-11-06
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>	Oliver Hader	<b>% Done:</b>	0%
<b>Category:</b>	Communication	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Complexity:</b>	
<b>TYPO3 Version:</b>	4.3	<b>Is Regression:</b>	
<b>PHP Version:</b>	5.2	<b>Sprint Focus:</b>	
<b>Tags:</b>			

#### Description

[TYPO3 4.3-dev only]

Due to a change in [#19510](#) the global includeLibs are not longer used by t3lib\_extMgm - libraries are included only when they are required for rendering the specific data of an accordant plugin.

However, imagine the following situation:

```
plugin.tx_myext_pi1 = USER
plugin.tx_myext_pi1 {
includeLibs = EXT:myext/pi1/class.tx_myext_pi1.php
userFunc = tx_myext_pi1->main
}
page = PAGE
page.10 = USER
page.10.userFunc = tx_myext_pi1->renderHeader
```

This would result in an empty content of the tx\_myext\_pi1 plugin. Formerly the class "tx\_myext\_pi1" was loaded globally and available like this:

```
includeLibs.tx_myext_pi1 = EXT:myext/pi1/class.tx_myext_pi1.php
```

i.e. currently TemplaVoila won't render any content in the front-end - you get an empty page

---

The solution is to automatically search in the plugin structure for the "includeLibs" property and include the required files.

(issue imported from [#M9748](#))

#### Related issues:

Related to TYPO3 Core - Feature <a href="#">#19510</a> : Enable includeLibs also for USER and ...	<b>Closed</b>	<b>2008-10-27</b>
Related to TYPO3 Core - Feature <a href="#">#19503</a> : Implement autoloading for TYPO3	<b>Closed</b>	<b>2008-10-24</b>
Related to TYPO3 Core - Bug <a href="#">#19620</a> : Frontend plugins show PHP error if there ...	<b>Closed</b>	<b>2008-11-17</b>
Related to TYPO3 Core - Bug <a href="#">#20483</a> : Misbehaviours due to integration of autol...	<b>Closed</b>	<b>2009-05-20</b>

#### History

##### #1 - 2008-11-06 20:15 - Ingo Renner

I guess you can leave out the & here:  
\$pluginConfiguration =& \$GLOBALS['TSFE']->tmpl->setup['plugin.'][\$className . '.'];

##### #2 - 2008-11-07 21:01 - Steffen Kamper

wouldn't this collide with the autoloader? I think having the autoloader it's not needed.

##### #3 - 2008-11-12 19:33 - Oliver Hader

Committed to SVN Trunk (rev. 4458)

#### Files

0009748.patch  
0009748\_v2.patch

2.21 KB  
2.1 KB

2008-11-06  
2008-11-12

Administrator Admin  
Administrator Admin