

TYPO3 Flow Base Distribution - Bug #29045

Wakeup of Query sets wrong state if originally no constraint has been set

2011-08-17 17:21 - Ferdinand Kuhl

Status: Resolved	Start date: 2011-08-17
Priority: Should have	Due date:
Assignee:	% Done: 0%
Category:	Estimated time: 0.00 hour
Target version:	
Description	
<p>If I save a Query-Result in a WidgetController and afterwards call <code>\$result->getQuery->execute()</code> I receive an empty result, because of the try-catch block around the execute call which simply returns an empty result in case of an exception.</p> <p>The problem seems to be in the <code>__wakeup()</code> method of <code>\TYPO3\FLOW3\Persistence\Doctrine\Query</code></p> <pre>public function __wakeup() { \$this->queryBuilder->where(\$this->constraint); }</pre> <p>everything works fine, if I inject a condition like this:</p> <pre>public function __wakeup() { if (\$this->constraint) \$this->queryBuilder->where(\$this->constraint); }</pre>	
Related issues:	
Is duplicate of TYPO3.Flow - Bug #28995: Deferred Loading does not work with ...	Resolved 2011-08-16

History

#1 - 2011-08-17 17:39 - Sebastian Kurfuerst

- Status changed from New to Resolved

already resolved. Thanks for reporting and investigating anyways!

Greetings, Sebastian