

TYPO3.Flow - Task #3374

Support dedicated package versions per context

2009-05-19 13:02 - Robert Lemke

Status:	Rejected	Start date:	2009-05-19
Priority:	Could have	Due date:	
Assignee:	Karsten Dambekalns	% Done:	0%
Category:	Package	Estimated time:	0.00 hour
Target version:		Has patch:	No
Sprint:		Complexity:	
PHP Version:			

Description

It should be possible to run different versions of a package depending on the application context. This would allow anyone to test new versions in dev context before staging it to production.

As already discussed, the directory structure should be:

```
/myhome/Packages/Local/Blog/Development/  
/myhome/Packages/Local/Blog/Production/
```

etc.

It should still be possible to have only one version for all contexts:

```
/myhome/Packages/Local/Blog/
```

If there are context specific versions or not can be detected by checking for the existence of the Meta/Package.xml

History

#1 - 2009-06-04 14:57 - Robert Lemke

- Priority changed from *Must have* to *Could have*
- Target version changed from *283* to *1.0 alpha 2*

#2 - 2009-06-26 16:23 - Robert Lemke

- Target version changed from *1.0 alpha 2* to *283*

#3 - 2009-07-13 11:25 - Robert Lemke

- Target version deleted (*283*)

#4 - 2009-11-30 19:13 - Karsten Dambekalns

- Assignee set to *Christopher Hlubek*

#5 - 2009-12-03 23:28 - Christopher Hlubek

- Status changed from *New* to *Accepted*

I think the latest consensus was to allow multiple package versions inside each package directory and specify the activated version in the specific (per context) PackageStates.yml, e.g.:

```
mypath/Packages/Application/Blog/0.2.2/  
mypath/Packages/Application/Blog/0.2.3/
```

and

```
mypath/Configuration/PackageStates.yml
```

```
Blog:  
  state: active
```

version: 0.2.2

An explicit version number would allow for a seamless upgrade of packages, since the old package will run as is until the new package is fully installed and activated in PackageStates.yml.

#6 - 2012-11-07 11:40 - Karsten Dambekalns

- *Status changed from Accepted to Rejected*
- *Assignee changed from Christopher Hlubek to Karsten Dambekalns*
- *Has patch set to No*

This would clash with the way composer manages packages. And in the last years, noone really needed it, or it would have been implemented. ;)