

TYPO3 Core - Bug #35334

Upgrade Wizard does not correctly convert WS states from TYPO3 4.4 -> 4.6

2012-03-28 17:17 - Roland Behme

Status:	Closed	Start date:	2012-03-28
Priority:	Should have	Due date:	
Assignee:		% Done:	0%
Category:	Workspaces	Estimated time:	0.00 hour
Target version:	7 LTS	Complexity:	
TYPO3 Version:	4.6	Is Regression:	No
PHP Version:		Sprint Focus:	
Tags:			

Description

When upgrading a TYPO3 installation from 4.4 to 4.6 some of the content records in workspace remained in a "unknown" state after running the Workspace Upgrade Wizard. The Workspace Module displayed "state not found" for these records.

The output of the Upgrade Wizard was:

Update successful!

```
SELECT COUNT FROM sys_workspace WHERE adminusers != "" AND adminusers NOT LIKE "%be_users%" AND adminusers NOT LIKE "%be_groups%" AND deleted=0
```

```
SELECT uid, adminusers FROM sys_workspace WHERE adminusers != "" AND adminusers NOT LIKE "%be_users%" AND adminusers NOT LIKE "%be_groups%" AND deleted=0
```

```
UPDATE sys_workspace SET adminusers='be_users_36,be_users_41' WHERE uid = 1
```

```
UPDATE sys_workspace SET adminusers='be_users_24,be_users_41' WHERE uid = 3
```

```
UPDATE sys_workspace SET adminusers='be_users_41' WHERE uid = 6
```

```
SELECT COUNT FROM pages WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tt_content WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM pages_language_overlay WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM sys_template WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM backend_layout WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_templavoila_tmplibj WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_templavoila_datastructure WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_aoetemplavoila_category WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_aoetemplavoila_definition WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_aoetemplavoila_contentset WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tt_news WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_mediacorner_category WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_mediacorner_media_element WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_mediacorner_media_rating WHERE t3ver_wsuid=-1
```

```
SELECT COUNT FROM tx_mediacorner_media_comment WHERE t3ver_wsuid=-1
```

```
SELECT * FROM sys_workspace WHERE deleted=0 AND uid NOT IN (1,2,3,4,5,6)
```

I was able to fix this issue by manually running the following SQL-Statement on the database:

```
UPDATE `tt_content` SET t3ver_stage = -10 WHERE t3ver_stage = 10;
```

So it seems the wizard does only look for records in Default Draft Workspace (wsuid = -1), here we used a custom Workspace with uid=1.

History

#1 - 2013-12-10 01:04 - Michael Stucki

- Category set to Workspaces

#2 - 2013-12-10 01:06 - Michael Stucki

- Project changed from 624 to TYPO3 Core

- Category changed from Workspaces to Workspaces

#3 - 2015-01-23 11:33 - Mathias Schreiber

- Target version set to 7.5

#4 - 2015-09-24 12:09 - Benni Mack

- Target version changed from 7.5 to 7 LTS

#5 - 2015-10-07 11:05 - Benni Mack

- Status changed from New to Closed

- Is Regression set to No

As we don't support 4.x anymore, and all code should be fixed by 6.2 and 7 by now, I will close this issue. If you see it differently or still have trouble - let me know via email (benni@typo3.org) and I will re-open the ticket again.