

TYPO3.Flow - Bug #36973

TYPO3\FLOW3\Exception thrown in file Bootstrap.php

2012-05-09 09:18 - devin

Status:	Closed	Start date:	2012-05-09
Priority:	Could have	Due date:	
Assignee:	Karsten Dambekalns	% Done:	0%
Category:	- Error Handler Report -	Estimated time:	0.00 hour
Target version:		Complexity:	easy
PHP Version:			
Has patch:	No		

Description

It seems like the PHP binary "D:\wamp\bin\php\php5.3.8" cannot be executed by FLOW3. Set the correct path to the PHP executable in Configuration/Settings.yaml, setting FLOW3.core.phpBinaryPathAndFilename.

3 TYPO3\FLOW3\Core\Bootstrap::initializeForRuntime()

2 TYPO3\FLOW3\Core\Bootstrap::handleWebRequest()

1 TYPO3\FLOW3\Core\Bootstrap::run()

History

#1 - 2012-05-09 09:23 - devin

I've not added php.exe to that path, but why should i config php.exe, if i don't execute in cli?

#2 - 2012-05-09 10:55 - Alexander Berl

Because FLOW3 still executes a CLI command to build the proxies and caches when needed.

#3 - 2012-05-21 09:54 - Adrian Förder

- Status changed from New to Needs Feedback

#4 - 2012-05-25 14:37 - Karsten Dambekalns

- Status changed from Needs Feedback to Closed

#5 - 2012-05-25 14:37 - Karsten Dambekalns

- Assignee set to Karsten Dambekalns