

TYPO3 Core - Feature #38239

Introduce context based URL processing of FAL resources

2012-06-20 23:36 - Oliver Hader

Status:	Rejected	Start date:	2012-06-20
Priority:	Should have	Due date:	
Assignee:	Oliver Hader	% Done:	0%
Category:	File Abstraction Layer (FAL)	Estimated time:	0.00 hour
Target version:	6.0.0-beta2	Complexity:	
PHP Version:	5.3	Sprint Focus:	
Tags:			
Description			
If one would like to modify an URL of a file that is served by an external FAL storage, this needs to be done for a given rendering context. This change (re-)introduces a hook in tslib_cObj that passes the accordant file and the context TypoScript configuration along.			

History

#1 - 2012-06-20 23:39 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.
It is available at <http://review.typo3.org/12243>

#2 - 2012-07-18 20:26 - Wouter Wolters

This patch is abandoned in Gerrit. Still valid?

#3 - 2012-09-05 10:40 - Steffen Ritter

- Target version changed from 6.0.0-pre-beta1 to 6.0.0-beta2

#4 - 2012-10-10 13:05 - Steffen Ritter

- Status changed from Under Review to Rejected

fixed in [#38821](#)