

## TYPO3.Flow - Feature #40418

### Add an option to flow3:cache:flush that keeps user sessions active

2012-08-30 13:35 - Martin Brüggemann

<b>Status:</b>	Needs Feedback	<b>Start date:</b>	2012-08-30
<b>Priority:</b>	Could have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Session	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Complexity:</b>	
<b>PHP Version:</b>			
<b>Has patch:</b>	No		

**Description**

At the moment all sessions are being flushed with a

```
./flow3 flow3:cache:flush
```

There should be an option to flush all caches except the session storage/cache. Otherwise everytime you deploy a fix to your FLOW3 based SaaS project, all your customers loose their sessions and will have to relogin.

Maybe a small option like

```
./flow3 flow3:cache:flush --keepSessions
```

would do the trick.

#### History

##### #1 - 2012-08-30 17:20 - Karsten Dambekalns

- Target version set to 2.0 beta 1

##### #2 - 2012-10-21 00:14 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/15846>

##### #3 - 2012-10-22 12:51 - Gerrit Code Review

Patch set 2 for branch **master** has been pushed to the review server.

It is available at <http://review.typo3.org/15846>

##### #4 - 2012-10-31 12:44 - Karsten Dambekalns

- Assignee set to Karsten Dambekalns

##### #5 - 2012-11-19 16:34 - Bastian Waidelich

- Status changed from Under Review to Rejected

- Priority changed from Must have to Won't have this time

Closing according to comments on <https://review.typo3.org/#/c/15846/>

Martin Brüggemann, Nov 8:

[...] Active Sessions should be removed by default when you flush the flow cache with the --force option.  
The fact that flow logs you out when deploying a new release with flow depends on the session save path.  
By default flow sets an internal temporary path as session save path and if you deploy a new release with Surf there's a new (empty) temporary path without the active sessions -> everyone is logged out!  
SOLUTION: Just set a global session save path with TYPO3.Flow.session.Session.savePath (f.e. /tmp) and your sessions will stay active even if you deploy new releases with surf.  
As soon as commit request [#15942](#) is implemented flushing the cache will automatically flush the session cache because then the session handling will be completely based on the internal Flow caching backend.

**#6 - 2013-03-07 16:41 - Bastian Waidelich**

- Status changed from *Rejected* to *Needs Feedback*
- Assignee deleted (*Karsten Dambekalns*)
- Priority changed from *Won't have this time* to *Could have*
- Target version deleted (*2.0 beta 1*)

Hi all,  
the solution above does not work any longer, because there is no PhpSession in Flow > 2.

What do you think about extending the FileBackend so that the path is configurable?  
Then you could add

```
Flow_Session_Storage:  
  backendOptions:  
    cacheDirectory: 'some/other'path'
```

in your Caches.yaml in order to achieve the same as above?  
Does that make sense?

**#7 - 2014-10-03 20:17 - Lorenz Ulrich**

I migrated this one to Jira:  
<https://jira.typo3.org/browse/FLOW-80>