

TYPO3 Core - Bug #49601

f:form tag shown as a HTML on frontend

2013-07-02 17:18 - Jignesh Prajapati

Status:	Closed	Start date:	2013-07-02
Priority:	Should have	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:		Complexity:	hard
TYPO3 Version:	6.1	Is Regression:	
PHP Version:	5.5	Sprint Focus:	
Tags:			

Description

Hello guys,

I have one problem using the f:form tag

I integrated the template using the FLUIDTEMPLATE in Typo3 version 6.1

Now i created one extension that simply show the the form with two input elements. I used the f:form and f:form.textfield to display the form. Now problem is that whole form shown as HTML tags instead of real form. Please see the attached screenshot.

However, when i used the same extension using the templavoila in Typo3 version 6.1 then everything is working fine.

I am using below typoscript for FLUIDTEMPLATE integration.

Create a Fluid Template

```
page.10 = FLUIDTEMPLATE
```

```
page.10.template = FILE
```

```
page.10.template.file = fileadmin/templates/index.html
```

```
[globalVar=TSFE:page|layout=1]
```

```
page.10.template.file = fileadmin/templates/home-products.html
```

```
[global]
```

```
[globalVar=TSFE:page|layout=2]
```

```
page.10.template.file = fileadmin/templates/products.html
```

```
[global]
```

```
[globalVar=TSFE:page|layout=3]
```

```
page.10.template.file = fileadmin/templates/product-details.html
```

```
[global]
```

```
[globalVar=TSFE:page|layout=4]
```

```
page.10.template.file = fileadmin/templates/products-img.html
```

```
[global]
```

```
[globalVar=TSFE:page|layout=5]
```

```
page.10.template.file = fileadmin/templates/settings.html
```

```
[global]
```

```
page.10 { # Set the Template Pathes
```

```
partialRootPath = fileadmin/templates/partials/
```

```
layoutRootPath = fileadmin/templates/layouts/
```

```
variables { # Assign the main column with our {content}-destination
```

```
content_main < styles.content.get # Assign the left column with our {content_left}-destination
```

```
content_left < styles.content.get
```

```
content_left.select.where = colPos = 1 # Assign the right column with our {content_right}-destination
```

```
content_right < styles.content.get
```

```
content_right.select.where = colPos = 2
```

```
left < styles.content.get
```

```
left.select.where = colPos=1
```

```
}
```

```
}
```

Not getting what happens with FLUIDTEMPLATE. Please help me as it is very urgent for me. Any help will be appreciated.

Thanks,

History

#1 - 2013-07-03 07:46 - Jignesh Prajapati

I am using below tag to render the main content into template

```
<f:format.html parseFuncTSPath="lib.parseFunc">{content_main}</f:format.html>
```

#2 - 2013-07-03 07:58 - Alexander Jahn

Try using

```
<f:format.html parseFuncTSPath="">{content_main}</f:format.html>
```

without "lib.parseFunc" or

```
<f:format.raw>{content_main}</f:format.raw>
```

#3 - 2013-07-03 08:15 - Jignesh Prajapati

Alexander Jahn wrote:

```
Try using
[...]
without "lib.parseFunc" or
[...]
```

Yes, It works for me.
Your help is really appreciated. Thank you very much.

#4 - 2013-07-03 08:19 - Jignesh Prajapati

- % Done changed from 0 to 100

#5 - 2013-07-03 09:00 - Alexander Opitz

- Status changed from New to Closed

Files

form_tag.png	53.4 KB	2013-07-02	Jignesh Prajapati
--------------	---------	------------	-------------------