

## Google Maps API Extbase - Suggestion #50121

### Use PageRenderer to add JavaScript files

2013-07-17 17:07 - Mathias Brodala

<b>Status:</b>	Resolved	<b>Start date:</b>	2013-07-17
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Spent time:</b>	0.00 hour
<b>Description</b>			
<p>The map controller currently adds JavaScript files to the page via <code>\$GLOBALS['TSFE']-&gt;additionalFooterData/\$GLOBALS['TSFE']-&gt;additionalHeaderData</code>. This prevents these files from being compressed and concatenated which can be achieved by using the <code>addJsFile</code> method of the TYPO3 PageRenderer.</p> <p>Something similar can be achieved for the inline JavaScript block by using <code>TSpagegen/PageGenerator</code> to move it to a temporary file and then add it like above. The existing <code>Tx_GoMapsExt_ViewHelpers_Format_ScriptViewHelper</code> could take care of that.</p> <p>See patch attached.</p>			

#### History

#1 - 2013-11-21 12:20 - Marc Hirdes

- Status changed from New to Resolved

Thank you very much for the patch. Will be included in the next version. Also now available here [https://github.com/mhirdes/go\\_maps\\_ext](https://github.com/mhirdes/go_maps_ext)

#### Files

jsfiles_pagerenderer.patch	5.43 KB	2013-07-17	Mathias Brodala
----------------------------	---------	------------	-----------------