

TYPO3 Core - Bug #56337

Epic # 55070 (Closed): Workpackages

Epic # 55065 (Closed): WP: Overall System Performance (Backend and Frontend)

Bug # 52949 (Closed): Speed decrease since 4.5

Bug # 56307 (Closed): Findings from Bootstrap/PackageManager/ClassLoader analyses

Remove manual array calculation in Locales and put the arrays to the class directly

2014-02-26 13:41 - Steffen Ritter

Status:	Closed	Start date:	2014-02-26
Priority:	Should have	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Complexity:	
TYPO3 Version:	6.2	Is Regression:	No
PHP Version:		Sprint Focus:	
Tags:			
Description			
the constructor calculates the same stuff over and over again on __construct() each request.... We are talking about a small count of vlaues: hardcode them			

History

#1 - 2014-09-07 14:42 - Stephan Großberndt

You are talking about TYPO3\CMS\Core\Localization\Locales?

It implements \TYPO3\CMS\Core\SingletonInterface, initialize() it is only called once per request.

`$instance->languages` and `$instance->localeDependencies` cannot be put in the class because of user-defined locales.

The only optimization possible would be to remove

```
$instance->isoMapping = array_flip($instance->isoReverseMapping);
```

and put the `"->isoMapping"` array into the class hardcoded.

Is this what you intended with this bug report?

#2 - 2015-03-11 23:57 - Stephan Großberndt

Steffen, can you please explain what was intended here?

#3 - 2015-07-18 18:01 - Wouter Wolters

- Status changed from New to Needs Feedback

#4 - 2015-12-31 09:47 - Morton Jonuschat

- Status changed from Needs Feedback to Closed

No feedback within the last 90 days => closing this issue.

If you think that this is the wrong decision or experience this issue again, then please write to the mailing list typo3.teams.bugs with issue number and an explanation or open a new ticket and add a relation to this ticket number.