

TYPO3 Core - Bug #57222

FrontendContentAdapterService does not consider LanguageFallback/TCA-Configuration

2014-03-24 10:09 - Alexander Wahl

Status:	Closed	Start date:	2014-03-24
Priority:	Must have	Due date:	
Assignee:		% Done:	0%
Category:	File Abstraction Layer (FAL)	Estimated time:	0.00 hour
Target version:		Complexity:	medium
TYPO3 Version:	6.1	Is Regression:	No
PHP Version:		Sprint Focus:	Remote Sprint
Tags:			

Description

When LanguageFallback is configured in

```
config.sys_language_mode = content_fallback ; 1,0
```

```
FrontendContentAdapterService::modifyDBRow
```

has a false implementation. In TCA of sys_file_reference the Language-Fallback is configured right.

```
sys_file_reference['columns']['link']['l10n_mode'] = 'mergeIfNotBlank'
```

When tt_content-Row is passed to FrontendContentAdapterService in Overlay-Mode the method modifyDBRow should not consider \$row['_LOCALIZED_UID']. It should process \$fileRepository->findByRelation with \$row['uid'] and should do the RecordOverlay after finding the relation with TYPO3-API getRecordOverlay to take care/consider TCA-Configuration.

In the current implementation the TCA-configuration shows the fallback-image in Backend correct. But in FE-Rendering no image appears.

History

#1 - 2015-01-26 21:00 - Mathias Schreiber

- Sprint Focus set to On Location Sprint

#2 - 2015-08-10 08:02 - Anja Leichsenring

- Sprint Focus changed from On Location Sprint to Remote Sprint

#3 - 2016-04-20 13:10 - Wouter Wolters

- Status changed from New to Closed

This won't be fixed anymore in 6.2 because 6.2 is high priority bugfix mode. The core team does not consider this one a priority fix. In 7LTS this adapter has been removed.