

Static Info Tables - Feature #59896

TCA Selection of countries with different key

2014-06-26 11:11 - Alex Kellner

Status:	Resolved	Start date:	2014-06-26
Priority:	Should have	Due date:	
Assignee:	Stanislas Rolland	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
Hi Stanislas,			
in the current version of static_info_tables, it's only possible to generate a selection with UID as key.			
E.G. for languages:			
<pre>'foreign_table' => 'static_languages', 'foreign_table_where' => ' AND lg_iso_2 IN ("DE","FR")', 'itemsProcFunc' => 'SJBR\\StaticInfoTables\\Hook\\Backend\\Form\\ElementRenderingHelper->translate LanguagesSelector',</pre>			
In older versions of static_info_tables we could also set another key with an additional configuration (see indexField):			
<pre>itemsProcFunc_config' => array ('table' => 'static_languages', 'where' => ' AND lg_iso_2 IN ("DE","FR")', 'indexField' => 'lg_iso_2', 'eval' => 'required',) ,</pre>			
Is it possible to get this configuration for the current version?			
Cheers, Alex			
Related issues:			
Related to Static Info Tables - Bug #62153: Open country or territory for edi...		Resolved	2014-10-10

Associated revisions

Revision 86392 - 2014-09-23 07:30 - Stanislas Rolland

Resolves #59896: TCA Selection of countries with different key

Revision 86392 - 2014-09-23 07:30 - Stanislas Rolland

Resolves #59896: TCA Selection of countries with different key

Revision 7ce897e4 - 2014-09-23 07:30 - Stanislas Rolland

Resolves #59896: TCA Selection of countries with different key

git-svn-id: https://svn.typo3.org/TYPO3v4/Extensions/static_info_tables/trunk@86392 735d13b6-9817-0410-8766-e36946ffe9aa

History

#1 - 2014-07-11 21:55 - Andreas Dörler

Hi,

it would be great to have the indexfield configurable.

E.g. in older versions one could easily generate a country_zone selector box which depends on the previously selected country (indexfield = cn_iso_3), by simply doing something like this:

```

        'itemsProcFunc' => 'tx_staticinfotables_div->selectItemsTCA',
        'itemsProcFunc_config' => array (
            'table' => 'static_country_zones',
            'indexField' => 'zn_code',
            'prependHotlist' => 0,
            'where' => " AND zn_country_iso_3 = '###REC_FIELD_country###'",
        ),
    ),

```

Now if the uid is stored into country field you'll have to create an additional MM table.

Kind regards
Andreas

#2 - 2014-09-23 03:34 - Stanislas Rolland

Andreas Dörler wrote:

it would be great to have the indexfield configurable.

E.g. in older versions one could easily generate a country_zone selector box which depends on the previously selected country (indexfield = cn_iso_3), by simply doing something like this:
[...]

If REC_FIELD_country contains the uid of a country, you can still use such markers in the foreign_table_where property of the select field. See <http://docs.typo3.org/typo3cms/TCARreference/Reference/Columns/Select/Index.html#foreign-table-where>

```
'foreign_table_where' => " AND zn_country_uid = '###REC_FIELD_country###'",
```

#3 - 2014-09-23 07:26 - Stanislas Rolland

Will add the possibility to specify, for example:

```

'itemsProcFunc' => 'SJBR\\StaticInfoTables\\Hook\\Backend\\Form\\ElementRenderingHelper->translateLanguagesSelector',
'itemsProcFunc_config' => array (
    'indexField' => 'lg_iso_2,lg_country_iso_2',
),

```

#4 - 2014-09-23 07:36 - Stanislas Rolland

- Status changed from New to Resolved

- % Done changed from 0 to 100

Applied in changeset [r86392](#).