

TYPO3 Core - Feature #69176

Fix Layout handling for Form generation

2015-08-19 08:03 - Marc Neuhaus

Status:	Closed	Start date:	2015-08-19
Priority:	Should have	Due date:	
Assignee:	Marc Neuhaus	% Done:	0%
Category:	Form Framework	Estimated time:	0.00 hour
Target version:	7.5	Complexity:	
PHP Version:		Sprint Focus:	
Tags:			
Description			
Currently it's not possible anymore to change the style of default form extension through the "default" typoscript because every part of the form extension then uses the same layout for form, confirmation and postprocessing rendering. This makes of course no sense, because, as soon as you change the layout to output a nice form, the same layout will be used to send the e-mail, which will only contain the form itself again.			
Related issues:			
Related to TYPO3 Core - Feature #54654: Customize confirmation page		Closed	2013-12-30
Related to TYPO3 Core - Bug #32463: New Form ext throws error on missing wraps		Closed	2011-12-12

History

#1 - 2015-08-19 08:14 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <http://review.typo3.org/42738>

#2 - 2015-08-19 08:17 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <http://review.typo3.org/42738>

#3 - 2015-08-19 09:56 - Bjoern Jacob

Thanks Marc for your patch. Could you please provide a TypoScript example which allows some testing?

#4 - 2015-08-19 10:11 - Marc Neuhaus

Sure :)

Example that fails and renders a input on confirmation + postProcessing (typoscript setup):

```
tt_content.mailform.20.layout {
    textline (
        <label />
        <input class="form-control" />
    )
}
```

Example that only renders the custom input html in the form view (typoscript setup):

```
tt_content.mailform.20.formLayout {
    textline (
        <label />
        <input class="form-control" />
    )
}
```

so form setup to test this typoscript:

```
enctype = multipart/form-data
```

```

method = post
prefix = tx_form
confirmation = 1
postProcessor {
  1 = mail
  1 {
    recipientEmail = apocalip@gmail.com
    senderEmail = apocalip@gmail.com
  }
}
10 = TEXTLINE
10 {
  name = foobar
  label {
    value = foobar
  }
}
}

```

#5 - 2015-08-20 15:10 - Bjoern Jacob

- Tracker changed from Bug to Feature

#6 - 2015-08-29 15:29 - Bjoern Jacob

Here's the code I've used for testing this issue:

```

enctype = multipart/form-data
method = post
prefix = tx_form
confirmation = 1
postProcessor {
  1 = mail
  1 {
    recipientEmail = your@mail.com
    senderEmail = your@mail.com
  }
}
10 = TEXTLINE
10 {
  name = foobar
  label = foobar
}
20 = SUBMIT
20 {
  name = submit
}
}

```

TS settings, before patch. Only way to change layout of specific element on global base.

```

tt_content.mailform.20.layout {
  textline (
    <label />
    <input class="form-control" />
  )
}

```

TS settings, after patch. Now one is able to change the specific steps (form, confirmation, postproces/ mail).

```

# New stuff after patch
#form
#confirmation
#postProcessing
tt_content.mailform.20.formLayout {
  textline (
    <label />
    <input class="form-control" />
  )
}

tt_content.mailform.20.confirmationLayout {
  textline (
    <label />
    <span style="color:red;"><inputvalue /></span>
  )
}

```

```
)
}

tt_content.mailform.20.postProcessingLayout {
    textline (
        <td style="width: 200px;">
            <label />
        </td>
        <td>
            <span style="color:red;"><inputvalue /></span>
        </td>
    )
}
```

#7 - 2015-08-30 11:56 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#8 - 2015-08-30 12:19 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#9 - 2015-08-30 13:55 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#10 - 2015-08-30 13:59 - Gerrit Code Review

Patch set 6 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#11 - 2015-08-30 14:10 - Gerrit Code Review

Patch set 7 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#12 - 2015-08-30 14:14 - Gerrit Code Review

Patch set 8 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <http://review.typo3.org/42738>

#13 - 2015-09-02 10:36 - Ralf Zimmermann

- Status changed from *Under Review* to *On Hold*

I change this to "on hold". I rewrite forms to use fluid. If this is done you are able to define templates and partial for each layout section.

#14 - 2015-09-18 21:58 - Benni Mack

- Status changed from *On Hold* to *Closed*

this is fixed in v7.

#15 - 2015-09-19 20:16 - Bjoern Jacob

@Marc: please checkout the rewritten form extension. It is now part of 7.5. If the new solution does not suit your needs please open a new ticket for your feature request. Thx.