

## TYPO3 Core - Feature #69602

### Simplify handling of backend layouts in frontend

2015-09-08 08:35 - Georg Ringer

<b>Status:</b> Closed	<b>Start date:</b> 2015-09-08
<b>Priority:</b> Should have	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 100%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b> 7.5	<b>Complexity:</b>
<b>PHP Version:</b>	<b>Sprint Focus:</b>
<b>Tags:</b>	

#### Description

To avoid complex TypoScript for all integrators, simplify the way to get the desired backend layout.

Currently you need a TypoScript code like

```
page.10 = FLUIDTEMPLATE
page.10 {
    file.stdWrap.cObject = CASE
    file.stdWrap.cObject {
        key.data = levelfield:-2,backend_layout_next_level,slide
        key.override.field = backend_layout

        default = TEXT
        default.value = fileadmin/template/home.html

        3 = TEXT
        3.value = fileadmin/template/1-col.html

        4 = TEXT
        4.value = fileadmin/template/2-col.html
    }
}
```

now it is getting easier by using

```
page.10 = FLUIDTEMPLATE
page.10 {
    file.stdWrap.cObject = CASE
    file.stdWrap.cObject {
        key.data = backend_layout

        default = TEXT
        default.value = fileadmin/template/home.html

        3 = TEXT
        3.value = fileadmin/template/1-col.html

        4 = TEXT
        4.value = fileadmin/template/2-col.html
    }
}
```

#### Associated revisions

##### Revision 3d4e8b16 - 2015-09-15 14:16 - Benni Mack

[FEATURE] Add new TS option getData->pagelayout

Add a new TypoScript getData option to fetch the backend layout of the current page, and if empty, use backend\_layout\_next\_level.

Releases: master  
Resolves: #69602  
Change-Id: I82e01b1655c683c65f378f97558489cfeca36bf9  
Reviewed-on: <http://review.typo3.org/42723>  
Reviewed-by: Georg Ringer <[georg.ringer@gmail.com](mailto:georg.ringer@gmail.com)>  
Tested-by: Georg Ringer <[georg.ringer@gmail.com](mailto:georg.ringer@gmail.com)>  
Reviewed-by: Christian Kuhn <[loli@schwarzbu.ch](mailto:loli@schwarzbu.ch)>  
Tested-by: Christian Kuhn <[loli@schwarzbu.ch](mailto:loli@schwarzbu.ch)>

## History

---

### #1 - 2015-09-08 08:45 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <http://review.typo3.org/43116>

### #2 - 2015-09-08 09:11 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <http://review.typo3.org/42723>

### #3 - 2015-09-09 16:31 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <http://review.typo3.org/42723>

### #4 - 2015-09-09 16:57 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <http://review.typo3.org/42723>

### #5 - 2015-09-14 15:19 - Gerrit Code Review

Patch set 6 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <http://review.typo3.org/42723>

### #6 - 2015-09-15 14:21 - Benni Mack

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset [3d4e8b167d32e3ea9e06a63621c5203208bb5d4e](#).

### #7 - 2017-10-19 21:52 - Riccardo De Contardi

- Status changed from Resolved to Closed