

TYPO3 Core - Bug #71564

FAL file pick in flexform causes error 500 alert box

2015-11-13 17:54 - Armin Vieweg

Status:	Closed	Start date:	2015-11-13
Priority:	Should have	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:		Complexity:	
TYPO3 Version:	7	Is Regression:	No
PHP Version:		Sprint Focus:	
Tags:			

Description

When I click on "Add image" and select a file in popup an alert box appears which says error 500. TYPO3 7.6 LTS.

This is from error log:

```
Core: Exception handler (WEB): Uncaught TYPO3 Exception: #1446996319: Configuration retrieved from FlexForm is incomplete or not of type "inline".| UnexpectedValueException thrown in file /kunden/303809_70794/rp-hosting/12529/62529/typo3_src/master/typo3/sysex/ backend/Classes/Controller/FormInlineAjaxController.php in line 811. Requested URL: http://***.de/typo3/index.php?ajaxID=%2Fajax%2Frecord%2Finline%2Fcreate&ajaxToken=7f5400a984784016695d4bf812cd3d14f031d1c6
```

The configuration of this field is:

```
<config>
  <type>inline</type>
  <foreign_field>uid_foreign</foreign_field>
  <foreign_label>uid_local</foreign_label>
  <foreign_match_fields>
    <fieldname>fal</fieldname> <!-- Replace "fal" with name of variable of this field (e.g. images)! -->
  </foreign_match_fields>
  <foreign_selector>uid_local</foreign_selector>
  <foreign_selector_fieldTcaOverride>
    <config>
      <appearance>
        <elementBrowserAllowed>gif, jpg, jpeg, tif, tiff, bmp, pcx, tga, png, pdf, ai, svg</elementBrowserAllowed>
        <elementBrowserType>file</elementBrowserType>
      </appearance>
    </config>
  </foreign_selector_fieldTcaOverride>
  <foreign_sortby>sorting_foreign</foreign_sortby>
  <foreign_table>sys_file_reference</foreign_table>
  <foreign_table_field>tablenames</foreign_table_field>
  <foreign_types type="array">
    <numIndex index="0">
      <showitem>--palette--;LLL:EXT:lang/locallang_tca.xlf:sys_file_reference.imageoverlayPalette;imageoverlayPalette, --palette--;;filePalette</showitem>
    </numIndex>
  </foreign_types>

  <filter type="array">
    <numIndex index="0">
      <parameters>
        <allowedFileExtensions>gif, jpg, jpeg, tif, tiff, bmp, pcx, tga, png, pdf, ai, svg</allowedFileExtensions>
      </parameters>
    </numIndex>
  </filter>
</config>
```

```

        <disallowedFileExtensions></disallowedFileExtensions>
    </parameters>
    <userFunc>TYPO3\CMS\Core\Resource\FILTER\FileExtensionFilter->filterInlineChildren</userFunc>
</numIndex>
</filter>

<minitems>0</minitems>
<maxitems>99</maxitems>

<appearance>
    <useSortable>1</useSortable>
    <headerThumbnail>
        <field>uid_local</field>
        <width>45c</width>
        <height>45</height>
    </headerThumbnail>

    <showPossibleLocalizationRecords>0</showPossibleLocalizationRecords>
    <showRemovedLocalizationRecords>0</showRemovedLocalizationRecords>
    <showSynchronizationLink>0</showSynchronizationLink>
    <useSortable>1</useSortable>
    <enabledControls>
        <delete>1</delete>
        <dragdrop>1</dragdrop>
        <hide>1</hide>
        <info>1</info>
        <localize>1</localize>
        <new>0</new>
        <sort>1</sort>
    </enabledControls>
    <createNewRelationLinkTitle>LLL:EXT:frontend/Resources/Private/Language/locallang_ttc.xlf:
images.addFileReference</createNewRelationLinkTitle>
</appearance>

<behaviour>
    <localizationMode>select</localizationMode>
    <localizeChildrenAtParentLocalization>1</localizeChildrenAtParentLocalization>
</behaviour>
</config>

```

Related issues:

Related to TYPO3 Core - Bug #71436: Inline in flex with multiple DS fails	Closed	2015-11-09
Blocks TYPO3 Core - Bug #71619: FAL relation with min=1, max=1 not deletable	Closed	2015-11-17

Associated revisions

Revision 570e19ed - 2015-12-01 13:59 - Morton Jonuschat

[BUGFIX] FormEngine: Select correct FlexForm DS for inline records

If an inline field is defined within a FlexForm that has multiple data structures defined the FormAjaxInlineController always selects the default data structure due to missing context information.

This patch transmits the required context within the AJAX request to enable selecting the appropriate data structure for the flexform.

It also changes the method to determine the path through the flexform data structure to work in the case of an inline element configured within a flexform within another inline element.

Resolves: #71436

Related: #70918

Related: #71564

Related: #71655

Releases: master

Change-Id: I7ecd174b78997ad3b1d1513a15a78cdc7bac23ff

Reviewed-on: <https://review.typo3.org/44914>

Tested-by: Armin Ruediger Vieweg <armin@v.ieweg.de>

Tested-by: Sebastian Michaelsen <michaelsen@t3seo.de>
Tested-by: Felix Rauch <rauch@skajamail.de>
Reviewed-by: Claus Due <claus@phpmind.net>
Tested-by: Christopher Orth <corthmail@gmail.com>
Tested-by: Torsten <info@by-torsten.com>
Tested-by: Philipp Wrann <philippwrann@gmail.com>
Reviewed-by: Andreas Fernandez <typo3@scripting-base.de>
Tested-by: Andreas Fernandez <typo3@scripting-base.de>
Reviewed-by: Wouter Wolters <typo3@wouterwolters.nl>
Tested-by: Wouter Wolters <typo3@wouterwolters.nl>

History

#1 - 2015-11-16 11:57 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/44733>

#2 - 2015-11-16 11:59 - Thomas Maroschik

Hey,

this issue is twofold. I could resolve it by aligning my flexform more to the documentation and the attached patch. My flexform DS started like the following structure

```
<?xml version="1.0" encoding="utf-8" standalone="yes" ?>
<T3DataStructure>
  <meta type="array">
    <langDisable>1</langDisable>
  </meta>
  <ROOT type="array">
    <el type="array">
```

but it has to be like this

```
<?xml version="1.0" encoding="utf-8" standalone="yes" ?>
<T3DataStructure>
  <meta>
    <langDisable>1</langDisable>
  </meta>
  <ROOT>
    <type>array</type>
  <el>
```

#3 - 2015-11-16 14:24 - Christian Kuhn

probably a dupe of [#71436](#)

#4 - 2015-11-17 12:10 - Armin Vieweg

@Thomas, this is my flexform DS. Looks like your second example. And when I checkout your patch, nothing changes.

```
<T3DataStructure>
  <meta>
    <langDisable>1</langDisable>
    <langDatabaseOverlay>1</langDatabaseOverlay>
  </meta>
  <sheets>
    <sheet0>
      <ROOT>
        <TCEforms>
          <sheetTitle>LLL:EXT:dce/Resources/Private/Language/locallang.xml:generaltab</sheetTitle>
        </TCEforms>
        <type>array</type>
        <el>
          <settings.fal>
            <TCEforms>
              <label>FAL</label>
              <!-- See <config /> from above -->
            </TCEforms>
          </settings.fal>
```

```
        </e1>  
      </ROOT>  
    </sheet0>  
  </sheets>  
</T3DataStructure>
```

#5 - 2015-11-17 21:24 - Christian Kuhn

- *Status changed from Under Review to Resolved*

closed as dupe of [#71436](#)

#6 - 2015-11-17 21:24 - Christian Kuhn

- *% Done changed from 0 to 100*

#7 - 2018-10-02 11:29 - Benni Mack

- *Status changed from Resolved to Closed*