

TYPO3 Core - Bug #72834

sys_language_mode = content_fallback ; 1,0 is not working with Extbase

2016-01-20 14:10 - Eric Chavaillaz

Status: Closed	Start date: 2016-01-20
Priority: Must have	Due date:
Assignee:	% Done: 0%
Category: Extbase	Estimated time: 0.00 hour
Target version:	Complexity:
TYPO3 Version: 6.2	Is Regression: No
PHP Version: 5.6	Sprint Focus:
Tags:	
Description	
Hi, For example, "sys_language_mode = content_fallback ; 1,0" is not working with Extbase (in reality just the part after the ";"). The fallback is always taken from the default language (uid 0). If I test with "normal" content elements, it is working. Thanks	
Related issues:	
Related to TYPO3 Core - Bug #63031: Weird Translation behaviour in extbase	Closed 2014-11-17
Related to TYPO3 Core - Bug #17354: fallback for menus. "content_fallback;1,0...	Closed 2007-07-22

History

#1 - 2016-02-17 16:32 - Tobias H.

Hi,

no one cares. See here: <https://forge.typo3.org/issues/63031>

content_fallback or hideNonTranslated will not work with extbase. You have to use language mode "strict".

#2 - 2016-07-05 11:54 - Benni Mack

- Target version changed from 6.2.18 to Candidate for patchlevel

#3 - 2016-07-29 01:43 - Markus Klein

- Status changed from New to Closed

- Target version deleted (Candidate for patchlevel)

```
content_fallback ; 1,0
```

this in general does NOT work in TYPO3 anymore since quite a long time now (unfortunately). So this issue is not extbase specific.

Once the remaining Core is able to handle real fallback chains ([#17354](#)) this can be tackled.