

## TYPO3 Core - Bug #75245

### Setting typolink.target to page object name doesn't set type query parameter

2016-03-23 22:19 - Jigal van Hemert

<b>Status:</b>	Closed	<b>Start date:</b>	2016-03-23
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>	Jigal van Hemert	<b>% Done:</b>	100%
<b>Category:</b>	Frontend	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Complexity:</b>	
<b>TYPO3 Version:</b>	7	<b>Is Regression:</b>	Yes
<b>PHP Version:</b>		<b>Sprint Focus:</b>	
<b>Tags:</b>			

#### Description

```
printversion = PAGE
printversion.typeNum = 98
printversion.5 = TEXT
printversion.5.value = <div style="width:80%;">
printversion.10 < styles.content.get
printversion.15 = TEXT
printversion.15.value = </div>
```

```
PRINT = TEXT
PRINT.value = Druckversion
PRINT.typolink.parameter.data = TSFE:id
PRINT.typolink.target = printversion
```

Before 7 LTS this used to add &type=98 to the URL. It used to be useful for linking to frames with typeNum's, but it used to work in 6.2.

#### Associated revisions

##### Revision e0e08e0f - 2016-03-31 10:25 - Jigal van Hemert

[BUGFIX] target to page object must set type parameter

Setting typolink.target to the name of a page object must set the type query parameter to the typeNum of that page object. By initializing \$theTypeP to an empty string the type is not forced to zero.

Resolves: #75245  
Releases: master, 7.6  
Change-Id: I3aac0e43849f495f00344a07a358c5526bdf339c  
Reviewed-on: <https://review.typo3.org/47376>  
Reviewed-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>  
Tested-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>  
Reviewed-by: Oliver Hader <[oliver.hader@typo3.org](mailto:oliver.hader@typo3.org)>  
Reviewed-by: Susanne Moog <[typo3@susannemoog.de](mailto:typo3@susannemoog.de)>  
Tested-by: Susanne Moog <[typo3@susannemoog.de](mailto:typo3@susannemoog.de)>

##### Revision a4dabc58 - 2016-03-31 11:22 - Jigal van Hemert

[BUGFIX] target to page object must set type parameter

Setting typolink.target to the name of a page object must set the type query parameter to the typeNum of that page object. By initializing \$theTypeP to an empty string the type is not forced to zero.

Resolves: #75245  
Releases: master, 7.6  
Change-Id: I3aac0e43849f495f00344a07a358c5526bdf339c  
Reviewed-on: <https://review.typo3.org/47452>  
Reviewed-by: Susanne Moog <[typo3@susannemoog.de](mailto:typo3@susannemoog.de)>  
Tested-by: Susanne Moog <[typo3@susannemoog.de](mailto:typo3@susannemoog.de)>

## History

---

### #1 - 2016-03-23 22:31 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <https://review.typo3.org/47376>

### #2 - 2016-03-23 22:32 - Jigal van Hemert

- Status changed from Under Review to New

- Is Regression changed from No to Yes

### #3 - 2016-03-23 22:32 - Jigal van Hemert

- Status changed from New to Under Review

### #4 - 2016-03-31 10:25 - Gerrit Code Review

Patch set 1 for branch **TYPO3\_7-6** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <https://review.typo3.org/47452>

### #5 - 2016-03-31 10:30 - Jigal van Hemert

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset [e0e08e0f60a05fd260625527fb6a5394f9c785bf](https://review.typo3.org/47452).

### #6 - 2018-10-02 11:18 - Benni Mack

- Status changed from Resolved to Closed