

TYPO3 Core - Bug #76262

"\$uid must be positive integer, 0 given" when trying to edit file metadata

2016-05-23 10:05 - Stefan Zidar

Status: Closed	Start date: 2016-05-23
Priority: Must have	Due date:
Assignee:	% Done: 100%
Category:	Estimated time: 0.00 hour
Target version:	Complexity:
TYPO3 Version: 7	Is Regression: No
PHP Version: 7.0	Sprint Focus: On Location Sprint
Tags:	
Description	
Typo3 Backend: In Filelist I created a folder and uploaded a png image. When trying to edit the metadata I get the following error message: "Oops, an error occurred! \$uid must be positive integer, 0 given More information regarding this error might be available online." (online is a link to https://wiki.typo3.org/Exception/CMS/1437656456) This also happens when trying over the context menu. I just updated to 7.6.7. (happened in 7.6.6 too) I have activated the filemetadata extension. Steps to reproduce by me: 1. create content with file + metadata, default language 2. translate this content in other language 3. edit translated content - edit translated file metadata - make exception 1437656456	
Related issues:	
Has duplicate TYPO3 Core - Bug #82178: \TYPO3\CMS\Backend\Form\Container\Inli...	Closed 2017-08-23
Has duplicate TYPO3 Core - Bug #83165: Editing file metadata of translated tt...	Closed 2017-11-29

Associated revisions

Revision bf6ee546 - 2017-11-28 11:09 - Łukasz Uznański

[BUGFIX] Disable edit of file metadata without translation

This avoids an error in case file metadata is edited through a file reference and there is no file metadata translation for the current language.

Resolves: #76262

Resolves: #82178

Releases: master, 8.7

Change-Id: Ifecf659637773c5f3773fc3439b09df9c030cb3f

Reviewed-on: <https://review.typo3.org/54778>

Tested-by: TYPO3com <no-reply@typo3.com>

Reviewed-by: Susanne Moog <susanne.moog@typo3.org>

Tested-by: Susanne Moog <susanne.moog@typo3.org>

Reviewed-by: Christian Kuhn <lolli@schwarzbu.ch>

Tested-by: Christian Kuhn <lolli@schwarzbu.ch>

Revision 15f06616 - 2017-11-28 11:31 - Łukasz Uznański

[BUGFIX] Disable edit of file metadata without translation

This avoids an error in case file metadata is edited through a file

reference and there is no file metadata translation for the current language.

Resolves: #76262
Resolves: #82178
Releases: master, 8.7
Change-Id: Ifecf659637773c5f3773fc3439b09df9c030cb3f
Reviewed-on: <https://review.typo3.org/54822>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Christian Kuhn <lolli@schwarzbu.ch>
Tested-by: Christian Kuhn <lolli@schwarzbu.ch>

Revision 0bc3e6c1 - 2018-07-06 14:38 - Łukasz Uznański

[BUGFIX] Disable edit of file metadata without translation

This avoids an error in case file metadata is edited through a file reference and there is no file metadata translation for the current language.

Resolves: #76262
Resolves: #82178
Releases: master, 8.7, 7.6
Change-Id: Ifecf659637773c5f3773fc3439b09df9c030cb3f
Reviewed-on: <https://review.typo3.org/56568>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Alexander Stehlik <alexander.stehlik@gmail.com>
Tested-by: Alexander Stehlik <alexander.stehlik@gmail.com>
Reviewed-by: Stephan Großberndt <stephan.grossberndt@typo3.org>
Reviewed-by: Rudy Gnodde <rgn@windinternet.nl>
Reviewed-by: Mathias Brodala <mbrodala@pagemachine.de>
Tested-by: Mathias Brodala <mbrodala@pagemachine.de>

History

#1 - 2016-06-08 13:50 - Stefan Zidar

```
exec_INSERTquery
array(4 items)
  caller => "TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery" (60 chars)
  ERROR => "Field 'keywords' doesn't have a default value" (45 chars)
  lastBuiltQuery => "INSERT INTO sys_file_metadata (file,pid,crdate,tstamp,cruser_id,l10n_diffsou
    rce) VALUES ('84','0','1465386489','1465386489','2','')" (131 chars)
  debug_backtrace => "{closure}#21 // TYPO3\CMS\Backend\Http\Application->run#20 // TYPO3\CMS\Core
    \Core\Bootstrap->handleRequest#94 // TYPO3\CMS\Backend\Http\BackendModuleReq
    uestHandler->handleRequest#302 // TYPO3\CMS\Backend\Http\BackendModuleReques
    tHandler->dispatchModule#92 // TYPO3\CMS\Extbase\Core\Bootstrap->run#214 //
    TYPO3\CMS\Extbase\Core\Bootstrap->handleRequest#193 // TYPO3\CMS\Extbase\Mvc
    \Web\BackendRequestHandler->handleRequest#206 // TYPO3\CMS\Extbase\Mvc\Dispa
    tcher->dispatch#32 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->proce
    ssRequest#86 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->callAct
    ionMethod#176 // call_user_func_array#283 // TYPO3\CMS\Filelist\Controller\F
    ileListController->indexAction# // TYPO3\CMS\Filelist\FileList->generateList
    #398 // TYPO3\CMS\Filelist\FileList->getTable#236 // TYPO3\CMS\Filelist\File
    List->formatFileList#420 // TYPO3\CMS\Filelist\FileList->linkWrapFile#803 //
    TYPO3\CMS\Core\Resource\File->getMetadata#659 // TYPO3\CMS\Core\Resource\F
    ile->loadMetadata#123 // TYPO3\CMS\Core\Resource\Index\MetadataRepository->f
    indByFile#187 // TYPO3\CMS\Core\Resource\Index\MetadataRepository->findByFil
    eUid#62 // TYPO3\CMS\Core\Resource\Index\MetadataRepository->createMetadataR
    ecord#103 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#13
    9 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#223" (1350 chars)
```

```
exec_INSERTquery
array(4 items)
  caller => "TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery" (60 chars)
  ERROR => "Field 'keywords' doesn't have a default value" (45 chars)
  lastBuiltQuery => "INSERT INTO sys_file_metadata (file,pid,crdate,tstamp,cruser_id,l10n_diffsou
    rce) VALUES ('84','0','1465386489','1465386489','2','')" (131 chars)
  debug_backtrace => "{closure}#21 // TYPO3\CMS\Backend\Http\Application->run#20 // TYPO3\CMS\Core
    \Core\Bootstrap->handleRequest#94 // TYPO3\CMS\Backend\Http\BackendModuleReq
    uestHandler->handleRequest#302 // TYPO3\CMS\Backend\Http\BackendModuleReques
    tHandler->dispatchModule#92 // TYPO3\CMS\Extbase\Core\Bootstrap->run#214 //
    TYPO3\CMS\Extbase\Core\Bootstrap->handleRequest#193 // TYPO3\CMS\Extbase\Mvc
    \Web\BackendRequestHandler->handleRequest#206 // TYPO3\CMS\Extbase\Mvc\Dispa
    tcher->dispatch#32 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->proce
    ssRequest#86 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->callAct
```

```
ionMethod#176 // call_user_func_array#283 // TYPO3\CMS\Filelist\Controller\F
ileListController->indexAction# // TYPO3\CMS\Filelist\FileList->generateList
#398 // TYPO3\CMS\Filelist\FileList->getTable#236 // TYPO3\CMS\Filelist\File
List->formatFileList#420 // TYPO3\CMS\Filelist\FileList->linkWrapFile#803 //
TYPO3\CMS\Core\Resource\File->_getMetaData#659 // TYPO3\CMS\Core\Resource\F
ile->loadMetaData#123 // TYPO3\CMS\Core\Resource\Index\MetaDataRepository->f
indByFile#187 // TYPO3\CMS\Core\Resource\Index\MetaDataRepository->update#79
// TYPO3\CMS\Core\Resource\Index\MetaDataRepository->findByFileUid#166 // T
YPO3\CMS\Core\Resource\Index\MetaDataRepository->createMetaDataRecord#103 //
TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#139 // TYPO3\C
MS\Core\Database\DatabaseConnection->debug#223" (1414 chars)
```

exec_INSERTquery

array(4 items)

```
caller => "TYPO3\CMS\Core\Database\DatabaseConnection::exec_INSERTquery" (60 chars)
ERROR => "Field 'keywords' doesn't have a default value" (45 chars)
lastBuiltQuery => "INSERT INTO sys_file_metadata (file,pid,crdate,tstamp,cruser_id,l10n_diffsou
rce) VALUES ('84','0','1465386489','1465386489','2','')" (131 chars)
debug_backtrace => "{closure}#21 // TYPO3\CMS\Backend\Http\Application->run#20 // TYPO3\CMS\Core
\Core\Bootstrap->handleRequest#94 // TYPO3\CMS\Backend\Http\BackendModuleReq
uestHandler->handleRequest#302 // TYPO3\CMS\Backend\Http\BackendModuleReques
tHandler->dispatchModule#92 // TYPO3\CMS\Extbase\Core\Bootstrap->run#214 //
TYPO3\CMS\Extbase\Core\Bootstrap->handleRequest#193 // TYPO3\CMS\Extbase\Mvc
\Web\BackendRequestHandler->handleRequest#206 // TYPO3\CMS\Extbase\Mvc\Dispa
tcher->dispatch#32 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->pro
cessRequest#86 // TYPO3\CMS\Extbase\Mvc\Controller\ActionController->callAct
ionMethod#176 // call_user_func_array#283 // TYPO3\CMS\Filelist\Controller\F
ileListController->indexAction# // TYPO3\CMS\Filelist\FileList->generateList
#398 // TYPO3\CMS\Filelist\FileList->getTable#236 // TYPO3\CMS\Filelist\File
List->formatFileList#420 // TYPO3\CMS\Filelist\FileList->linkWrapFile#803 //
TYPO3\CMS\Core\Resource\File->_getMetaData#659 // TYPO3\CMS\Core\Resource\F
ile->loadMetaData#123 // TYPO3\CMS\Core\Resource\Index\MetaDataRepository->f
indByFile#187 // TYPO3\CMS\Core\Resource\Index\MetaDataRepository->findByFil
eUid#81 // TYPO3\CMS\Core\Resource\Index\MetaDataRepository->createMetaDataR
ecord#103 // TYPO3\CMS\Core\Database\DatabaseConnection->exec_INSERTquery#13
9 // TYPO3\CMS\Core\Database\DatabaseConnection->debug#223" (1350 chars)
```

#2 - 2016-06-08 13:50 - Stefan Zidar

Uncaught TYPO3 Exception

#1437656456: \$uid must be positive integer, 0 given (More information)

InvalidArgumentException thrown in file

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Form/FormDataProvider/AbstractDatabaseRecordProvider.php
in line 39.

14 TYPO3\CMS\Backend\Form\FormDataProvider\AbstractDatabaseRecordProvider::getRecordFromDatabase("sys_file_met
adata", 0)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Form/FormDataProvider/DatabaseEditRow.php:

```
00036:         }
00037:     }
00038:     $databaseRow = $this->getRecordFromDatabase($result['tableName'], $result['vanillaUid']);
00039:     if (!array_key_exists('pid', $databaseRow)) {
00040:         throw new \UnexpectedValueException(
```

13 TYPO3\CMS\Backend\Form\FormDataProvider\DatabaseEditRow::addData(array)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Form/FormDataGroup/TcaDatabaseRecord.php:

```
00049:         }
00050:     }
00051:     $result = $provider->addData($result);
00052: }
00053:
```

12 TYPO3\CMS\Backend\Form\FormDataGroup\TcaDatabaseRecord::compile(array)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Form/FormDataCompiler.php:

```
00097:     $resultKeysBeforeFormDataGroup = array_keys($result);
00098: }
00099:     $result = $this->formDataGroup->compile($result);
00100: }
00101:     if (!is_array($result)) {
```

11 TYPO3\CMS\Backend\Form\FormDataCompiler::compile(array)

```

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Controller/EditDocumentController.php:
01107:         }
01108:     }
01109:     $formData = $formDataCompiler->compile($formDataCompilerInput);
01110:
01111:     // Set this->viewId if possible

10 TYPO3\CMS\Backend\Controller>EditDocumentController::makeEditForm()

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Controller/EditDocumentController.php:
00998:     }
00999:     // Creating the editing form, wrap it with buttons, document selector etc.
01000:     $editForm = $this->makeEditForm();
01001:     if ($editForm) {
01002:         $this->firstEl = reset($this->elementsData);

9 TYPO3\CMS\Backend\Controller>EditDocumentController::main()

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Controller/EditDocumentController.php:
02016:
02017:     $this->init();
02018:     $this->main();
02019:
02020:     $response->getBody()->write($this->moduleTemplate->renderContent());

8 TYPO3\CMS\Backend\Controller>EditDocumentController::mainAction(TYPO3\CMS\Core\Http\ServerRequest, TYPO3\CMS
\Core\Http\Response)
7 call_user_func_array(array, array)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Http/RouteDispatcher.php:
00052:     $targetIdentifier = $route->getOption('target');
00053:     $target = $this->getCallableFromTarget($targetIdentifier);
00054:     return call_user_func_array($target, array($request, $response));
00055: }
00056:

6 TYPO3\CMS\Backend\Http\RouteDispatcher::dispatch(TYPO3\CMS\Core\Http\ServerRequest, TYPO3\CMS\Core\Http\Resp
onse)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Http/RequestHandler.php:
00159:     /** @var RouteDispatcher $dispatcher */
00160:     $dispatcher = GeneralUtility::makeInstance(RouteDispatcher::class);
00161:     return $dispatcher->dispatch($request, $response);
00162: }
00163: }

5 TYPO3\CMS\Backend\Http\RequestHandler::dispatch(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Http/RequestHandler.php:
00092:     // Check if the router has the available route and dispatch.
00093:     if ($routingEnabled) {
00094:         return $this->dispatch($request);
00095:     }
00096:

4 TYPO3\CMS\Backend\Http\RequestHandler::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/typo3_src-7.6.9/typo3/sysext/core/Classes/Core/Bootstrap.php:
00300:
00301:     // Execute the command which returns a Response object or NULL
00302:     $this->response = $requestHandler->handleRequest($request);
00303:     return $this;
00304: }

3 TYPO3\CMS\Core\Core\Bootstrap::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/typo3_src-7.6.9/typo3/sysext/backend/Classes/Http/Application.php:
00092:     }
00093:
00094:     $this->bootstrap->handleRequest($this->request);
00095:
00096:     if ($execute !== null) {

2 TYPO3\CMS\Backend\Http\Application::run()

```

```
/var/www/typo3_src-7.6.9/typo3/index.php:
00018: call_user_func(function () {
00019:     $classLoader = require __DIR__ . '/../vendor/autoload.php';
00020:     (new \TYPO3\CMS\Backend\Http\Application($classLoader))->run();
00021: });
```

```
1 {closure}()
```

```
/var/www/typo3_src-7.6.9/typo3/index.php:
00019:     $classLoader = require __DIR__ . '/../vendor/autoload.php';
00020:     (new \TYPO3\CMS\Backend\Http\Application($classLoader))->run();
00021: });
```

#3 - 2016-06-09 10:49 - Gernot Ploiner

What System do you have? Windows / Linux / Mac? and version?
Have you tried the new TYPO3 7.6.9?
What is your PHP Version in Detail? 7.?
What is your MySQL Version?
Does it work without filemetadata extension?

#4 - 2016-06-21 09:48 - Stefan Zidar

System is Ubuntu 16.04 with all latest update.
Typo3 was already at 7.6.9.
PHP version is 7.0.4-7ubuntu2.1

```
# mysql --version
mysql Ver 14.14 Distrib 5.7.12, for Linux (x86_64) using EditLine wrapper
```

It does not work with/without filemetadata extension.

#5 - 2016-06-23 13:15 - Gernot Ploiner

I can reproduce it. I have nearly the same system.
But it works, if i remove filemetadata and delete all the tables in the installtool (rename and delete)
So i think it is a bug in filemetadata.

#6 - 2016-06-23 14:05 - Stefan Zidar

You are right, when I disable filemetadata, remove all tables and clear all caches it works. Looks really like a bug in filemetadata.

#7 - 2016-06-23 14:09 - Stefan Zidar

For the sake of completeness: If I enable it again the error occurs again.

#8 - 2016-07-01 15:59 - Alexander Jahn

Same Problem here.

Using a local extension to manipulate filemetadata sql definition can be used as a dirty fix.

```
CREATE TABLE sys_file_metadata (
  keywords text,
  note text
);
```

Notice the removal of "...NOT NULL".

Running TYPO3 7.6.9 on Ubuntu 16.04.

```
mysql Ver 14.14 Distrib 5.7.12, for Linux (x86_64) using EditLine wrapper
PHP Version 7.0.4-7ubuntu2.1
```

#9 - 2016-07-12 12:48 - Robert Gonda

+1 Typo2 7.6.9

Steps to reproduce by me:

1. create content with file + metadata, default language
2. translate this content in other language
3. edit translated content - edit translated file metadata - make exception 1437656456

#10 - 2016-07-19 13:43 - Stefan Zidar

Typo3 v7.6.10 still the same behaviour.

#11 - 2016-07-27 12:55 - Wouter Wolters

- Status changed from New to Accepted

I can reproduce as well. Will look into it now.

#12 - 2016-07-27 14:15 - Wouter Wolters

The problem here is that you translate the content element and not the sys_file_metadata which is connected to a sys_file. The content element has a reference with a sys_file_reference.

The question is, do we need to create a translated sys_file_metadata when translating a content element.

The exception is thrown because there is no record to edit....

#13 - 2016-09-06 19:52 - Bernd Niehues

This (Field 'keywords' doesn't have a default value) is also happening when adding a image via TypoScript like this:

```
lib.footerLogo = IMAGE
lib.footerLogo {
    file = EXT:provider_extension/Resources/Public/Images/logo.png
    stdWrap {
        typolink {
            parameter = 1
        }
    }
}
```

Even if sysext filemetadata is disabled.

#14 - 2016-10-07 09:40 - Stefan Zidar

hmm I just updated to Typo3 7.6.11, and it currently works, can the others confirm this?

#15 - 2016-10-12 10:03 - Gregor Sievert

7.6.11 still has this bug

#16 - 2016-10-12 11:08 - Gregor Sievert

Wouter Wolters wrote:

The problem here is that you translate the content element and not the sys_file_metadata which is connected to a sys_file. The content element has a reference with a sys_file_reference.

The question is, do we need to create a translated sys_file_metadata when translating a content element.

The exception is thrown because there is no record to edit....

If you edit the metadata of the file in the default language and then select the new language from the dropdown, than it works.

But this way is confusing for all editors.

I would expect if you (try to) edit the metadata of a file that is referenced to a translation of a record, it should create the translation of the metadata behind the scene.

#17 - 2017-07-03 10:04 - Angelo Previtali

Hello

we experienced the same problem as described on a TYPO3 CMS version 8.7.1. Could you please fix that on the actual branch of 8.7 or shall i open a new ticket for the 8.7 branch?

Thanks.

Regards,
Angelo

#18 - 2017-09-15 18:43 - Zoran Ilic

Angelo Previtali wrote:

Hello

we experienced the same problem as described on a TYPO3 CMS version 8.7.1.
Could you please fix that on the actual branch of 8.7 or shall i open a new ticket for the 8.7 branch?

Thanks.

Regards,
Angelo

Hello,
I have the same problem on TYPO3 v8.7.4. But this work when using FLUX inline.fal field. It doesn't work when I use it in my extension.
Best,
Zoran

#19 - 2017-09-18 16:04 - Felix Nagel

Can confirm this bug for TYPO3 8.7.4 and I'm pretty sure it has nothing to do with EXT:filemetadata. I removed the extension and its fields from DB but nothing changes. My investigation match with what Walter describes in <https://forge.typo3.org/issues/76262#note-12>

#20 - 2017-11-27 16:02 - Mathias Brodala

The error is not triggered by translating content or editing the file reference of the translated content but by clicking the edit button on the file reference of the translated content.

Here's the full stack trace for the error:

```
#1437656456: Suid must be positive integer, 0 given (More information)

InvalidArgumentException thrown in file
/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Form/FormDataProvider/AbstractDatabaseRecordProvider.php
in line 42.

16 TYPO3\CMS\Backend\Form\FormDataProvider\AbstractDatabaseRecordProvider::getRecordFromDatabase("sys_file_met
adata", 0)

/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Form/FormDataProvider/DatabaseEditRow.php:
00036:         }
00037:
00038:         $databaseRow = $this->getRecordFromDatabase($result['tableName'], $result['vanillaUid']);
00039:         if (!array_key_exists('pid', $databaseRow)) {
00040:             throw new \UnexpectedValueException(

15 TYPO3\CMS\Backend\Form\FormDataProvider\DatabaseEditRow::addData(array)

/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Form/FormDataGroup/OrderedProviderList.php:
00057:         }
00058:
00059:         $result = $provider->addData($result);
00060:     }
00061:

14 TYPO3\CMS\Backend\Form\FormDataGroup\OrderedProviderList::compile(array)

/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Form/FormDataGroup/TcaDatabaseRecord.php:
00037:     );
00038:
00039:     return $orderedProviderList->compile($result);
00040: }
00041: }

13 TYPO3\CMS\Backend\Form\FormDataGroup\TcaDatabaseRecord::compile(array)

/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Form/FormDataCompiler.php:
00097:         $resultKeysBeforeFormDataGroup = array_keys($result);
00098:
00099:         $result = $this->formDataGroup->compile($result);
00100:
00101:         if (!is_array($result)) {

12 TYPO3\CMS\Backend\Form\FormDataCompiler::compile(array)

/var/www/vendor/typo3/cms/typo3/sysex/backend/Classes/Controller/EditDocumentController.php:
01042:     }
```

```

01043:
01044:             $formData = $formDataCompiler->compile($formDataCompilerInput);
01045:
01046:             // Set this->viewId if possible

11 TYPO3\CMS\Backend\Controller\EditDocumentController::makeEditForm()

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Controller/EditDocumentController.php:
00945:
00946:             // Creating the editing form, wrap it with buttons, document selector etc.
00947:             $editForm = $this->makeEditForm();
00948:             if ($editForm) {
00949:                 $this->firstEl = reset($this->elementsData);

10 TYPO3\CMS\Backend\Controller\EditDocumentController::main()

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Controller/EditDocumentController.php:
01970:
01971:             $this->init();
01972:             $this->main();
01973:
01974:             $response->getBody()->write($this->moduleTemplate->renderContent());

9 TYPO3\CMS\Backend\Controller\EditDocumentController::mainAction(TYPO3\CMS\Core\Http\ServerRequest, TYPO3\CMS
\Core\Http\Response)
8 call_user_func_array(array, array)

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Http/RouteDispatcher.php:
00052:             $targetIdentifier = $route->getOption('target');
00053:             $target = $this->getCallableFromTarget($targetIdentifier);
00054:             return call_user_func_array($target, [$request, $response]);
00055:         }
00056:     }

7 TYPO3\CMS\Backend\Http\RouteDispatcher::dispatch(TYPO3\CMS\Core\Http\ServerRequest, TYPO3\CMS\Core\Http\Resp
onse)

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Http/RequestHandler.php:
00137:         /** @var RouteDispatcher $dispatcher */
00138:         $dispatcher = GeneralUtility::makeInstance(RouteDispatcher::class);
00139:         return $dispatcher->dispatch($request, $response);
00140:     }
00141: }

6 TYPO3\CMS\Backend\Http\RequestHandler::dispatch(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Http/RequestHandler.php:
00070:         // Check if the router has the available route and dispatch.
00071:         try {
00072:             return $this->dispatch($request);
00073:         } catch (InvalidRequestTokenException $e) {
00074:             // When token was invalid redirect to login

5 TYPO3\CMS\Backend\Http\RequestHandler::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/vendor/typo3/cms/typo3/sysext/core/Classes/Core/Bootstrap.php:
00313:
00314:         // Execute the command which returns a Response object or NULL
00315:         $this->response = $requestHandler->handleRequest($request);
00316:         return $this;
00317:     }

4 TYPO3\CMS\Core\Core\Bootstrap::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)

/var/www/vendor/typo3/cms/typo3/sysext/backend/Classes/Http/Application.php:
00090:     }
00091:
00092:     $this->bootstrap->handleRequest($this->request);
00093:
00094:     if ($execute !== null) {

3 TYPO3\CMS\Backend\Http\Application::run()

/var/www/vendor/typo3/cms/typo3/sysext/backend/Resources/Private/Php/backend.php:
00022:     $classLoader = require __DIR__ . '/../../../../../vendor/autoload.php';

```



```
00023:
00024:     (new \TYPO3\CMS\Backend\Http\Application($classLoader))->run();
00025: });

2 {closure}()

/var/www/vendor/typo3/cms/typo3/sysext/backend/Resources/Private/Php/backend.php:
00023:
00024:     (new \TYPO3\CMS\Backend\Http\Application($classLoader))->run();
00025: });

1 require("/var/www/vendor/typo3/cms/typo3/sysext/backend/Resources/Private/Php/backend.php")

/var/www/vendor/typo3/cms/typo3/index.php:
00001: <?php
00002:
00003: require __DIR__ . '/sysext/backend/Resources/Private/Php/backend.php';
```

#21 - 2017-11-27 16:37 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/54791>

#22 - 2017-11-28 09:13 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/54778>

#23 - 2017-11-28 09:14 - Mathias Brodala

- Has duplicate Bug #82178: \TYPO3\CMS\Backend\Form\Container\InlineRecordContainer::renderForeignRecordHeaderControl wrong edit link added

#24 - 2017-11-28 09:48 - Susanne Moog

- Sprint Focus set to On Location Sprint

#25 - 2017-11-28 10:27 - Christian Kuhn

- Description updated

#26 - 2017-11-28 11:10 - Gerrit Code Review

Patch set 1 for branch **TYPO3_8-7** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/54822>

#27 - 2017-11-28 11:30 - Łukasz Uznański

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset [bf6ee546a0496b0707b7546d40bf07b389b5139d](https://review.typo3.org/#/c/56568/).

#28 - 2017-11-29 16:22 - Mathias Brodala

- Has duplicate Bug #83165: Editing file metadata of translated tt_content added

#29 - 2018-04-05 17:03 - Gerrit Code Review

- Status changed from Resolved to Under Review

Patch set 1 for branch **TYPO3_7-6** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/56568>

#30 - 2018-04-05 17:04 - Michael Stucki

Hmm how come this is marked as resolved when it's still not fixed for TYPO3 7.6? See patch at <https://review.typo3.org/#/c/56568/>

#31 - 2018-04-05 17:05 - Michael Stucki

- % Done changed from 100 to 50

#32 - 2018-07-06 15:00 - Łukasz Uznański

- *Status changed from Under Review to Resolved*

- *% Done changed from 50 to 100*

Applied in changeset [0bc3e6c16076f45471866f96baed6ff04eb37bd](#).

#33 - 2018-10-02 11:13 - Benni Mack

- *Status changed from Resolved to Closed*