

TYPO3 Core - Feature #78917

Epic # 78916 (Closed): ext:rte_ckeditor

Integrate Element Browser for creating links

2016-12-08 09:47 - Frans Saris

Status:	Closed	Start date:	2016-12-08
Priority:	Should have	Due date:	
Assignee:	Frans Saris	% Done:	100%
Category:	RTE (rtehtmlarea + ckeditor)	Estimated time:	0.00 hour
Target version:	8.6	Complexity:	
PHP Version:		Sprint Focus:	
Tags:			
Description			
Replace the default CKEditor Link button with our own element browser			
Related issues:			
Related to TYPO3 Core - Bug #79919: Fix PageTS config example of CKEditor RTE		Closed	2017-02-20

Associated revisions

Revision 5cc0e52c - 2016-12-09 06:59 - Frans Saris

[TASK] Add linkbrowser to CKEditor

Releases: master
Resolves: #78917
Change-Id: I864b7798cd30f0eec63f4ec719f8dfebca1086ba
Reviewed-on: <https://review.typo3.org/50901>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Daniel Gorges <daniel.gorges@b13.de>
Tested-by: Daniel Gorges <daniel.gorges@b13.de>
Reviewed-by: Benni Mack <benni@typo3.org>
Tested-by: Benni Mack <benni@typo3.org>

Revision 29ac8fbc - 2016-12-09 13:35 - Frans Saris

[FOLLOWUP][TASK] Add linkbrowser to CKEditor

Streamlined added config and moved plugin out of the Contrib folder and pass correct contents language to editor.

Releases: master
Resolves: #78917
Change-Id: Iccd66e2bea7f1503e2c4b3ae68096da70e9822ef
Reviewed-on: <https://review.typo3.org/50912>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Daniel Gorges <daniel.gorges@b13.de>
Tested-by: Daniel Gorges <daniel.gorges@b13.de>
Reviewed-by: Benni Mack <benni@typo3.org>
Tested-by: Benni Mack <benni@typo3.org>

Revision bb177195 - 2017-02-01 09:09 - Benni Mack

[FEATURE] Implement configuration for CKEditor

The main problem with the current RTE configuration relies in the fact that it is **only** configurable via pageTS.

CKEditor can now be configured via YAML, but the configuration preset can be overridden via pageTS.

Additionally, the CKEditor Form Element is cleaned up.

A different preset can be used via PageTS config:
- RTE.default.preset = minimal
- RTE.config.tt_content.bodytext.preset = full

Once included, the next features will be

- a configuration backend module for ckeditor
- Make sure to re-add the feature for RTE.anchorClasses
- Check the languages of CKeditor that they are in line with the TYPO3 languages (possibility to add others)
- image handling
- table handling

Resolves: #78917
Releases: master
Change-Id: Ia222b73072b9e3fdb3a120d0be0a24a913552126
Reviewed-on: <https://review.typo3.org/50919>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Wouter Wolters <typo3@wouterwolters.nl>
Reviewed-by: Georg Ringer <georg.ringer@gmail.com>
Tested-by: Georg Ringer <georg.ringer@gmail.com>
Reviewed-by: Daniel Gorges <daniel.gorges@b13.de>
Tested-by: Daniel Gorges <daniel.gorges@b13.de>
Reviewed-by: Frans Saris <franssaris@gmail.com>
Reviewed-by: Benni Mack <benni@typo3.org>
Tested-by: Benni Mack <benni@typo3.org>

Revision 3ba114ff - 2017-02-06 14:15 - Frans Saris

[FOLLOWUP][FEATURE] Implement configuration for CKEditor

Use correct field to determine page uid

Resolves: #78917
Releases: master
Change-Id: I01101640ff8ac1d801ef1619f8bc3c885aee2713
Reviewed-on: <https://review.typo3.org/51555>
Reviewed-by: Georg Ringer <georg.ringer@gmail.com>
Tested-by: Georg Ringer <georg.ringer@gmail.com>

History

#1 - 2016-12-08 21:56 - Gerrit Code Review

- Status changed from *In Progress* to *Under Review*

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50901>

#2 - 2016-12-09 07:00 - Frans Saris

- Status changed from *Under Review* to *Resolved*

- % Done changed from 0 to 100

Applied in changeset [5cc0e52cf57356a9c03b1aa8afe6b31f358e03ce](https://review.typo3.org/50901).

#3 - 2016-12-09 09:51 - Gerrit Code Review

- Status changed from *Resolved* to *Under Review*

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50912>

#4 - 2016-12-09 10:35 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50912>

#5 - 2016-12-09 10:37 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50912>

#6 - 2016-12-09 10:43 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50912>

#7 - 2016-12-09 11:51 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50912>

#8 - 2016-12-09 14:00 - Frans Saris

- *Status changed from Under Review to Resolved*

Applied in changeset [29ac8fbc54ad5b2c02f09dd7dadbad5f83bf382](https://review.typo3.org/50912).

#9 - 2016-12-09 15:49 - Gerrit Code Review

- *Status changed from Resolved to Under Review*

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#10 - 2016-12-09 17:10 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#11 - 2016-12-29 13:36 - Benni Mack

- *Target version changed from 8.5 to 8.6*

#12 - 2017-01-17 21:38 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#13 - 2017-01-17 21:38 - Gerrit Code Review

Patch set 6 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#14 - 2017-01-19 22:08 - Gerrit Code Review

Patch set 7 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#15 - 2017-01-19 22:12 - Gerrit Code Review

Patch set 8 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#16 - 2017-01-19 22:13 - Gerrit Code Review

Patch set 9 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#17 - 2017-01-19 22:22 - Gerrit Code Review

Patch set 10 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#18 - 2017-01-22 17:38 - Gerrit Code Review

Patch set 11 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#19 - 2017-01-27 12:23 - Gerrit Code Review

Patch set 12 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#20 - 2017-01-27 14:18 - Gerrit Code Review

Patch set 13 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#21 - 2017-01-29 17:01 - Gerrit Code Review

Patch set 14 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/50919>

#22 - 2017-01-29 18:04 - Gerrit Code Review

Patch set 15 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#23 - 2017-01-30 14:52 - Gerrit Code Review

Patch set 16 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#24 - 2017-01-30 15:48 - Gerrit Code Review

Patch set 17 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#25 - 2017-01-30 15:50 - Gerrit Code Review

Patch set 18 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#26 - 2017-01-30 16:03 - Gerrit Code Review

Patch set 19 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/50919>

#27 - 2017-02-01 09:30 - Benni Mack

- Status changed from Under Review to Resolved

Applied in changeset [bb177195cb8e2a1552e56ef0bcc52f5cb1cc8321](#).

#28 - 2017-02-06 14:14 - Gerrit Code Review

- Status changed from Resolved to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/51555>

#29 - 2017-02-06 14:30 - Frans Saris

- Status changed from Under Review to Resolved

Applied in changeset [3ba114ffa710e6dc3ba76b8a9f0100234a2004ad](#).

#30 - 2017-10-17 23:28 - Riccardo De Contardi

- Status changed from Resolved to Closed

#31 - 2018-01-09 18:22 - Ernesto Baschny

If you stumbled over here when in search on how to configure the link wizard, I found this blog article <https://www.thomaskieslich.de/blog/135-links-im-ckeditor-mit-eigenen-css-klassen/> and made some experiments, and having this in your ckeditor YAML settings will currently work - since the examples in the blog doesn't work as I expected:

```
imports:
  ...

editor:
  config:
    stylesSet:
      ...

buttons:
  link:
    properties:
      class:
        allowedClasses: 'link-internal,link-internal-blank,link-download,link-folder,link-external,link-extern
al-blank,link-mail,read-more'
      title:
        readOnly: false
    page:
      properties:
```

```

class:
  default: 'link-internal'
file:
  properties:
    class:
      default: 'link-download'
folder:
  properties:
    class:
      default: 'link-folder'
url:
  properties:
    class:
      default: 'link-external-blank'
mail:
  properties:
    class:
      default: 'link-mail'

```

```

classesAnchor:
  linkInternal:
    class: 'link-internal'
    type: 'page'
    titleText: 'Intern'
  linkDownload:
    class: 'link-download'
    type: 'file'
    titleText: 'Download'
  linkFolder:
    class: 'link-folder'
    type: 'folder'
    titleText: 'Verzeichnis'
  linkExternalBlank:
    class: 'link-external-blank'
    type: 'url'
    target: '_blank'
    titleText: 'Externer Link'
  linkMail:
    class: 'link-mail'
    type: 'mail'
    titleText: 'Mail schreiben'

```

```

classes:
  link-internal:
    name: 'Interner Link'
  link-download:
    name: 'Download Link'
  link-folder:
    name: 'Verzeichnis Link'
  link-external-blank:
    name: 'Externer Link'
  link-mail:
    name: 'Mail Link'

```

This is just as a note / cheat-sheet for myself, in general I find that configuration (which is mean to be compatible with old RTE configuration) is counter-intuitive. Maybe this will be further improved before it is officially documented. :)