

## TYPO3 Core - Bug #81855

### Add new record wizard fails on Save&Close with "select" field and MM setted

2017-07-13 16:22 - Gianluca Strafella

<b>Status:</b>	Closed	<b>Start date:</b>	2017-07-13
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Backend API	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Candidate for patchlevel	<b>Complexity:</b>	medium
<b>TYPO3 Version:</b>	7	<b>Is Regression:</b>	
<b>PHP Version:</b>	5.6	<b>Sprint Focus:</b>	
<b>Tags:</b>	tca wizard_add		

#### Description

Hi all,  
I've this TCA for a table named as "tx\_myext\_domain\_model\_sap":

```
'ptric' => array(
    'exclude' => 1,
    'label' =>
'LLL:EXT:myext/Resources/Private/Language/locallang_db.xlf:tx_myext_domain_model_sap.ptric',
    'config' => array(
        'type' => 'select',
        'renderType' => 'selectMultipleSideBySide',
        'foreign_table' => 'tx_usersdbterminali_domain_model_plan',
        'MM' => 'tx_myext_sap_plan_mm',
        'size' => 10,
        'autoSizeMax' => 30,
        'maxitems' => 9999,
        'multiple' => 0,
        'wizards' => array(
            'add' => Array(
                'module' => array(
                    'name' => 'wizard_add',
                ),
                'type' => 'script',
                'title' => 'Create new',
                'icon' => 'add.gif',
                'params' => array(
                    'table' => 'tx_myext_domain_model_plan',
                    'pid' => '###CURRENT_PID###',
                    'setValue' => 'prepend'
                )
            )
        )
    ),
),
),
),
```

With that configuration, we can add a new record in table "tx\_myext\_domain\_model\_plan" and relate that in field tx\_myext\_domain\_model\_sap.ptric.

When I do this steps:

- add new record
- fill all mandatory fields
- click on "Save and close button"

The field "ptric" in "tx\_myext\_domain\_model\_sap" record, loose all old values and contains new "tx\_myext\_domain\_model\_plan" record uid, and another arbitrary "tx\_myext\_domain\_model\_plan" record id (see screenshot).

I found the problem in typo3/sysext/backend/Classes/Controller/Wizard/AddController.php, in the function "main".

```
// [...]
```

```

$result = $formDataCompiler->compile($input);
$currentParentRow = $result['databaseRow'];
//[...]

```

in my case, \$currentParentRow['ptric'] is equals to value "3"(it's the count of related plan records). The true values are placed in mm table.

That value is forwarded until the typo3/sysext/core/Classes/Database/RelationHandler.php, when the core deletes "all not-used relations":

```

//[...]

//Here $removeClauses was built using iteration on $oldMMs array which contains value "3".
//This value is wrong, it's the count of related record and not uid list of related records.

$where = $uidLocal_field . '=' . (int)$uid . $deleteAddWhere . $additionalWhere_tablenames .
$additionalWhere;
$GLOBALS['TYPO3_DB']->exec_DELETEquery($MM_tableName, $where);
//[...]

```

Thank you,  
Gianluca

**Related issues:**

Related to TYPO3 Core - Bug #76863: MM Relation with selectMultipleSideBySide...	<b>Closed</b>	<b>2016-06-29</b>
Related to TYPO3 Core - Bug #82016: Wizards add still not working with MM	<b>Closed</b>	<b>2017-08-01</b>
Related to TYPO3 Core - Bug #82461: Backend/TCA: fieldControl->addRecord remo...	<b>Closed</b>	<b>2017-09-12</b>

**History**

**#1 - 2017-07-13 18:21 - Georg Ringer**

- Status changed from New to Needs Feedback

please check out [#76863](#) as it has been solved recently

## #2 - 2017-07-13 18:21 - Georg Ringer

- Related to Bug #76863: MM Relation with selectMultipleSideBySide Field - Add wizard resets the MM Relation added

## #3 - 2017-07-14 09:36 - Gianluca Strafella

Hi,  
sure the problem is the same but patch in <https://forge.typo3.org/issues/76863#note-27> does not work in my version (TYPO3 7.6.20).

This is the problem:

```
// Check the row for its datatype. If it is an array it stores the relation
// to other rows. Implode it into a comma separated list to be able to restore the stored
// values after the wizard falls back to the parent record
$currentValue = $currentParentRow[$this->P['field']];
if (is_array($currentValue)) {
    $currentValue = implode(',', array_column($currentValue, 'uid'));
}
```

This is the dump of variable "\$currentParentRow[\$this->P['field']]" in my case:

```
array(2 items)
  0 => "51" (2 chars)
  1 => "46" (2 chars)
```

and so, implode statement fails.

Gianluca

## #4 - 2017-07-27 15:15 - Anke Altintop

I can confirm that is not solved in Typo3 8.7.\* either. The problem remains the same even with the integrated patch

## #5 - 2017-08-20 20:53 - Riccardo De Contardi

- Status changed from Needs Feedback to New

## #6 - 2017-08-31 14:00 - Anke Altintop

Solution <https://forge.typo3.org/issues/82016> worked

## #7 - 2017-11-07 22:43 - Riccardo De Contardi

- Related to Bug #82016: Wizards add still not working with MM added

## #8 - 2017-11-07 22:45 - Riccardo De Contardi

- Related to Bug #82461: Backend/TCA: fieldControl->addRecord removes old relations after creating an new entry in the foreign table for the new relation added

## #9 - 2018-03-03 10:58 - Kevin Ditscheid

Solved in [#82461](#) please close

## #10 - 2018-03-03 11:47 - Riccardo De Contardi

- Status changed from New to Closed

[Kevin no-lastname-given](#) Ditscheid thank you for your feedback - closed.

If you think that this is the wrong decision or experience the issue again, please reopen it or open a new issue with a reference to this one.

## Files

---

core-tca-error.png	51.3 KB	2017-07-13	Gianluca Strafella
--------------------	---------	------------	--------------------