

TYPO3 Core - Bug #81949

cgIFixMyCommit.sh won't work on Windows

2017-07-24 15:08 - Jigal van Hemert

Status:	Closed	Start date:	2017-07-24
Priority:	Should have	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:		Complexity:	
TYPO3 Version:	8	Is Regression:	
PHP Version:	7.0	Sprint Focus:	
Tags:			

Description

Build/Scripts/cgIFixMyCommit.sh contains the weird construction where a shell script is passed to the PHP executable. This is probably done to make sure that the custom configuration of PHP is used in PHP scripts later on in the chain. Apparently PHP is capable of running shell scripts. Even though I executed the script in Git Bash (part of Git for Windows; supports shebangs and many other bash features) it seems that PHP internally opens a Windows shell to execute the script. This won't work with shell scripts made for Linux.

In TYPO3 v7 the script was running fine, but after the changes to "squeeze the last bit of performance" out of the script it fails. Perhaps a version (.bat file?) can be made that contains the old methods? These ran pretty fast

Associated revisions

Revision ee2bd7b9 - 2017-08-11 11:39 - Susanne Moog

[TASK] Add cgIFixMyCommit.bat

This patch introduces a bat file to run php-cs-fixer with TYPO3 core config on Windows. It does not disable xdebug like its linux counterpart.

Change-Id: If4543cac0b5026a8eab469f16e234130f999ba78
Resolves: #81949
Releases: master, 8.7
Reviewed-on: <https://review.typo3.org/53669>
Reviewed-by: Sascha Rademacher <sascha.rademacher+typo3@gmail.com>
Tested-by: Sascha Rademacher <sascha.rademacher+typo3@gmail.com>
Reviewed-by: Wouter Wolters <typo3@wouterwolters.nl>
Reviewed-by: Jigal van Hemert <jigal.van.hemert@typo3.org>
Tested-by: Jigal van Hemert <jigal.van.hemert@typo3.org>
Reviewed-by: Susanne Moog <susanne.moog@typo3.org>
Tested-by: Susanne Moog <susanne.moog@typo3.org>

Revision 38aab435 - 2017-08-11 11:54 - Susanne Moog

[TASK] Add cgIFixMyCommit.bat

This patch introduces a bat file to run php-cs-fixer with TYPO3 core config on Windows. It does not disable xdebug like its linux counterpart.

Change-Id: If4543cac0b5026a8eab469f16e234130f999ba78
Resolves: #81949
Releases: master, 8.7
Reviewed-on: <https://review.typo3.org/53678>
Tested-by: TYPO3com <no-reply@typo3.com>
Reviewed-by: Susanne Moog <susanne.moog@typo3.org>
Tested-by: Susanne Moog <susanne.moog@typo3.org>

History

#1 - 2017-08-10 09:12 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/53669>

#2 - 2017-08-11 11:32 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/53669>

#3 - 2017-08-11 11:39 - Gerrit Code Review

Patch set 1 for branch **TYPO3_8-7** of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/53678>

#4 - 2017-08-11 12:00 - Anonymous

- *Status changed from Under Review to Resolved*
- *% Done changed from 0 to 100*

Applied in changeset [ee2bd7b90e3f8a621dfb93c71c90780bc4d1fb95](https://review.typo3.org/53678).

#5 - 2018-10-02 10:58 - Benni Mack

- *Status changed from Resolved to Closed*