

pw_comments - Feature #82625

Load images of fe_users with fallback of gravatar

2017-09-30 20:52 - Christoph Hendreich

Status:	New	Start date:	2017-09-30
Priority:	Should have	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
Hi All,			
the idea is to load first the fe_user profile images before gravatar. I even tried something could but also still not 100% run. Perhaps you have a better idea?			
<pre>lib.comments_fe_user_img = COA lib.comments_fe_user_img { 10 = FILES 10 { references { table = fe_users fieldName = image uid.dataWrap = {field:uid} } begin = 0 maxItems = 1 renderObj = IMAGE renderObj { file.treatIdAsReference = 1 file.import.dataWrap = {file:current:storage}:{file:current:identifier} file.width = {\$plugin.tx_pwcomments.settings.gravatarSize}c file.height = {\$plugin.tx_pwcomments.settings.gravatarSize}c params = class="comment-author-image" alt="{field:alt}" params.insertData = 1 } } }</pre>			
<pre><div class="comment-avatar"> <f:if condition="{comment.authorid} == {comment.authorid -> f:format.number()} && {f:cObject(typoscriptObjectPath: 'lib.comments_fe_user_img', data: {uid: '{comment.authorid}'})}"> <f:then> <f:cobject typoscriptObjectPath="lib.comments_fe_user_img" data="{uid:'{comment.authorid}'", alt:'{comment.author.name}{comment.authorName}'" /> </f:then> <f:else> <f:if condition="{settings.showGravatarImage}"> <f:then> <pw:Gravatar email="{comment.commentAuthorMailAddress}" size="{settings.gravatarSize}" default="{settings.gravatarDefault}" alt="{comment.author.name}{comment.authorName}" class="comment-author-image" /> </f:then> <f:else> <f:image src="{f:uri.resource(path:'Icons/avatar.svg')}" class="comment-author-image default-user-icon" /> </f:else> </f:if> </f:else> </f:if> </div></pre>			

