

## TYPO3 Core - Bug #85934

### DatabaseQueryProcessor - doesn't respect the translation config

2018-08-23 08:44 - Tanel Pöld

<b>Status:</b>	Needs Feedback	<b>Start date:</b>	2018-08-23
<b>Priority:</b>	Must have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Link Handling, Site Handling & Routing	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Complexity:</b>	
<b>TYPO3 Version:</b>	9	<b>Is Regression:</b>	
<b>PHP Version:</b>		<b>Sprint Focus:</b>	
<b>Tags:</b>			

#### Description

Not sure, bug or a missing feature...

Using DatabaseQueryProcessor seems not to respect the translation config. It shows pages in original language if translation does not exist.

Config:

```
config.sys_language_mode = strict
config.sys_language_overlay = hideNonTranslated
```

TypoScript:

```
dataProcessing.10 = TYPO3\CMS\Frontend\DataProcessing\DatabaseQueryProcessor
dataProcessing.10 {
    table = pages
    pidInList.field = pages
    as = pages
}
```

In the very same setup TYPO3\CMS\Frontend\DataProcessing\MenuProcessor works as expected and hides pages with no translations.

#### Related issues:

Related to TYPO3 Core - Bug #85284: Workspace shows unchecked sectionIndex in...

**New**

**2018-06-15**

#### History

##### #1 - 2018-08-23 10:14 - Tanel Pöld

As a workaround this works, but obviously this is not respecting language config either and has other limitations...

```
[globalVar = GP:L > 0]
dataProcessing.10 {
    table = pages
    pidInList.field = pages
    join = pages_language_overlay ON pages_language_overlay.pid = pages.uid
    where (
        pages_language_overlay.hidden = 0
        AND pages_language_overlay.deleted = 0
        AND pages_language_overlay.sys_language_uid = ###language###
        AND (pages_language_overlay.starttime < ###now### OR pages_language_overlay.starttime = 0)
        AND (pages_language_overlay.endtime > ###now### OR pages_language_overlay.endtime = 0)
    )
    selectFields = pages_language_overlay.*
    markers {
        language.data = GP:L
        now.data = date:U
    }
    as = pages
```

```
}
[end]
```

## #2 - 2018-10-30 10:11 - Christian von Holten

- TYPO3 Version changed from 8 to 9

For me it's almost the same incorrect behaviour. If content is in free mode no content is shown on translated pages. I have tried a workaround with "select.includeRecordsWithoutDefaultTranslation = 1" which is not working as well.

```
tt_content.menu_contacts =< lib.contentElement
tt_content.menu_contacts {
    templateName = MenuContacts
    dataProcessing {
        10 = TYPO3\CMS\Frontend\DataProcessing\DatabaseQueryProcessor
        10 {
            table = tt_content
            pidInList.field = pages
        }
    }
}
```

```
# Does not work
#select {
#    includeRecordsWithoutDefaultTranslation = 1
#    languageField = sys_language_uid
#}
```

```
as = content
dataProcessing {
    10 = TYPO3\CMS\Frontend\DataProcessing\FilesProcessor
    10 {
        references.fieldName = image
    }
}
}
```

## #3 - 2018-11-29 07:34 - Benni Mack

- Status changed from New to Needs Feedback

We've made some improvements here now in the last weeks (9.5.2-dev), can you recheck this please?

## #4 - 2018-11-29 20:45 - Rainer Roskothen

Hello, the improvements do their job. In version 9.5.2-dev from today it works without setting the parameter "includeRecordsWithoutDefaultTranslation". The example listed under [#2](#) is a part of our project and works now. Thanks!

## #5 - 2019-02-25 14:05 - Marco Strotmeier

Are there any chances to get this running also under the current 8LTS (can reproduce the behaviour as described above in version 8.7.24)?

## #6 - 2019-06-12 13:03 - Benni Mack

Fixing this in v8 is really really hard, I'd suggest to rather do a proper XCLASS of this for v8 in your project. The main issue here is that until v9, "pages" had their translations in a separate table, which made it almost impossible to fix all issues related to that, as this behavior does not comply with any other record type in TYPO3.

## #7 - 2019-08-25 17:19 - Tanel Põld

Benni Mack wrote:

We've made some improvements here now in the last weeks (9.5.2-dev), can you recheck this please?

```
dataProcessing.10 = TYPO3\CMS\Frontend\DataProcessing\DatabaseQueryProcessor
dataProcessing.10 {
    table = pages
    pidInList.field = pages
    as = pages
}
```

Language fallback modes:

1. Fallback Type -> Strict: Show only translated content, based on overlays works NOT as expected, shows non translated pages as well.

2. Fallback Type -> Free mode: Ignore translation and overlay concept, only show data from selected language Works as expected, shows only translated pages.

**#8 - 2020-03-26 09:14 - Susanne Moog**

- *Category set to Link Handling, Site Handling & Routing*

**#9 - 2020-07-30 17:46 - Christian Kuhn**

- *Related to Bug #85284: Workspace shows unchecked sectionIndex in preview added*