

## TYPO3 Core - Bug #85985

### Error: No pseudo-site found in root line of page 3

2018-08-27 08:30 - Stefan Froemken

<b>Status:</b>	Closed	<b>Start date:</b>	2018-08-27
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	100%
<b>Category:</b>	Pagetree	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	next-patchlevel	<b>Complexity:</b>	
<b>TYPO3 Version:</b>	9	<b>Is Regression:</b>	
<b>PHP Version:</b>	7.2	<b>Sprint Focus:</b>	
<b>Tags:</b>			

#### Description

Hello Core Team,

I'm just trying TYPO3 9.4.0-dev and started with an empty page-tree. I have created the first page and clicked on it, which results in Error:

```
#1534710048: No pseudo-site found in root line of page 3
```

#### Backtrace:

```
TYPO3\CMS\Core\Exception\SiteNotFoundException thrown in file
/Users/froemken/htdocs/typo3_src/typo3/sysex/core/Classes/Site/PseudoSiteFinder.php in line 177.

33 TYPO3\CMS\Core\Site\PseudoSiteFinder::getSiteByPageId(3, array)

/Users/froemken/htdocs/typo3_src/typo3/sysex/core/Classes/Routing/SiteMatcher.php:
00168:         } catch (SiteNotFoundException $e) {
00169:             // Check for a pseudo / null site
00170:             return $this->pseudoSiteFinder->getSiteByPageId($pageId, $rootLine);
00171:         }
00172:     }

32 TYPO3\CMS\Core\Routing\SiteMatcher::matchByPageId(3)

/Users/froemken/htdocs/typo3_src/typo3/sysex/backend/Classes/View/PageLayoutView.php:
04405:     protected function resolveSiteLanguages(int $pageId)
04406:     {
04407:         $site = GeneralUtility::makeInstance(SiteMatcher::class)->matchByPageId($pageId);
04408:         $this->siteLanguages = $site->getAvailableLanguages($this->getBackendUser(), false,
    $pageId);
04409:     }

31 TYPO3\CMS\Backend\View\PageLayoutView::resolveSiteLanguages(3)

/Users/froemken/htdocs/typo3_src/typo3/sysex/backend/Classes/View/PageLayoutView.php:
02980:     public function start($id, $table, $pointer, $search = '', $levels = 0, $showLimit = 0)
02981:     {
02982:         $this->resolveSiteLanguages((int)$id);
02983:         $backendUser = $this->getBackendUser();
02984:         // Setting internal variables:

30 TYPO3\CMS\Backend\View\PageLayoutView::start(3, "tt_content", 0, NULL, NULL, NULL)

/Users/froemken/htdocs/typo3_src/typo3/sysex/backend/Classes/Controller/PageLayoutController.php:
00898:         // Start the dblist object:
00899:         $dbList->itemsLimitSingleTable = 1000;
00900:         $dbList->start($this->id, $table, $this->pointer, $this->search_field, $this->s
```

```
earch_levels, $this->showLimit);
00901:         $dbList->counter = $CMcounter;
00902:         $dbList->ext_function = $this->MOD_SETTINGS['function'];

29 TYPO3\CMS\Backend\Controller\PageLayoutController::renderContent()

/Users/froemken/htdocs/typo3_src/typo3/sysex/backend/Classes/Controller/PageLayoutController.php:
00781:         $content .= '<h1 class="t3js-title-inlineedit">' . htmlspecialchars($this->
getLocalizedPageTitle()) . '</h1>';
00782:         // All other listings
00783:         $content .= $this->renderContent();
```

#### Related issues:

Related to TYPO3 Core - Bug #86186: No pseudo-site found in root line for wor...	Closed	2018-09-07
Related to TYPO3 Core - Bug #88586: No pseudo-site found in root line for wor...	Closed	2019-06-18
Has duplicate TYPO3 Core - Bug #85992: Pseudo site not found on new root-leve...	Closed	2018-08-27

#### Associated revisions

##### Revision c22ed2aa - 2018-08-27 21:15 - Christian Kuhn

[TASK] Remove site caches if page is created on top level

The patch fixes a fatal php scenario if a page is created on root level. The data handler now flushes site caches if that happens and unsets the SiteMatcher singleton so it is forced to be recalculated if re-used in current request.

Change-Id: Ie54f70b1bbfaaf1f6302f4e6b14abcf6af4c310f  
 Resolves: #85985  
 Releases: master  
 Reviewed-on: <https://review.typo3.org/58017>  
 Tested-by: TYPO3com <[no-reply@typo3.com](mailto:no-reply@typo3.com)>  
 Reviewed-by: Wouter Wolters <[typo3@wouterwolters.nl](mailto:typo3@wouterwolters.nl)>  
 Tested-by: Wouter Wolters <[typo3@wouterwolters.nl](mailto:typo3@wouterwolters.nl)>  
 Reviewed-by: Anja Leichsenring <[aleichsenring@ab-softlab.de](mailto:aleichsenring@ab-softlab.de)>  
 Tested-by: Anja Leichsenring <[aleichsenring@ab-softlab.de](mailto:aleichsenring@ab-softlab.de)>

##### Revision 5335d9aa - 2018-11-15 15:01 - Steffen Dietrich

[BUGFIX] Remove caches if a site is deleted

This patch fixes a pseudo-site-error in the backend after a created site is deleted and the page module is shown. After deleting the site the cache gets automatically cleared.

Resolves: #85985  
 Releases: master  
 Change-Id: I42157fe61a0a624be875d2a777147a657a973d2f  
 Reviewed-on: <https://review.typo3.org/58896>  
 Tested-by: TYPO3com <[no-reply@typo3.com](mailto:no-reply@typo3.com)>  
 Reviewed-by: Steffen Dietrich <[Teilzeitphilosoph@gmx.de](mailto:Teilzeitphilosoph@gmx.de)>  
 Tested-by: Steffen Dietrich <[Teilzeitphilosoph@gmx.de](mailto:Teilzeitphilosoph@gmx.de)>  
 Reviewed-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>  
 Tested-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>

#### History

##### #1 - 2018-08-27 08:33 - Stefan Froemken

There is no Site Configuration configured.  
 Site Configuration has found my Page UID 3 and gives me a button "Add site configuration for new site".

##### #2 - 2018-08-27 09:24 - Stefan Froemken

I have debugged that error a little bit. TYPO3 has found an old config.yaml in typo3conf/sites/fds/. After deleting it and clearing all caches it works. Would be cool if TYPO3 will not respect that old file or throws an error that old config does not match page-tree.

Stefan

##### #3 - 2018-08-27 12:13 - Christian Kuhn

that's a cache issue. i have a partial patch pending for this already with <https://review.typo3.org/#/c/58017/> - the fatal is still thrown, but the next class is ok at least. i'm still in contact with benni on how to fix this in a better way.

**#4 - 2018-08-27 14:11 - Christian Kuhn**

<https://review.typo3.org/#/c/58017/>

**#5 - 2018-08-27 14:12 - Christian Kuhn**

- Has duplicate Bug #85992: Pseudo site not found on new root-level page added

**#6 - 2018-08-27 15:17 - Gerrit Code Review**

- Status changed from New to Under Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/58017>

**#7 - 2018-08-27 17:06 - Gerrit Code Review**

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/58017>

**#8 - 2018-08-27 21:30 - Christian Kuhn**

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset [c22ed2aaaec20c19f00fba4f61b4f8365a8b91bb](#).

**#9 - 2018-09-07 13:51 - Joerg Kummer**

Same Error, when edit a new created page in Workspace  
TYPO3 9.5-dev

**#10 - 2018-09-07 15:05 - Joerg Kummer**

- Related to Bug #86186: No pseudo-site found in root line for workspaces added

**#11 - 2018-10-02 10:25 - Benni Mack**

- Status changed from Resolved to Closed

**#12 - 2018-11-13 11:06 - Andreas Steiger**

I also can reproduce the error in 9.5.1.

If I move this 'error'-site in an another root site tree and add pages, the error is gone. The error message is a bug

**#13 - 2018-11-13 20:53 - Oliver Hader**

@AndreasSteiger: What's the stack track for the exception you get (probably you might want to enable debug context in install tool)?

**#14 - 2018-11-14 14:11 - Steffen Dietrich**

I could reproduce the error with creating and deleting sites. There's a bugfix available that could do the trick.

<https://review.typo3.org/#/c/58896/>

**#15 - 2019-04-26 11:55 - Benni Mack**

- Target version changed from 9 LTS to next-patchlevel

**#16 - 2019-06-18 15:12 - Philipp Seiler**

- Related to Bug #88586: No pseudo-site found in root line for workspaces added