

TYPO3 Core - Bug #86331

Mountpoints not working with new site configurations

2018-09-20 15:23 - Alexander Grein

Status:	Closed	Start date:	2018-09-20
Priority:	Must have	Due date:	
Assignee:		% Done:	100%
Category:	Link Handling, Site Handling & Routing	Estimated time:	0.00 hour
Target version:	Candidate for patchlevel	Complexity:	
TYPO3 Version:	9	Is Regression:	
PHP Version:	7.2	Sprint Focus:	On Location Sprint
Tags:			

Description

To reproduce:

Add two root pages with a site configuration for each.

Add a standard page with the name "page1" to site a.

Add a mountpoint page with the same name to site b.

Try to open page1 of site **b** in a browser: e.g. www.site-b.com/page1

Expected:

A page containing the same content as www.site-a.com/page1

Result:

A automatic redirect to a page with a url like www.site-a.com/page1?MP=3-20 showing an error:
PageNotFoundException: ID was outside the domain

The menu provider also generates wrong links to the site a with additional MP parameter.

Related issues:

Related to TYPO3 Core - Bug #89039: MointPoints result in 404 if mounted page...	Closed	2019-08-29
Related to TYPO3 Core - Bug #82521: Links to a mounted page in a page tree wi...	Closed	2017-09-20
Related to TYPO3 Core - Bug #90156: Avoid removing empty prefixes in mount-po...	Closed	2020-01-20
Related to TYPO3 Core - Bug #90166: MountPoints with Site Handling crash if t...	Closed	2020-01-21
Related to TYPO3 Core - Bug #90648: Infinite recursion with new mount point s...	New	2020-03-05
Related to TYPO3 Core - Bug #90469: Mountpoint information fetched for slug o...	Closed	2020-02-21

Associated revisions

Revision 6170b24f - 2020-01-15 22:42 - Benni Mack

[FEATURE] Native MountPoint support for Site Handling

In order to link to mountpoints with Site Handling, the RootlineUtility needs to receive the MountPoint parameter, to correctly deal with mountpoint-related subpages.

Mount Points are based on the assumption that the "context" (the original site environment) is kept. For this to work, the slug of the mount page (doktype=7) is prefixed to the URL, but the common prefix of the subpages is trimmed with the value of the mounted page (= pointer record).

The MP parameter is then added to PageArguments within the PageArguments as "routeArgument" (= safe and clean argument) where TYPO3 is dealing with this feature again in the same fashion it as before.

Various side-effects when dealing with mount points from other domains still exist (= different language setup, or non-existing sites).

Feature Set:

- Multi-language setup (= when language setup is the same) with slugs
- Recursive mount points
- No MP parameter available in URLs anymore (at all)
- Multi-site setup (= when language setup is the same)

If a subpage of a mount page does not inherit the slug of the mounted page, then the slug of the subpage is added in full afterwards.

Resolves: #86331
 Resolves: #87473
 Resolves: #89039
 Releases: master, 9.5
 Change-Id: I58f41eb325a07cc0c4a0dfeab1164eb8c58c7314
 Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>
 Tested-by: TYPO3com <noreply@typo3.com>
 Tested-by: Susanne Moog <look@susi.dev>
 Tested-by: Daniel Siepmann <coding@daniel-siepmann.de>
 Tested-by: Benni Mack <benni@typo3.org>
 Reviewed-by: Susanne Moog <look@susi.dev>
 Reviewed-by: Daniel Goerz <daniel.goerz@posteo.de>
 Reviewed-by: Benni Mack <benni@typo3.org>

Revision 9fca335b - 2020-01-20 08:43 - Benni Mack

[FEATURE] Native MountPoint support for Site Handling

In order to link to mountpoints with Site Handling, the RootlineUtility needs to receive the MountPoint parameter, to correctly deal with mountpoint-related subpages.

Mount Points are based on the assumption that the "context" (the original site environment) is kept. For this to work, the slug of the mount page (doktype=7) is prefixed to the URL, but the common prefix of the subpages is trimmed with the value of the mounted page (= pointer record).

The MP parameter is then added to PageArguments within the PageArguments as "routeArgument" (= safe and clean argument) where TYPO3 is dealing with this feature again in the same fashion it as before.

Various side-effects when dealing with mount points from other domains still exist (= different language setup, or non-existing sites).

Feature Set:

- Multi-language setup (= when language setup is the same) with slugs
- Recursive mount points
- No MP parameter available in URLs anymore (at all)
- Multi-site setup (= when language setup is the same)

If a subpage of a mount page does not inherit the slug of the mounted page, then the slug of the subpage is added in full afterwards.

Resolves: #86331
 Resolves: #87473
 Resolves: #89039
 Releases: master, 9.5
 Change-Id: I58f41eb325a07cc0c4a0dfeab1164eb8c58c7314
 Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>
 Tested-by: TYPO3com <noreply@typo3.com>
 Tested-by: Marco Huber <mail@marco-huber.de>
 Tested-by: Daniel Siepmann <coding@daniel-siepmann.de>
 Tested-by: Benni Mack <benni@typo3.org>
 Reviewed-by: Marco Huber <mail@marco-huber.de>
 Reviewed-by: Susanne Moog <look@susi.dev>
 Reviewed-by: Benni Mack <benni@typo3.org>

Revision 03856efc - 2020-01-22 16:43 - Benni Mack

[BUGFIX] Allow MountPoints with the same slug and add tests

If a multi-site setup contains a page with slug "/products" as DOKTYPE=7 and "/products" in another site which is the Mounted Page the PageRouter goes in an endless-loop as there is no context in the recursive call.

In addition, some other changes that have been adapted in the previous

9.5 backport are addressed now.

On top, there is now a MountPointScenario which serves as a basis for adding more functionality in multi-lingual setups.

The next step is also to remove the redirect of the MountPoint page with mount_pid_of=1.

Resolves: #90166
Related: #86331
Releases: master, 9.5
Change-Id: If5c67ac813430f54737192341e22b58c9c275cf6
Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+63007>
Tested-by: TYPO3com <noreply@typo3.com>
Tested-by: Daniel Goerz <daniel.goerz@posteo.de>
Tested-by: Susanne Moog <look@susi.dev>
Tested-by: Benni Mack <benni@typo3.org>
Reviewed-by: Daniel Goerz <daniel.goerz@posteo.de>
Reviewed-by: Susanne Moog <look@susi.dev>
Reviewed-by: Benni Mack <benni@typo3.org>

Revision fd2b3731 - 2020-01-31 11:59 - Benni Mack

[BUGFIX] Allow MountPoints with the same slug and add tests

If a multi-site setup contains a page with slug "/products" as DOKTYPE=7 and "/products" in another site which is the Mounted Page the PageRouter goes in an endless-loop as there is no context in the recursive call.

In addition, some other changes that have been adapted in the previous 9.5 backport are addressed now.

On top, there is now a MountPointScenario which serves as a basis for adding more functionality in multi-lingual setups.

The next step is also to remove the redirect of the MountPoint page with mount_pid_of=1.

Resolves: #90166
Related: #86331
Releases: master, 9.5
Change-Id: If5c67ac813430f54737192341e22b58c9c275cf6
Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+63013>
Tested-by: TYPO3com <noreply@typo3.com>
Tested-by: Susanne Moog <look@susi.dev>
Tested-by: Daniel Goerz <daniel.goerz@posteo.de>
Reviewed-by: Susanne Moog <look@susi.dev>
Reviewed-by: Daniel Goerz <daniel.goerz@posteo.de>

History

#1 - 2018-09-20 15:28 - Alexander Grein

I forgot to mention:
Put the mountpoint of "page1" of site b to "page1" of site a

#2 - 2018-09-20 15:28 - Georg Ringer

- Category set to Link Handling, Site Handling & Routing

#3 - 2018-09-21 07:46 - Sascha Wilking

I can reproduce it. It doesn't matter what the page's name is. In my scenario i have the entry domain2.local/test1, where page "test1" is a mount point to another root (domain1.local) with page "test2". The menu link on domain2.local is also wrong and points to domain1.local/test2.

#4 - 2018-09-21 12:30 - Alexander Grein

It looks like, that the whole MP handling is a known open point in typo3/sysex/core/Classes/Routing/PageUriBuilder.php (line 36):

- @todo: check handling of MP parameter.

#5 - 2018-09-24 07:30 - Josef Glatz

- Priority changed from Should have to Must have

#6 - 2018-10-02 15:22 - Benni Mack

- Target version set to next-patchlevel

#7 - 2018-10-25 11:59 - Susanne Moog

- Sprint Focus set to On Location Sprint

#8 - 2018-10-27 14:33 - Nicolai Schirawski

I will have a look onto the problem in typo3 sprint berlin

#9 - 2018-10-27 17:47 - Nicolai Schirawski

Hier eine Dokumentation über das Verhalten der Mountpoints in TYPO3 9.5.1-dev:

Verhalten innerhalb einer Domain:

r	Inhalt	slug	laut BE	Link auf diese Seite	angezeigte
---	Rootseite	pid 1	slug: /	link: domain1/	
	__unter1	pid 2	slug: /unter1	link: domain1/unter1	
	__u11	pid 3	slug: /unter1/u11	link: domain1/unter1/u11	Inhalt: "u11"
	__u111	pid 4	slug: /unter1/u11/u111	link: domain1/unter1/u11/u111	Inhalt: "u111"

----- Alternativ1 :mount 1 mounted auf pid3; "show mounted page"

	__mount1	pid 5	slug: /mount1	link: domain1/unter1/u11?MP=3-5	Inhalt: "u11"
	__u111			link: domain1/unter1/u11/u111?MP=3-5	Inhalt: "u111"

----- Alternativ2 :mount 1 mounted auf pid3; "show this page"

	__mount1	pid 5	slug: /mount1	link: domain1/mount1	Inhalt: "mount1"
	__u111			link: domain1/unter1/u11/u111?MP=3-5	Inhalt: "u111"

Verhalten Domain-übergreifend:

r	Inhalt	slug	laut BE	Link auf diese Seite	angezeigte
---	Rootseite2	pid 6	slug: /	link: domain2/	
	__unter2	pid 7	slug: /unter2	link: domain2/unter2	
	__u21	pid 8	slug: /unter2/u21	link: domain2/unter2/u21	Inhalt: "u21"
	__u211	pid 9	slug: /unter2/u21/u211	link: domain2/unter2/u21/u211	Inhalt: "u211"

----- Alternativ1 :mount 2 mounted auf pid3; "show mounted page"

	__mount2	pid 10	slug: /mount2	link: domain1/unter1/u11?MP=3-10	Inhalt: => Exception!!!
	__u11			Soll: link: domain2/unter1/u11?MP=3-10	Inhalt: "u11"

	__u111			link: domain1/unter1/u11/u111?MP=3-10	Inhalt: => Exception!!!
	__u111			Soll: link: domain2/unter1/u11/u111?MP=3-10	Inhalt: "u111"

----- Alternativ2 :mount 2 mounted auf pid3; "show this page"

	__mount2	pid 10	slug: /mount2	link: domain2/mount2	Inhalt: "mount2"
	__u111			link: domain1/unter1/u11/u111?MP=3-10	Inhalt: => Exception!!!
	__u111			Soll: link: domain2/unter1/u11/u111?MP=3-10	Inhalt: "u111"

#10 - 2018-10-28 10:28 - Nicolai Schirawski

I see major conceptual difficulties here. The question is: **how do we want to deal with cross-domain-mounts?**

The basic use case could be something like this: domain1 has a subtree, e.g. a blog, that should be shown on another page (domain2), too. On domain2 all mounted pages should have urls starting with "domain2".

By allowing that, we run into difficulties: we have to deal with internal links pointing out of the subtree onto other pages of domain1. The edge-case would be a sitemap being part of the subtree. Than the complete site domain1 would be visible under "domain2" as well.

This seems to be unwanted behaviour.

Possible solutions:

- we create a new page-property "allow shared" that allows a page and all of its subpages to be mounted on other domains as well. Internal links out of the shared pages must than either stay on the original domain or be disabled. Implementing that looks like a huge task.

- we just disallow cross-domain-mounts. The use-case "blog-subtree" could than be realised by creating a new subtree in domain2 and mapping all pages using "show content from page"

For the time beeing, I would suggest the second solution.

#11 - 2019-03-07 21:59 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+59915>

#12 - 2019-03-07 22:02 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+59915>

#13 - 2019-03-07 22:30 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+59915>

#14 - 2019-03-08 13:09 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+59915>

#15 - 2019-04-17 23:42 - Benni Mack

- Target version changed from next-patchlevel to Candidate for patchlevel

#16 - 2019-05-29 10:44 - Christoph Kratz

\$queryParameters['MP'] can have multiple comma-separated parameters, resulting in an endless redirect. The following exam works for me and fixes the problem.

typo3/sysext/frontend/Classes/Typolink/PageLinkBuilder.php:188

```
if (!is_null($queryParameters['MP'])) {
    $mp = explode(",", $queryParameters['MP']);
    if (count($mp) > 1) {
        $queryParameters['MP'] = $mp[0];
    }
}
$siteOfTargetPage = GeneralUtility::makeInstance(SiteFinder::class)->getSiteByPageId((int)$page['uid'], null,
$queryParameters['MP'] ?? '');
```

#17 - 2019-11-07 12:00 - Nikolas Hagelstein

Any news on that?

#18 - 2019-11-07 13:29 - Tizian Schmidlin

We ran into this issue lately too.

We will provide feedback on the current state of the patch asap.

#19 - 2019-12-03 09:54 - Stephan Boiting

What is the status of the problem? We need the mountpointtrees in a multi-domain-channel asap for typo3 update

#20 - 2019-12-10 11:33 - Heiko Karner

Is there anything new on this? Looks like it was set to "abandoned"... When will it be taken care of again? We need this for a current project so any Updates on this would be appreciated.

#21 - 2019-12-10 11:44 - Claus Fassing

We had to cancel a current upgrade project cause of this and need a fix too

#22 - 2019-12-19 14:08 - Ingo Fabbri

I really appreciate any work targeting PHP standards and replacing self-baked solutions with known and approved packages from e.g. symfony.

But mountpoints are there since TYPO3 v3 or even longer - at least they are there ever since I can remember using TYPO3.

v9 will be in security-only-mode within 4 months and it does not look like this issue will be fixed until then.

So this basically means, there is going to be a major TYPO3 LTS version with broken mountpoint-functionality.

And still uncertain if this will ever be fixed in v10 either.

just my 2c.

#23 - 2020-01-06 14:26 - Ralf Schlömer

Will there still be a working solution in TYPO3 9 LTS for the problems arising from the use of "mountpoints"?

Is there a tutorial somewhere for using mountpoints in TYPO3 9 LTS?

#24 - 2020-01-07 15:31 - Christoph Runkel

We also have a 40 Domain installation online with 84 Mountpoints incl. subpages.

So this is top urgent for us too.

I would also sponsor a short-term patch for that MP problem. Message me.

Christoph

#25 - 2020-01-12 12:06 - Susanne Moog

- *Sprint Focus deleted (On Location Sprint)*

#26 - 2020-01-12 12:07 - Susanne Moog

- *Sprint Focus set to On Location Sprint*

#27 - 2020-01-14 14:17 - Gerrit Code Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#28 - 2020-01-14 16:27 - Benni Mack

- *Related to Bug #89039: MointPoints result in 404 if mounted page is outside the Site added*

#29 - 2020-01-14 16:29 - Gerrit Code Review

Patch set 2 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#30 - 2020-01-14 17:05 - Stephan Boiting

Hi, is this patch really for TYPO3 Version 9?

Error: Class 'TYPO3\CMS\Core\Domain\Repository\PageRepository' not found

#31 - 2020-01-14 21:15 - Gerrit Code Review

Patch set 3 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#32 - 2020-01-14 21:27 - Benni Mack

- *Related to Bug #82521: Links to a mounted page in a page tree with a different domain are not prepended with the domain added*

#33 - 2020-01-14 21:44 - Gerrit Code Review

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#34 - 2020-01-15 12:27 - Gerrit Code Review

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#35 - 2020-01-15 14:36 - Gerrit Code Review

Patch set 6 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#36 - 2020-01-15 17:16 - Gerrit Code Review

Patch set 7 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#37 - 2020-01-15 20:56 - Gerrit Code Review

Patch set 8 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#38 - 2020-01-15 21:39 - Gerrit Code Review

Patch set 9 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62878>

#39 - 2020-01-15 23:00 - Benni Mack

- Status changed from *Under Review* to *Resolved*

- % Done changed from 0 to 100

Applied in changeset [6170b24fb20bd191b11c8a1db1159e93a0b5bdbd](https://review.typo3.org/c/Packages/TYPO3.CMS/+62878).

#40 - 2020-01-16 00:06 - Gerrit Code Review

- Status changed from *Resolved* to *Under Review*

Patch set 1 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#41 - 2020-01-16 00:41 - Gerrit Code Review

Patch set 2 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#42 - 2020-01-16 00:42 - Gerrit Code Review

Patch set 3 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#43 - 2020-01-16 00:44 - Benni Mack

Please see the 9.5 backport <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

In v10 it's included finally!

#44 - 2020-01-16 09:34 - Gerrit Code Review

Patch set 4 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#45 - 2020-01-16 14:25 - Gerrit Code Review

Patch set 5 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#46 - 2020-01-16 14:57 - Gerrit Code Review

Patch set 6 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#47 - 2020-01-16 15:17 - Gerrit Code Review

Patch set 7 for branch 9.5 of project **Packages/TYPO3.CMS** has been pushed to the review server.
It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

#48 - 2020-01-20 09:00 - Benni Mack

- Status changed from Under Review to Resolved

Applied in changeset [9fca335b329000f3598eba30cea7483d4fe43b38](https://review.typo3.org/c/Packages/TYPO3.CMS/+62933).

#49 - 2020-01-20 12:01 - Oliver Hader

- Related to Bug #90156: Avoid removing empty prefixes in mount-point handling added

#50 - 2020-01-21 16:22 - Benni Mack

- Related to Bug #90166: MountPoints with Site Handling crash if two sites have a page with the same slug added

#51 - 2020-01-27 14:16 - Michal Cygankiewicz

We have similar issue in our TYPO3 9 installation - and actually your last fixes does not solve our problem.

We have two different websites (separate roots) in our TYPO3 installation.

Installation 1 (pid = 0)

Installation 2 (pid = 0)

and one page which is not actual website but just 'container' which is shared across those two websites. Some of pages from shared folder are linked in Installation 1, other in Installation 2 and some of them are used by both installations.

Shared (pid=0, uid=110)

- some page (pid = 110, uid=88)

Installation 1 and Installation 2 have it's site configuration defined.

If 'Shared' does not have site configuration defined (should it have one? since it is not real website) - then links are generated like:

domainname.com/index.php?id=88&MP=7-115

and functionality works fine - page could be opened when linked in frontend.

However if I define site configuration for 'Shared' then links in frontend are rendered with routing (example: domainname.com/some-page) but when opening a page - error is displayed

"(1/1) #1518472189 TYPO3\CMS\Core\Exception\PageNotFoundException

The requested page does not exist".

#52 - 2020-01-30 10:17 - RVVN no-lastname-given

Gerrit Code Review wrote:

Patch set 7 for branch 9.5 of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

Hello, as we need to upgrade (fast) our 150 TYPO3 websites using mount points, we installed the latest patch.
After some tests, we found an issue on some pages becoming 404.

Steps to reproduce the issue :

- switch a page from "standard" to "mount point"

- set "mount_pid_ol" to 1

- switch back to standard

The page is now 404.

#53 - 2020-02-03 17:21 - Benni Mack

RVVN no-lastname-given wrote:

Gerrit Code Review wrote:

Patch set 7 for branch 9.5 of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+62933>

Hello, as we need to upgrade (fast) our 150 TYPO3 websites using mount points, we installed the latest patch.
After some tests, we found an issue on some pages becoming 404.

Stephan Boiting wrote:

Hi, we have sites with hundreds of subpages under a mountpoint. In the frontend we have now following error:

Doctrine\DBAL\Exception\DriverException

```
_An exception occurred while executing 'SELECT `uid`, `l10n_parent`, `pid`, `slug`, `mount_pid`, `mount_pid_ol`, `t3ver_state`, `doktype`
FROM `pages` WHERE (`sys_language_uid` = ?) AND (`slug` IN (?, ?, ?, ?, ?)) AND ((`pages`.`deleted` = 0) AND ((`pages`.`t3ver_state`
<= 0) AND (`pages`.`pid` <> -1))) ORDER BY `slug` desc' with params [0, "V", "V", "\vblahblah", "\vblahblahV", "\vblahblah", "\vblahblahV"]:
```

Can't create more than max_prepared_stmt_count statements (current value: 16382)

Sorry, but **we also need a quick** solution to the problem, because the customer has been waiting for an update for months.

Thx for your good job.

What version are you running on? We now have mountpoints working across sites in TYPO3 v9.14-dev (latest 9.x-dev-branch as of today). Hope that helps.

In general MountPoint setups are hard to understand, if you don't know the scenarios, so just by taking your example, it seems like you run 9-x-dev from last week. We've fixed some other things today and yesterday in that area.

All the best,
Benni.

Ok, problem solved.

It is **necessary** that all domains with mountpoints, also deactivate channels, in the **site configuration are completely configured**, with languages etc. Otherwise you will have problems above.

But there is a next problem: 404 error if slug name more than two times in multichannel domains (with patch <https://forge.typo3.org/issues/90166>)

Main Domain
- Mainpage 1
-- Subpage 1
-- Subpage 2
...

Second Domain
- Mainpage 1 (Mountpoint with mount_pid_ol from "Main Domain->Mainpage 1") ----- Status: OK (Same slug as "Main Domain->Mainpage 1")

Third Domain
- Mainpage 1 (Mountpoint with mount_pid_ol from "Main Domain->Mainpage 1") ----- Status: 404 ERROR (Same slug as "Main Domain->Mainpage 1")
...

If "Second Domain->Mainpage 1" has another slug name as "Main Domain->Mainpage 1" "Third Domain->Mainpage 1" is also Status: OK

#59 - 2020-02-08 08:04 - Michal Cygankiewicz

Further information from my side - I am able to reproduce my problem on clean TYPO3 installation with introduction package installed. Related typoscript configuration that is used is:

```
config {
MP_mapRootPoints = root
MP_disableTypolinkClosestMPvalue = 0
content_from_pid_allowOutsideDomain = 1
typolinkEnableLinksAcrossDomains = 1
typolinkCheckRootline = 1
}
```

#60 - 2020-02-12 10:46 - RVVN no-lastname-given

Stephan Boiting wrote:

But there is a next problem: 404 error if slug name more than two times in multichannel domains (with patch <https://forge.typo3.org/issues/90166>)

Main Domain
- Mainpage 1
-- Subpage 1
-- Subpage 2
...

Second Domain

- Mainpage 1 (Mountpoint with mount_pid_ol from "Main Domain->Mainpage 1") ----- Status: OK (Same slug as "Main Domain->Mainpage 1")

Third Domain

- Mainpage 1 (Mountpoint with mount_pid_ol from "Main Domain->Mainpage 1") ----- Status: 404 ERROR (Same slug as "Main Domain->Mainpage 1")

...

If "Second Domain->Mainpage 1" has another slug name as "Main Domain->Mainpage 1" "Third Domain->Mainpage 1" is also Status: OK

We also confirm the issue when testing on our sites (with patch <https://forge.typo3.org/issues/90166>).

The fact is that on some multi-sites instances, we have 30-40 sites referring same pages of the "Main" domain.

We also confirm that if you change the slug on each mounting point, the status is then OK.

We need a fix please please ;)

#61 - 2020-02-27 12:41 - Benni Mack

- Status changed from Resolved to Closed

#62 - 2020-03-05 13:20 - Christian EBI

- Related to Bug #90648: Infinite recursion with new mount point support in sites with multiple websites with same slug name for mount points added

#63 - 2020-03-06 21:14 - Benni Mack

- Related to Bug #90469: Mountpoint information fetched for slug outside of site root added

#64 - 2020-03-06 21:16 - Benni Mack

- Status changed from Closed to Resolved

Thanks for all of your feedback regarding the leftover issues.

Can you please check against the related issues and if your case does not match, open a new ticket with reference to this one? Because then I can create new patches.

Thanks a lot again! I'm committed to making all of these pains go away.

#65 - 2020-04-01 21:14 - Benni Mack

- Status changed from Resolved to Closed