

TYPO3 Core - Bug #86678

Exception when using workspaces and using a site configuration

2018-10-17 22:39 - Riccardo De Contardi

Status:	Closed	Start date:	2018-10-17
Priority:	Must have	Due date:	
Assignee:		% Done:	100%
Category:	Workspaces	Estimated time:	0.00 hour
Target version:		Complexity:	
TYPO3 Version:	9	Is Regression:	
PHP Version:	7.2	Sprint Focus:	
Tags:	workspaces, site configuration		

Description

Prerequisites

- fresh TYPO3 9.5.0 installation
- a very simple tree like this one

```
[ID=1] Home page (is the root)
|
+-- [ID=3] A page
```

- a site configuration, here is mine:

```
rootPageId: 1
base: 'https://typo3.9.test.it:8890/'
baseVariants: { }
languages:
-
  title: Italian
  enabled: true
  languageId: '0'
  base: /
  typo3Language: it
  locale: it_IT.UTF-8
  iso-639-1: it
  navigationTitle: Italiano
  hreflang: it-IT
  direction: ''
  flag: it
-
  title: English
  enabled: true
  languageId: '1'
  base: /en/
  typo3Language: default
  locale: en_EN.UTF-8
  iso-639-1: en
  navigationTitle: English
  hreflang: en-EN
  direction: ''
  fallbackType: strict
  flag: gb
errorHandling: { }
routes: { }
```

- Workspaces ext enabled

steps to reproduce

1. create a workspace, name: "Custom Workspace"; assign the home page [ID=1] as mount point (db_mountpoints)
2. create the page "test page" (let's assume it has id=5) as a child of home page:

```
[ID=1] Home page (is the root)
|
+--- [ID=3] A page
|
+---[ID=5] test page
```

3. go to custom workspace
4. edit the page "test page", change something, e.g. the subtitle, save

results:

you get an exception:

Whoops, looks like something went wrong.

```
(1/1) #1534710048 TYPO3\CMS\Core\Exception\SiteNotFoundException
No pseudo-site found in root line of page 6
```

```
in /TYPO3-dists/typo3_src-9.5.0/typo3/sysex/core/Classes/Site/PseudoSiteFinder.php line 178
```

the page with ID=6 has been created in the workspace - the "simplified" pages tables looks like:

uid	pid	tstamp	t3ver_oid	t3ver_id	t3ver_label	t3ver_wsid
5	1	1539803988	0	0		0
6	-1	1539804015	5	1	Auto-created for WS #1	1

I can reproduce this issue with both a fresh 9.5.0 and 9.5.1-dev (latest master)

Let me know if you need the full error or further information. Thank you.

Related issues:

Related to TYPO3 Core - Bug #86186: No pseudo-site found in root line for wor...

Closed

2018-09-07

Associated revisions

Revision b3c17046 - 2019-01-16 08:02 - Benni Mack

[BUGFIX] Fix various "No pseudo-site found in root line of page" errors

Fixes workspace resolving etc.

The lempy statement is wrong as a string value "0" would not expect the right return. This fixes the detection of l10n_parent.

Also check for sys_language_uid, too, to get the pid of the record instead of its parent.

This also fixes opening categories (sys_category) when using EXT:news, which calls this condition in TCA:

```
'displayCond' => 'USER:' . \TYPO3\CMS\Core\Compatibility\
PseudoSiteTcaDisplayCondition::class . '->isInPseudoSite:pages:false',
```

Check array index exists in SiteResolving.

Resolves: #79606

Resolves: #86186

Resolves: #86622

Resolves: #86678

Resolves: #86684

Releases: master, 9.5

Change-Id: If3ddf5ead2ddd51db3bcf751d71d3bc362ef35

Reviewed-on: <https://review.typo3.org/59229>

Tested-by: TYPO3com <noreply@typo3.com>

Reviewed-by: Benni Mack <benni@typo3.org>

Tested-by: Benni Mack <benni@typo3.org>

Reviewed-by: Wouter Wolters <typo3@wouterwolters.nl>
Reviewed-by: Georg Ringer <georg.ringer@gmail.com>
Tested-by: Georg Ringer <georg.ringer@gmail.com>

Revision aa08d433 - 2019-01-16 09:28 - Benni Mack

[BUGFIX] Fix various "No pseudo-site found in root line of page" errors

Fixes workspace resolving etc.

The lempy statement is wrong as a string value "0" would not expect the right return. This fixes the detection of l10n_parent.

Also check for sys_language_uid, too, to get the pid of the record instead of its parent.

This also fixes opening categories (sys_category) when using EXT:news, which calls this condition in TCA:

```
'displayCond' => 'USER:' . \TYPO3\CMS\Core\Compatibility\  
PseudoSiteTcaDisplayCondition::class . '->isInPseudoSite:pages:false',
```

Check array index exists in SiteResolving.

Resolves: #79606

Resolves: #86186

Resolves: #86622

Resolves: #86678

Resolves: #86684

Releases: master, 9.5

Change-Id: If3ddf5eead2ddd51db3bcf751d71d3bc362ef35

Reviewed-on: <https://review.typo3.org/59453>

Tested-by: TYPO3com <noreply@typo3.com>

Reviewed-by: Benni Mack <benni@typo3.org>

Tested-by: Benni Mack <benni@typo3.org>

History

#1 - 2018-10-18 09:38 - Riccardo De Contardi

- *Description updated*

#2 - 2018-11-15 22:03 - Riccardo De Contardi

- *Related to Bug #86186: No pseudo-site found in root line for workspaces added*

#3 - 2019-01-11 20:56 - Gerrit Code Review

- *Status changed from New to Under Review*

Patch set 5 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/59229>

#4 - 2019-01-16 08:04 - Gerrit Code Review

Patch set 1 for branch **9.5** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <https://review.typo3.org/59453>

#5 - 2019-01-16 08:30 - Benni Mack

- *Status changed from Under Review to Resolved*

- *% Done changed from 0 to 100*

Applied in changeset [b3c170461fe0d30898487b98848271993692e31e](https://review.typo3.org/59453).

#6 - 2019-05-07 12:15 - Benni Mack

- *Status changed from Resolved to Closed*