

TYPO3 Core - Task #92064

Use named export of MessageUtility in Scheduler.ts

2020-08-21 13:30 - Benjamin Franzke

Status:	Closed	Start date:	2020-08-21
Priority:	Should have	Due date:	
Assignee:		% Done:	100%
Category:	Backend JavaScript	Estimated time:	0.00 hour
Target version:	11.0	Complexity:	
TYPO3 Version:	11	Sprint Focus:	
PHP Version:			
Tags:			

Description

`import = require('...')` should only be used when the required module exports via the respective `export =` instruction.

As `MessageUtility` exports only one named export (called `'MessageUtility'`), we should import via ES6 named import syntax.

Note: Technically (in the generated source) this change makes no difference, as the named export was available as property, and therefore `'import ='` worked.

Therefore there will be no changes required to the generated source codes.

Associated revisions

Revision **ac5dc9a7** - 2020-08-21 16:30 - Benjamin Franzke

[TASK] Use named export of MessageUtility in Scheduler.ts

`'import = require('...')` should only be used when the required module exports via the respective `'export ='` instruction.

As `MessageUtility` exports only one named export (called `'MessageUtility'`), we should import via ES6 named import syntax.

Note: Technically (in the generated source) this change makes no difference, as the named export was available as property of the AMD export-object, and therefore `'import ='` worked.

Therefore there are no changes to the generated files when executing:

```
grunt build
```

Resolves: #92064

Releases: master, 10.4

Change-Id: [Ie2376890e23a6d233387ab5cc3914e9dc57a8015](#)

Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+/65404>

Tested-by: TYPO3com <noreply@typo3.com>

Tested-by: Andreas Fernandez <a.fernandez@scripting-base.de>

Tested-by: Daniel Goerz <daniel.goerz@posteo.de>

Reviewed-by: Andreas Fernandez <a.fernandez@scripting-base.de>

Reviewed-by: Daniel Goerz <daniel.goerz@posteo.de>

Revision **f471e44f** - 2020-08-22 18:38 - Benjamin Franzke

[TASK] Use named export of MessageUtility in Scheduler.ts

`'import = require('...')` should only be used when the required module exports via the respective `'export ='` instruction.

As `MessageUtility` exports only one named export (called `'MessageUtility'`), we should import via ES6 named import syntax.

Note: Technically (in the generated source) this change makes no difference, as the named export was available as property of the AMD export-object, and therefore `import = ` worked.

Therefore there are no changes to the generated files when executing:

```
grunt build
```

Resolves: #92064

Releases: master, 10.4

Change-Id: Ie2376890e23a6d233387ab5cc3914e9dc57a8015

Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+65415>

Tested-by: TYPO3com <noreply@typo3.com>

Tested-by: Benjamin Franzke <bfr@qbus.de>

Reviewed-by: Benjamin Franzke <bfr@qbus.de>

History

#1 - 2020-08-21 13:31 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 1 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+65404>

#2 - 2020-08-21 16:30 - Gerrit Code Review

Patch set 1 for branch **10.4** of project **Packages/TYPO3.CMS** has been pushed to the review server. It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+65415>

#3 - 2020-08-21 17:00 - Benjamin Franzke

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset [ac5dc9a709cd1c17536cb04ca5b577a11496351d](https://review.typo3.org/c/Packages/TYPO3.CMS/+65415).

#4 - 2020-12-22 11:05 - Benni Mack

- Status changed from Resolved to Closed