

## TYPO3 Core - Feature #94939

### Keep UIDs when installing distributions

2021-08-20 08:10 - Lina Wolf

<b>Status:</b>	New	<b>Start date:</b>	2021-08-20
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Import/Export (T3D)	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Complexity:</b>	
<b>PHP Version:</b>		<b>Sprint Focus:</b>	
<b>Tags:</b>			
<b>Description</b>			
<p>Currently when a distribution is installed, the UIDs are not forced. So when you export data again to update the content all the UIDs might get changed. This makes changes hard to review and interferes with TypoScript etc which might depend on a certain UID.</p> <p>This happened for example in this PR: <a href="https://github.com/TYPO3-Documentation/t3docs-examples/pull/55">https://github.com/TYPO3-Documentation/t3docs-examples/pull/55</a></p> <p>Related to <a href="https://forge.typo3.org/issues/92526">https://forge.typo3.org/issues/92526</a></p>			
<b>Related issues:</b>			
Related to TYPO3 Core - Story #92526: Concept for improved EXT:impexp		<b>Accepted</b>	<b>2020-10-09</b>

#### History

##### #1 - 2021-08-20 08:21 - Alexander Nitsche

- Subject changed from Keep Uids when Chaning distributions to Keep UIDs when installing distributions
- Description updated

##### #2 - 2021-08-20 08:23 - Alexander Nitsche

- Related to Story #92526: Concept for improved EXT:impexp added