

## TYPO3 Core - Task #96318

Epic # 96107 (Resolved): Core v12 deprecation removals

### Use ServerRequestInterface as required argument for various methods

2021-12-09 21:54 - Benni Mack

<b>Status:</b>	Resolved	<b>Start date:</b>	2021-12-09
<b>Priority:</b>	Should have	<b>Due date:</b>	
<b>Assignee:</b>	Benni Mack	<b>% Done:</b>	100%
<b>Category:</b>	Frontend	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	12.0	<b>Complexity:</b>	
<b>TYPO3 Version:</b>	12	<b>Sprint Focus:</b>	
<b>PHP Version:</b>			
<b>Tags:</b>			
<b>Description</b>			
<b>Related issues:</b>			
Related to TYPO3 Core - Bug #96330: OpenDocumentService calls getModuleData o...		<b>Resolved</b>	<b>2021-12-10</b>

#### Associated revisions

##### Revision f6718568 - 2021-12-09 22:46 - Benni Mack

[!!!][TASK] Make PSR-7 ServerRequest object required for arguments

This change modifies various places to always have a valid PSR-7 Request object handed in.

Previously this was optional as part of the backwards-compatibility in TYPO3 v11.

Resolves: #96318

Releases: main

Change-Id: Idf46dec219cddbdc97fbe745240770b364ecb38b

Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+72601>

Tested-by: Oliver Bartsch <[bo@cedev.de](mailto:bo@cedev.de)>

Tested-by: Stefan Bürk <[stefan@buerk.tech](mailto:stefan@buerk.tech)>

Tested-by: core-ci <[typo3@b13.com](mailto:typo3@b13.com)>

Tested-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>

Reviewed-by: Oliver Bartsch <[bo@cedev.de](mailto:bo@cedev.de)>

Reviewed-by: Stefan Bürk <[stefan@buerk.tech](mailto:stefan@buerk.tech)>

Reviewed-by: Wouter Wolters <[typo3@wouterwolters.nl](mailto:typo3@wouterwolters.nl)>

Reviewed-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>

##### Revision 634308db - 2021-12-10 14:05 - Oliver Bartsch

[BUGFIX] Use already initialized user in OpenDocumentService

In #96318 the call to ``$backendUser->start()`` was removed in OpenDocumentService. This then led to an exception, in case a not fully initialized backend user object is used to call ``getModuleData()``.

This is fixed by no longer using an own backend user instance, but instead accessing the already initialized global object.

Resolves: #96330

Related: #96318

Releases: main

Change-Id: Icf887df324b2cea4eb79c48f4a50e2be28d8f0774

Reviewed-on: <https://review.typo3.org/c/Packages/TYPO3.CMS/+72623>

Tested-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>

Tested-by: core-ci <[typo3@b13.com](mailto:typo3@b13.com)>

Tested-by: Jochen <[rothjochen@gmail.com](mailto:rothjochen@gmail.com)>

Tested-by: Oliver Bartsch <[bo@cedev.de](mailto:bo@cedev.de)>

Reviewed-by: Benni Mack <[benni@typo3.org](mailto:benni@typo3.org)>  
Reviewed-by: Jochen <[rothjochen@gmail.com](mailto:rothjochen@gmail.com)>  
Reviewed-by: Oliver Bartsch <[bo@cedev.de](mailto:bo@cedev.de)>

## History

---

### #1 - 2021-12-09 21:57 - Gerrit Code Review

- Status changed from New to Under Review

Patch set 3 for branch **main** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+72601>

### #2 - 2021-12-09 21:58 - Gerrit Code Review

Patch set 4 for branch **main** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+72601>

### #3 - 2021-12-09 22:24 - Gerrit Code Review

Patch set 5 for branch **main** of project **Packages/TYPO3.CMS** has been pushed to the review server.  
It is available at <https://review.typo3.org/c/Packages/TYPO3.CMS/+72601>

### #4 - 2021-12-10 01:20 - Benni Mack

- Status changed from Under Review to Resolved

- % Done changed from 0 to 100

Applied in changeset [f6718568981aad4a8d6fabe38abe8df2120a787f](https://review.typo3.org/c/Packages/TYPO3.CMS/+72601).

### #5 - 2021-12-10 13:41 - Oliver Bartsch

- Related to Bug #96330: OpenDocumentService calls getModuleData on an not fully initialized backend user added